R3850-25

LOS

PSYCHIATRIC

LENGTH OF STAY

CPHA PUBLICATIONS

by Diagnosis
United States, Western Region, 1986

Commission on Professional and Hospital Activities
Ann Arbor Michigan
December 1987

PSYCHIATRIC LENGTH OF STAY

This publication represents one volume in the first edition of the Psychiatric Length of Stay series:

Length of Stay by Psychiatric Diagnosis, United States, 1986
Length of Stay by Psychiatric Diagnosis, Northeastern Region, 1986
Length of Stay by Psychiatric Diagnosis, North Central Region, 1986
Length of Stay by Psychiatric Diagnosis, Southern Region, 1986
Length of Stay by Psychiatric Diagnosis, Western Region, 1986

The Length of Stay series has been published annually since 1964. The 1986 Length of Stay by Diagnosis and Operation books are available for the United States and for four geographic regions. In addition, the Length of Stay series includes the Geriatric Length of Stay by Diagnosis and Operation, United States, 1986 and Pediatric Length of Stay by Diagnosis and Operation, United States 1986. For further information, please write CPHA Publications, 1968 Green Road, P.O. Box 1809, Ann Arbor, Michigan 48106 or call 800-521-6210 or 800-828-6762 in Michigan, Extension 3534.

CONTENTS

About CPHA and Publications iii

Preface iv

Description of the Database

Data Collection vi
Data Quality viii
Database Characteristics viii

Organization of Psychiatric Length of Stay Tables xiii

Explanation of Psychiatric Length of Stay Statistics xv

Application of Psychiatric Length of Stay Tables xvi

Complementary Data and Graphs xvii

Length of Stay Tables 1

Appendix 1: Hospital Service Type Definitions 169

Appendix 2: Teaching Intensity Program Calculation 170

Appendix 3: State Inclusions and Hospital Counts by Region 171

Appendix 4: *ICD-9-CM* Psychiatric Diagnosis Codes and English Descriptions 172

Appendix 5: English Descriptions and *ICD-9-CM* Psychiatric Diagnosis Codes 180

Appendix 6: Patient Characteristic Definitions Used in Graphs 187

ABOUT CPHA AND CPHA PUBLICATIONS

The Commission on Professional and Hospital Activities (CPHA) is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and system development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is a nonprofit, private organization, sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

CPHA Publications, a unit of the Research Department, is responsible for the development of issue-oriented data reference tools setting performance guidelines and comparative standards for the health care industry. CPHA Publications disseminates important research findings to support and enhance the day-to-day activity of health care professionals in a variety of settings.

Copyright ©1987 by The Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

PREFACE

The Psychiatric Length of Stay series represents the first edition of a new annual publication incorporating length of stay and accompanying facility and demographic data on psychiatric patients treated in nonfederal, short-term general hospitals in the United States.

CPHA initially developed its length of stay databases in 1964. Since then, the Length of Stay or LOS series, has become a well-known standard in the health care industry.

CPHA is committed to continuing its tradition of providing high quality normative data reference publications. CPHA recognizes that sustaining a tradition means responding to emerging information needs and issues important to long-time and new users. The new series makes it possible to focus on utilization and special length of stay issues for a particular hospital population: the psychiatric patient.

The growing number of people in the United States diagnosed with mental illness or psychiatric-related conditions make these volumes both timely and imperative.

PROJECT STAFF
1986 PSYCHIATRIC LENGTH OF STAY BOOKS

Jeanine A. DeLay, MA, Project Manager, Assistant Director
Joyce Beach, Senior Programmer
Lale A. Olson, Forms Analyst
James Chesney, PhD, Director

The Project Staff is indebted to many individuals who made this publication possible. Special thanks to other Research Services staff: Carol A. Prevost, BS, Research Associate, Linda E. Vanek, MSW, Product Manager, and Susan DesHarnais, PhD, Research Scientist, for publication design, research advice, and editing assistance, and Rhonda A. Gregory, Publications Assistant, for clerical assistance.

Appreciation is also extended to Sharon Glushyn, Steve Maggio, Margaret Price, and Cheryl V. Rafdal. Finally, we gratefully acknowledge the hospitals that support this book by making their data available.

DESCRIPTION OF THE DATABASE

DATA COLLECTION

Data in the Psychiatric Length of Stay books are compiled from individual patient discharge records submitted to CPHA by hospitals participating in the Professional Activity Study (PAS). In addition, the books contain discharge data from hospitals participating in information systems other than PAS, including: Alabama Hospital Association, Colorado Hospital Association, Kaiser Foundation Hospitals, Kansas Hospital Association, Maine Hospital Association, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Oregon Hospital Association, Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association.

The following steps describe the PAS method of storing and retrieving medical record data:

1. In each participating hospital, personnel transfer demographic and clinical data from the record of each discharged patient via microcomputer, magnetic tape, or PAS Case Abstract.

2. The disk, tape, or abstract is mailed to the center of PAS operations in Ann Arbor, Michigan, where its contents are entered into the computer system.

3. Data undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospital personnel.

4. Hospitals continually add data stored in the computer system's permanent history file dating back as far as 1955. Participating hospitals are given access to their own data through interactive systems, in-house computers, and paper reports. The stored aggregate data are standardized and maintained as custom databases, among them the length of stay database.

5. CPHA Publications uses this annually updated database to create the Psychiatric Length of Stay series and other normative data reference tools.

A graphic of the CPHA data collection system is shown on the next page.

CPHA'S DATA COLLECTION SYSTEM


Medical Records
Magnetic
Tape
Micro-
computer
CPHA

CPHA's Database is maintained for:

- Print and electronic publications, e.g., 1986 Psychiatric Length of Stay series
- Contract research market analysis, forecasting, survey, and epidemiological investigations
- Policy research on major health care issues, e.g., cost containment, quality of care, equity
- On-line access and analysis by hospitals and other health industry groups

DATA QUALITY

Data quality is one of the primary concerns of CPHA. Although the hospital is ultimately responsible for the quality of its data, CPHA shares responsibility as the hospital's medical record processor. For this reason, CPHA goes to considerable length to prevent and correct errors by continually training hospital medical personnel in coding and abstracting methods, by routinely monitoring submitted data, and by carefully checking and editing the data for errors.

Over 600 computer checks are performed during the processing of each record to ensure the reasonableness of the data. Examples of discrepancies detected by the audit are: sex-specific diagnosis with the wrong sex recorded, incalculable age or stay, and unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected about 40 percent of the errors are corrected by computer. The remainder are referred back to hospital staff through computer-generated error messages.

In addition to initial data editing, the computer system that produces the psychiatric length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following record types are excluded as not representing a typical short-term patient:

1. death
2. stillborn
3. admission from other short-term general hospital
4. discharge to other short-term general hospital
5. discharge against medical advice

DATABASE CHARACTERISTICS

Data in the Psychiatric Length of Stay series are from 1,445 nonfederal, short-term general hospitals in the United States. Short-term hospitals have a median stay shorter than 30 days. General hospitals provide patient services for a variety of medical conditions. Data from long-term and specialty institutions, e.g., long-term psychiatric facilities and centers treating psychiatric patients exclusively, are excluded. The only specialty hospital data included in this series are from short-term pediatric hospitals.

The characteristics of all hospitals with discharge data included in the Psychiatric Length of Stay books are displayed in the tables on pages x-xii. Table definitions are as follows:

Public/Private Hospitals

A public hospital is a nonfederal government-operated hospital, e.g., state, county, city, or hospital authority. A private hospital includes both nongovernment investor or for-profit and not-for-profit owned or operated facilities.

Hospitals with or without a Psychiatric Unit or Beds

The 1985 Annual Survey of Hospitals compiled on magnetic tape by the American Hospital Association (1985 AHA magnetic tape), includes service and facility codes. Nonfederal, short-term general hospitals that recorded psychiatric or children's psychiatric acute care services, or claimed a facility with psychiatric acute care beds, are included in the hospitals with psychiatric unit/beds category. Nonfederal, short-term general hospitals that do not have psychiatric or children's psychiatric acute care services, and do not claim psychiatric beds, are included in the hospitals without a psychiatric unit/beds category. In addition, some hospitals in this group contract with another hospital or provider for psychiatric services.

Hospitals in both categories, however, can offer the following services: psychiatric outpatient, clinical psychology, psychiatric consultation and education, psychiatric foster and/or home care, psychiatric emergency, or partial hospitalization. Appendix 1 includes definitions of these additional services.

Urban/Rural Hospitals

Urban hospitals are those with a metropolitan statistical area designation on the 1985 AHA magnetic tape. Hospitals without a metropolitan statistical area designation represent rural hospitals.

Teaching Intensity

The teaching designation is determined by a weighted index measuring program intensity developed by Phillip and Hai. The index is based on programs, memberships, and affiliations approved by various bodies. The approvals incorporated in the index are:

- Accreditation by Joint Commission on Accreditation of Hospitals
- Cancer Program approved by American College of Surgeons
- Residency approved by American Medical Association
- Medical School Affiliation reported by American Medical Association
- Hospital-controlled professional nursing school, reported by National League for Nursing
- Member of Council of Teaching Hospitals of the Association of American Medical Colleges.

Based on this index, hospitals are classified by one of three teaching status groups:

1. Low Teaching Intensity Hospitals
2. Medium Teaching Intensity Hospitals
3. High Teaching Intensity Hospitals

Appendix 2 describes how the teaching intensity index is determined.

Average Occupancy

According to *AHA Hospital Statistics*, 1986 edition, the average occupancy of a hospital is "the ratio of the average daily census to the average number of beds, i.e., statistical beds, maintained during a particular reporting period."

Table 1
PSYCHIATRIC LENGTH OF STAY HOSPITAL CHARACTERISTICS

	PUBLIC HOSPITALS			PRIVATE HOSPITALS			UNKNOWN HOSPITALS*			TOTAL HOSPITALS		
	W/Psych Unit/Beds	W/O Psych Unit/Beds	TOTAL	W/Psych Unit/Beds	W/O Psych Unit/Beds	TOTAL	W/Psych Unit/Beds	W/O Psych Unit/Beds	TOTAL	W/Psych Unit/Beds	W/O Psych Unit/Beds	TOTAL
Number of Hospitals												
Universe**	143	403	546	783	1,237	2,020	7	4	11	933	1,644	2,577
Sample	64	236	300	428	711	1,139	3	3	6	495	950	1,445
Hospitals as Percent of Universe												
Universe	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Sample	44.8	58.6	54.9	54.7	57.5	56.4	42.9	75.0	54.5	53.1	57.8	56.1
Number of Urban Hospitals												
Universe	77	90	167	565	702	1,267	5	0	5	647	792	1,439
Sample	25	54	79	281	364	645	0	0	0	306	418	724
Urban Hospitals as Percent of Universe												
Universe	53.8	22.3	30.6	72.2	56.8	62.7	71.4	0	45.5	69.3	48.2	55.8
Sample	17.5	13.4	14.5	35.9	29.4	31.9	0	0	0	32.8	25.4	28.1
Number of High/Medium Teaching Intensity Hospitals												
Universe	40	10	50	297	155	452	3	0	3	340	165	505
Sample	17	9	26	149	77	226	0	0	0	166	86	252
Number of High/Medium Teaching Intensity Hospitals as Percent of Universe												
Universe	28.0	2.5	9.2	37.9	12.5	22.4	42.9	0	27.3	36.4	10.0	19.6
Sample	11.9	2.2	4.8	19.0	6.2	11.2	0	0	0	17.8	5.2	9.8
Average Occupancy as Percent of Universe												
Universe	60.9	47.6	51.1	65.6	56.4	60.0	70.2	37.8	58.4	64.9	54.2	58.1
Sample	58.6	46.5	49.1	65.0	57.4	60.2	0	84.2	84.2	64.2	54.7	57.9

*The Unknown category means no information is available for the hospital characteristics.

**The Universe means all hospitals that have recorded the presence of a psychiatric unit or beds on the 1985 American Hospital Association magnetic tape. The Sample represents hospitals with these designations, i.e., presence of a psychiatric unit or beds, contributing data to the Psychiatric Length of Stay series.

Table 2
PSYCHIATRIC LENGTH OF STAY HOSPITAL CHARACTERISTICS

HOSPITALS WITH PSYCHIATRIC UNIT/BEDS

	Number of Hospitals	%	Number of Patients with Psychiatric Prin Dx*	%**
All Hospitals	495	100.0	201,835	100.0
Control				
Public	64	12.9	20,117	10.0
Private	428	86.5	180,799	89.6
Unknown***	3	.6	919	.4
Bedsize				
< 100 Beds	84	17.1	7,301	3.6
100-199	121	24.4	32,680	16.2
200-299	105	21.2	43,167	21.4
300-399	69	13.9	39,975	19.8
400-499	58	11.7	36,212	17.9
500+	55	11.1	41,581	20.6
Unknown	3	.6	919	.5
Teaching Intensity				
Low	329	66.5	101,008	50.0
Medium	105	21.2	65,292	32.4
High	61	12.3	35,535	17.6
Location				
Rural	173	35.0	37,036	18.3
Urban	306	61.8	161,416	80.0
Unknown	16	3.2	3,383	1.7

*This number includes those patients who have an *ICD-9-CM* principal diagnosis code between the ranges 290-314.9.

**The denominator used to calculate the percents is the total number of patients within the specified ranges of *ICD-9-CM* psychiatric principal diagnoses.

***The Unknown category means no information is available for the hospital characteristics.

Table 3
PSYCHIATRIC LENGTH OF STAY HOSPITAL CHARACTERISTICS

HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS

	Number of Hospitals	%	Number of Patients with Psychiatric Prin Dx*	%**
All Hospitals	950	100.0	66,829	100.0
Control				
Public	236	24.8	11,401	17.1
Private	711	74.8	54,905	82.1
Unknown***	3	.4	523	.8
Bedsize				
< 100 Beds	522	55.0	16,903	25.3
100-199	244	25.7	20,535	30.8
200-299	99	10.4	12,663	18.9
300-399	47	4.9	9,558	14.3
400-499	18	1.9	3,265	4.9
500+	18	1.9	3,410	5.1
Unknown	2	.2	495	.7
Teaching Intensity				
Low	864	91.0	53,059	79.4
Medium	65	6.8	10,456	15.6
High	21	2.2	3,314	5.0
Location				
Rural	524	55.2	19,153	28.7
Urban	418	44.0	45,674	68.3
Unknown	8	.8	2,002	3.0

---

*This number includes those patients who have an *ICD-9-CM* principal diagnosis code between the ranges 290-314.9.

**The denominator used to calculate the percents is the total number of patients within the specified ranges of *ICD-9-CM* psychiatric principal diagnoses.

***The Unknown category means no information is available for the hospital characteristics.

ORGANIZATION OF THE PSYCHIATRIC LENGTH OF STAY TABLES

The Psychiatric Length of Stay series is divided into separate volumes by geographic region. There are five volumes: Northeastern, North Central, Southern, Western, and the United States. The map below defines each of the 4 census regions. Appendix 3 lists the states comprising each region, and the number of hospitals and patients included in each volume.



** Includes Alaska and Hawaii

Diagnosis Classification Categories

The tables in each regional and national volume are categorized by the widely used classification system, the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*.[1] This system includes both diagnosis and procedure numerical codes of three to five digits. The psychiatric length of stay tables are categorized by *ICD-9-CM* diagnosis code, beginning with code 290 and ending with code 314.9, expressed to the fourth digit. Diagnosis codes within the specified range with five digits are collapsed and incorporated into the four digit *ICD-9-CM* diagnosis codes. Appendix 4 lists the *ICD-9-CM* diagnosis codes in the psychiatric length of stay tables, their accompanying English description, and the page number in the particular volume where a table is located. Appendix 5 lists, in alphabetic order, the psychiatric diagnosis English description and accompanying numerical codes. For *ICD-9-CM* codes between 290-314.9 where there are no data, no listing is included.

---

[1] *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List.* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Hospital Service Type

The tables are also categorized by hospital service and facility. The divisions are:

a. Hospitals with a Psychiatric (Psy.) Unit/Beds - Nonfederal, short-term general hospitals recording psychiatric or pediatric psychiatric acute care services or claiming a facility with psychiatric acute care beds.

b. Hospitals without a Psychiatric (Psy.) Unit/Beds - Nonfederal, short-term general hospitals that do not have psychiatric or pediatric psychiatric acute care services and do not claim psychiatric acute care beds. In addition, hospitals in this group may contract with another hospital or provider for psychiatric acute care services. Hospitals in both groups can offer the following additional services: psychiatric outpatient, clinical psychology, psychiatric consultation and education, psychiatric foster and/or home care, psychiatric emergency, or partial hospitalization.

Psychiatric Length of Stay Patient Variables

The psychiatric length of stay data are divided into two patient groups, by sex, and by eight age ranges.

Patient Groups

Patients in the psychiatric length of stay tables are grouped by *ICD-9-CM* psychiatric principal diagnosis and by the presence or absence of a psychiatric secondary diagnosis. The principal diagnosis code is the diagnosis that after study explains why the patient was admitted to the hospital.

Psychiatric Principal Diagnosis, Without Any Psychiatric Secondary Diagnosis (Psych Prin, No Psych 2nd Dx)

This group includes patients having a psychiatric principal diagnosis code (*ICD-9-CM* 290-314.9) only or patients having the specified psychiatric principal diagnosis code (*ICD-9-CM* 290-314.9) and a nonpsychiatric secondary diagnosis. For example, this group may include patients having the principal psychiatric diagnosis code specified in the table, as his/her only diagnosis. Alternatively, a patient having the principal psychiatric diagnosis specified in the table and diabetes (*ICD-9-CM* code 250.0), a nonpsychiatric secondary diagnosis, is also included in this category.

Psychiatric Principal Diagnosis, With One or More Psychiatric Secondary Diagnoses (Psych Prin, Psych 2nd Dx(s)

This group includes patients having a psychiatric principal diagnosis code between the code ranges *ICD-9-CM* 290-314.9 and one or more psychiatric secondary diagnoses (*ICD-9-CM* 290-314.9). These are patients with multiple psychiatric diagnoses.

Sex

Patients are distinguished as either male or female.

Age

Patients are in one of the following age groups recorded in years:
Newborn or 0 to 12
13-17
18-20
21-24
25-34
35-54
55-74
75+

The "all ages" group summarizes all the age groups by sex.

EXPLANATION OF PSYCHIATRIC LENGTH OF STAY STATISTICS

The data are sequenced by total number of patients, average length of stay, variance, and distribution percentiles. In addition, two subtotals and a grand total are included.

Total Number of Patients

This number represents the total number of patients in the stratified group. Patients with stays over 99 days (99+) are not included.

Average Length of Stay

The length of stay is calculated from the admission and discharge dates by counting the day of admission as the first day. The average is figured by adding the lengths of stay for each patient and then dividing by the total number of patients. Patients discharged on the day of admission are counted as staying one day in the calculation of average length of stay. Patients with stays over 99 days (99+) are excluded from this calculation.

Variance

The variance is a measure of the spread of the data around the average. For the psychiatric length of stay tables, the smallest variance is zero, indicating all lengths of stay are equal. The maximum value for the variance is 2500.

When using tables in which there is a large variance, and the patient group size is relatively small, the average stay may appear high. This sometimes occurs when one or two patients with long hospitalizations fall into the group.

Distribution Percentiles

A length of stay percentile for a stratified group of patients is determined by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Patients who were hospitalized 99+ days or longer are not included in the total patients, average stay, and variance categories. The percentiles, however, do include these patients.

Subtotal and Grand Total

The subtotal represents the total patients in one of the two patient groups, including sex and age groups. The Grand Total represents the total number of patients in a psychiatric diagnosis category (*ICD-9-CM* codes 290-314.9) within one of the two hospital service type categories.

APPLICATION OF PSYCHIATRIC LENGTH OF STAY TABLES

The Psychiatric Length of Stay series can be used as a valuable reference source in a variety of health care settings. Use of stay data allows the health care professional to compare regional and national norms to his/her own institution or client. Like the LOS series, the Psychiatric Length of Stay publications assist in projecting extended stay reviews, while recommending the most effective use of psychiatric patient care services. In focusing on the length of stay for a singular population, norms which take into account special characteristics can be developed and refined. Moreover, annual publication of Psychiatric Length of Stay allows the establishment of baselines to determine the applicability of the norms in particular psychiatric service settings. In addition, the Psychiatric Length of Stay series helps in forecasting and service planning.

The following steps are intended to provide a guide in situations where a health care professional wishes to determine a reasonable length of stay by using one of the Psychiatric Length of Stay regional or national volumes:

Step 1: Consult Appendix 4 or 5 at the back of the appropriate Psychiatric Length of Stay book for the particular diagnosis to be reviewed.

Step 2: Find the corresponding table in the Psychiatric Length of Stay book. The *ICD-9-CM* psychiatric diagnosis code number follows the English title of each table.

Step 3: Depending on the purpose of the review, find the appropriate table category:
Hospital Service Type
Patient Group
Sex
Age

Step 4: Go to the 50th percentile of stay for patients under review at the point where the 50th percentile column (7) of the table intersects the horizontal line labeling the pertinent patient variables and find the number of days.

Step 5: Consult the total stratified patient sample (Grand Total) and its variance to consider the homogeneity of the data, i.e., to what extent length of stay averages are clustered or spread out within a particular patient group.

These general steps are followed, with more specific applications, by health care professionals in many diverse settings. The psychiatric length of stay tables can be used to identify candidates for utilization review, to furnish check points in patient care, to project extended stay reviews and to improve hospital care standards. Increasing concern about quality care, costs, and the need for more sophisticated hospital population-specific data to perform these quality and cost reviews will make the psychiatric length of stay tables an important new tool in the health care industry.

COMPLEMENTARY DATA AND GRAPHS

Accessing a special database affords the opportunity to explore other topics discussed in the literature and research on psychiatric length of stay. The value of the psychiatric length of stay norms is enhanced if users examine the bar graphs displayed on the next few pages.

Three issues often cited in the literature are: transfer patterns and average stay of psychiatric patients by payor, length of stay differences by hospital ownership, and regional variations in stay for similar diagnoses.

The graphs which follow offer a data profile drawn from the psychiatric length of stay database. All graphs display data for the total United States, except those describing regional variations in stay for similar diagnoses.

Transfer Patterns of Psychiatric Patients by Payor and Hospital Service Type

The bar graphs on pages xix-xxxii display by payor, the percent of psychiatric patients with particular demographic or clinical characteristics transferred upon discharge to one of the following:

1. another short-term general hospital
2. skilled nursing facility
3. intermediate care facility
4. other facility
5. home health service

Graph 1 depicts all patients with psychiatric principal diagnoses (*ICD-9-CM* 290-314.9) transferred from one of the two hospital service types. Graph 2 shows the same group of patients over 74 years who were transferred. Graphs 3 and 4 present the same patient group, using two simple severity of illness indicators: patients with one or more HCFA-defined complications and comorbidities (CCs) as any secondary diagnosis, and patients with two or more psychiatric secondary diagnoses. Graph 5 describes the transfer patterns of a different group of patients: those without a psychiatric principal diagnosis who have one or more psychiatric secondary diagnoses. Definitions of the HCFA complications and comorbidities are included in Appendix 6.

While most payor definitions are self-explanatory, the no insurance category (NO INS) includes self-pay and no charge patients. The other (OTH) category incorporates Title V, other government, and worker compensation patients. Detailed definitions of payor categories are part of Appendix 6.

Average Lengths of Stay (ALOS) of Psychiatric Patients by Payor and Hospital Service Type

Graphs 6-10 display the average stay of the same patient categories depicted in Graphs 1-5.

Average Lengths of Stay of Psychiatric Patients with Selected Psychiatric Principal Diagnoses by Hospital Ownership

Graph 11 presents the average stays for all patients with 10 prevalent psychiatric principal diagnoses. The diagnoses highlighted are:

ICD-9-CM Code	English Description
291.8	Other Specified Alcoholic Psychosis
295.3	Schizophrenic-Paranoid Type
300.4	Neurotic Depression
301.8	Other Personality Disorders
303.9	Other and Unspecified Alcohol Dependence
304.2	Cocaine Dependence
306.1	Respiratory Physiological Malfunction Arising from Mental Factors

ICD-9-CM Code	English Description
307.1	Anorexia Nervosa
309.0	Brief Depressive Reaction
314.0	Attention Deficit Disorder

Definitions for the private (PRIV) and public (PUB) hospital ownership types can be found on page viii.

Average Lengths of Stay for Patients with Selected *ICD-9-CM* Psychiatric Principal Diagnoses by Census Region

Graphs 12-14 depict the average stays by census region for patients with the same diagnoses highlighted in graph 11.

All data for the graphs were drawn from the 1986 psychiatric length of stay database. The section beginning on page 1 includes the psychiatric length of stay tables.

GRAPH 1

PERCENT ALL PSYCH PATIENTS

TRANSFERRED BY PAYOR



GRAPH 2

PERCENT ALL PSYCH PATIENTS 74 + YEARS

TRANSFERRED BY PAYOR



GRAPH 3

PERCENT ALL PSYCH PATIENTS WITH 1 + 2ND CCs



GRAPH 4

PERCENT PATIENTS WITH MULTIPLE PSYCH DXs



GRAPH 5

PERCENT PATIENTS WITH PSYCH 2ND DXs ONLY

TRANSFERRED BY PAYOR



GRAPH 6

ALOS ALL PSYCH PATIENTS

TRANSFERRED BY PAYOR



GRAPH 7

ALOS PSYCH PATIENTS 74 + YEARS

BY PAYOR AND HOSPITAL SERVICE



GRAPH 8

ALOS PSYCH PATIENTS WITH 1 + 2ND CCs

BY PAYOR AND HOSPITAL SERVICE



GRAPH 9

ALOS PATIENTS WITH MULTIPLE PSYCH DXs

BY PAYOR AND HOSPITAL SERVICE



GRAPH 10

ALOS PATIENTS WITH PSYCH 2ND DXs ONLY

BY PAYOR AND HOSPITAL SERVICE



GRAPH 11

ALOS PATIENTS WITH SELECTED *ICD-9-CM*

PSYCH PRIN DX BY HOSPITAL OWNERSHIP



GRAPH 12
REGIONAL ALOS PATIENTS WITH SELECTED *ICD-9-CM*

PSYCH PRIN DX BY HOSPITAL SERVICE



GRAPH 13
REGIONAL ALOS PATIENTS WITH SELECTED *ICD-9-CM*

PSYCH PRIN DX BY HOSPITAL SERVICE



GRAPH 14
REGIONAL ALOS PATIENTS WITH SELECTED *ICD-9-CM*

PSYCH PRIN DX BY HOSPITAL SERVICE



Psychiatric Length of Stay Diagnosis Tables

SENILE DEMENTIA UNCOMP (290.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	14	7.1	16	1	2	7	8	12	16	17	7	6.7	10	4	4	5	10	10	10	10
75 +	41	9.0	104	1	2	5	12	17	22	62	42	8.3	126	2	2	6	8	17	42	99 +
ALL AGES	55	8.5	82	1	2	6	11	17	21	60	49	8.1	109	2	2	6	9	15	26	99 +
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	10	14.2	451	2	2	7	14	45	73	73	15	8.5	27	2	3	6	14	15	16	16
75 +	73	6.0	29	1	2	4	8	11	16	32	53	6.4	32	1	2	5	9	12	16	35
ALL AGES	83	7.0	82	1	2	5	8	13	17	60	68	6.9	31	1	2	5	9	14	16	32
SUBTOTAL	**138**	**7.6**	**82**	**1**	**2**	**5**	**9**	**15**	**18**	**63**	**117**	**7.4**	**63**	**1**	**2**	**5**	**9**	**15**	**18**	**80**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	3	7.0	1	6	6	7	8	8	8	8	1	8.0		8	8	8	8	8	8	8
75 +	8	7.8	26	1	2	7	10	16	18	18	5	11.2	27	5	5	10	14	19	19	19
ALL AGES	11	7.5	20	1	3	7	10	13	18	18	6	10.7	23	5	5	9	13	18	19	19
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	4	7.3	2	5	5	7	8	9	9	9	3	9.0	7	6	6	10	11	11	11	11
75 +	10	9.9	67	1	2	7	18	22	25	25	9	8.3	26	2	2	7	13	15	15	15
ALL AGES	14	9.1	49	1	3	7	9	20	24	25	12	8.5	20	2	2	8	12	15	15	15
SUBTOTAL	**25**	**8.4**	**36**	**1**	**3**	**7**	**9**	**18**	**21**	**25**	**18**	**9.2**	**21**	**2**	**3**	**9**	**13**	**15**	**17**	**19**
GRAND TOTAL	**163**	**7.7**	**75**	**1**	**2**	**6**	**9**	**16**	**19**	**58**	**135**	**7.6**	**59**	**2**	**2**	**6**	**10**	**15**	**18**	**75**

PRESENILE DEMENTIA (290.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34											1	1.0		1	1	1	1	1	1	1
35-54	2	14.0	72	8	8	14	20	20	20	20	1	3.0		3	3	3	3	3	3	3
55-74	22	15.9	243	2	3	11	22	39	52	58	17	6.9	20	1	2	6	10	12	16	18
75 +	43	8.5	88	2	2	6	9	16	34	46	40	6.9	30	1	2	5	9	12	16	32
ALL AGES	67	11.1	147	2	2	7	13	29	37	56	59	6.7	27	1	2	5	9	12	16	31
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	21.0		21	21	21	21	21	21	21	1	2.0		2	2	2	2	2	2	2
35-54	2	6.0	50	1	1	11	78	99 +	99 +	99 +	1	1.0		1	1	1	1	1	1	1
55-74	19	9.3	43	1	2	7	14	19	23	24	18	10.6	183	2	2	6	12	21	46	60
75 +	60	9.3	72	2	3	7	12	18	26	47	65	5.9	18	1	2	5	9	10	14	22
ALL AGES	82	9.4	63	1	3	7	13	20	26	83	85	6.8	55	1	2	5	9	12	15	47
SUBTOTAL	**149**	**10.2**	**100**	**2**	**2**	**7**	**13**	**22**	**35**	**58**	**144**	**6.8**	**43**	**1**	**2**	**5**	**9**	**12**	**15**	**34**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	2	2.5	1	2	2	2	3	3	3	3										
35-54	1	3.0		3	3	3	3	3	3	3										
55-74	7	13.3	241	1	1	6	23	39	42	42	1	6.0		6	6	6	6	6	6	6
75 +	4	8.8	20	2	2	10	11	12	12	12	7	8.1	68	2	2	6	8	23	26	26
ALL AGES	14	9.7	135	1	2	5	12	28	39	42	8	7.9	57	2	3	6	8	21	26	26
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54											1	23.0		23	23	23	23	23	23	23
55-74	12	14.4	302	1	2	8	13	46	57	59	7	5.9	4	3	3	6	8	9	9	9
75 +	13	10.6	34	3	4	8	14	18	22	23	5	4.8	6	3	3	4	5	9	9	9
ALL AGES	25	12.4	159	2	3	8	14	23	45	59	13	6.8	28	3	3	5	8	12	21	23
SUBTOTAL	**39**	**11.5**	**147**	**1**	**2**	**8**	**13**	**25**	**41**	**59**	**21**	**7.2**	**37**	**2**	**3**	**6**	**8**	**15**	**24**	**26**
GRAND TOTAL	**188**	**10.4**	**111**	**2**	**2**	**7**	**13**	**23**	**35**	**59**	**165**	**6.8**	**42**	**1**	**2**	**5**	**9**	**12**	**16**	**31**

SENILE DELUSION/DEPRESS (290.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	11	11.5	72	2	3	11	13	23	33	34	5	11.0	36	3	3	13	15	18	18	18
75 +	17	11.2	86	3	4	8	14	19	34	42	11	8.1	90	2	2	4	14	52	93	99 +
ALL AGES	28	11.4	76	2	4	8	13	19	35	42	16	9.0	71	2	2	7	15	30	76	99 +
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	10	16.0	131	6	7	13	15	33	47	47	2	2.5	1	2	2	2	3	3	3	3
75 +	55	13.5	177	3	5	9	18	24	31	88	18	9.4	91	2	2	6	12	24	33	37
ALL AGES	65	13.9	168	3	5	10	18	24	34	84	20	8.7	86	2	2	5	11	23	31	37
SUBTOTAL	**93**	**13.1**	**142**	**3**	**5**	**10**	**15**	**23**	**34**	**71**	**36**	**8.8**	**78**	**2**	**2**	**5**	**13**	**25**	**35**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	3	4.3	5	2	2	5	6	6	6	6	3	6.3	35	2	2	4	11	13	13	13
75 +	7	13.9	25	6	7	14	18	21	21	21	2	5.5	41	1	1	5	10	10	10	10
ALL AGES	10	11.0	40	2	3	11	15	20	21	21	5	6.0	28	1	1	4	11	13	13	13
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	6	9.8	26	4	4	10	13	17	17	17	4	7.8	31	4	4	6	11	16	16	16
75 +	15	16.8	110	2	4	18	22	32	37	39	4	4.5		4	4	4	5	5	5	5
ALL AGES	21	14.8	94	3	4	13	22	27	35	39	8	6.1	17	4	4	5	6	13	16	16
SUBTOTAL	**31**	**13.6**	**77**	**2**	**4**	**12**	**20**	**23**	**32**	**39**	**13**	**6.1**	**19**	**1**	**2**	**4**	**8**	**14**	**16**	**16**
GRAND TOTAL	**124**	**13.2**	**125**	**3**	**4**	**11**	**17**	**23**	**33**	**58**	**49**	**8.1**	**63**	**2**	**2**	**5**	**12**	**20**	**32**	**99 +**

SENILE DELIRIUM (290.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	16	8.6	64	1	1	7	10	22	26	28	7	6.3	15	2	2	8	9	11	12	12
75 +	42	6.8	32	1	1	6	8	15	20	27	35	7.2	37	2	2	5	11	17	18	23
ALL AGES	58	7.3	41	1	1	6	9	16	22	28	42	7.0	34	2	2	5	11	17	18	23
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	16	7.4	28	2	3	6	9	16	19	21	8	15.4	622	2	2	4	17	60	73	73
75 +	71	7.4	33	1	2	6	10	14	19	30	52	6.0	18	2	2	4	8	13	16	18
ALL AGES	87	7.4	32	1	2	6	10	14	19	29	60	7.2	101	2	2	4	8	14	17	69
SUBTOTAL	**145**	**7.3**	**36**	**1**	**2**	**6**	**10**	**15**	**20**	**28**	**102**	**7.1**	**73**	**2**	**2**	**4**	**9**	**15**	**17**	**50**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	2	4.5	25	1	1	4	8	8	8	8	4	11.8	97	3	3	9	18	26	26	26
75 +	8	7.3	59	2	2	5	6	20	26	26	8	8.0	66	1	1	6	10	22	26	26
ALL AGES	10	6.7	50	1	1	5	7	17	26	26	12	9.3	71	1	2	7	11	26	26	26
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	31.0		31	31	31	31	31	31	31	1	1.0		1	1	1	1	1	1	1
55-74	1	7.0		7	7	7	7	7	7	7	4	8.0	33	3	3	6	12	16	16	16
75 +	19	14.1	189	4	4	10	15	27	46	62	9	4.6	5	2	2	4	6	8	9	9
ALL AGES	21	14.5	188	4	5	10	18	29	45	62	14	5.3	15	1	2	4	7	10	15	16
SUBTOTAL	**31**	**12.0**	**154**	**2**	**4**	**7**	**13**	**27**	**31**	**62**	**26**	**7.1**	**44**	**1**	**2**	**5**	**9**	**16**	**26**	**26**
GRAND TOTAL	**176**	**8.2**	**58**	**1**	**2**	**6**	**10**	**16**	**26**	**31**	**128**	**7.1**	**67**	**2**	**2**	**5**	**9**	**16**	**18**	**39**

ARTERIOSCLEROT DEMENTIA (290.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS			PERCENTILES							HOSPITALS WITHOUT PSY. UNIT/BEDS			PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	20.0		20	20	20	20	20	20	20										
35-54																				
55-74	14	9.6	94	1	2	8	14	22	32	35	11	6.9	10	3	3	7	8	12	13	13
75 +	36	8.8	53	1	2	6	11	20	25	33	29	7.5	144	2	3	4	7	11	17	68
ALL AGES	51	9.2	65	1	2	7	12	20	27	35	40	7.3	107	2	3	5	8	11	13	68
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	2	1.5	1	1	1	1	2	2	2	2	1	6.0		6	6	6	6	6	6	6
55-74	8	9.6	29	3	4	8	12	18	20	20	16	8.0	63	3	4	5	8	16	29	34
75 +	43	7.6	26	1	2	7	10	15	18	24	47	6.8	18	2	2	6	9	13	15	20
ALL AGES	53	7.6	28	1	2	7	10	15	19	24	64	7.1	28	2	3	5	8	14	16	32
SUBTOTAL	**104**	**8.4**	**46**	**1**	**2**	**7**	**11**	**19**	**21**	**34**	**104**	**7.2**	**57**	**2**	**3**	**5**	**8**	**13**	**15**	**50**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	8	15.4	176	4	4	10	23	38	41	41	6	7.0	17	2	2	6	11	13	13	13
75 +	6	9.5	33	4	4	8	11	19	20	20	5	4.2	4	2	2	4	5	7	7	7
ALL AGES	14	12.9	116	4	4	9	16	31	39	41	11	5.7	13	2	2	5	7	12	13	13
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	12.0		12	12	12	12	12	12	12										
55-74	6	11.8	45	2	2	13	15	20	21	21	3	14.7	173	3	3	12	25	29	29	29
75 +	8	9.6	77	2	2	6	15	24	26	26	7	6.4	18	1	1	6	9	12	13	13
ALL AGES	15	10.7	55	2	2	10	15	21	25	26	10	8.9	66	1	2	7	12	21	29	29
SUBTOTAL	**29**	**11.7**	**84**	**2**	**3**	**10**	**15**	**24**	**31**	**41**	**21**	**7.2**	**39**	**1**	**2**	**5**	**10**	**13**	**20**	**29**
GRAND TOTAL	**133**	**9.1**	**56**	**1**	**2**	**7**	**12**	**20**	**24**	**36**	**125**	**7.2**	**54**	**2**	**3**	**5**	**8**	**13**	**15**	**42**

SENILE PSYCHOSIS NEC (290.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74											1	17.0		17	17	17	17	17	17	17
75 +	1	2.0		2	2	2	2	2	2	2										
ALL AGES	1	2.0		2	2	2	2	2	2	2	1	17.0		17	17	17	17	17	17	17
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**	**1**	**17.0**		**17**	**17**	**17**	**17**	**17**	**17**	**17**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**	**1**	**17.0**		**17**	**17**	**17**	**17**	**17**	**17**	**17**

SENILE PSYCHOT COND NOS (290.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +	2	15.0	98	8	8	15	22	22	22	22										
ALL AGES	2	15.0	98	8	8	15	22	22	22	22										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	10.0		10	10	10	10	10	10	10										
75 +	1	7.0		7	7	7	7	7	7	7										
ALL AGES	2	8.5	5	7	7	8	10	10	10	10										
SUBTOTAL	**4**	**11.8**	**47**	**7**	**7**	**9**	**16**	**22**	**22**	**22**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +	1	9.0		9	9	9	9	9	9	9										
ALL AGES	1	9.0		9	9	9	9	9	9	9										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**9.0**		**9**	**9**	**9**	**9**	**9**	**9**	**9**										
GRAND TOTAL	**5**	**11.2**	**38**	**7**	**7**	**9**	**13**	**22**	**22**	**22**										

DELIRIUM TREMENS (291.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24											1	1.0		1	1	1	1	1	1	1
25-34	12	5.1	32	1	1	3	6	13	20	21	10	2.4	1	1	1	2	3	4	5	5
35-54	27	3.5	5	1	1	3	5	6	8	9	31	3.5	6	1	1	2	4	8	9	10
55-74	17	6.8	81	1	2	4	5	25	31	31	13	6.0	34	2	2	4	5	16	21	22
75 +	4	6.3	13	3	3	6	9	10	10	10	2	7.0	50	2	2	7	12	12	12	12
ALL AGES	60	4.9	33	1	1	3	5	9	16	31	57	3.9	14	1	1	3	4	8	11	22
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	3.0		3	3	3	3	3	3	3										
25-34	3	6.0	31	1	1	5	10	12	12	12	3	3.3	17	1	1	1	6	8	8	8
35-54	4	3.0	3	1	1	3	4	5	5	5	5	3.4	3	2	2	3	4	6	6	6
55-74	4	8.8	10	4	4	9	11	12	12	12	4	6.0	22	3	3	4	9	13	13	13
75 +	1	14.0		14	14	14	14	14	14	14	1	3.0		3	3	3	3	3	3	3
ALL AGES	13	6.3	21	1	1	5	10	13	14	14	13	4.2	10	1	1	3	5	9	12	13
SUBTOTAL	**73**	**5.2**	**30**	**1**	**1**	**4**	**6**	**10**	**14**	**31**	**70**	**4.0**	**13**	**1**	**1**	**3**	**4**	**8**	**12**	**21**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	4.0		4	4	4	4	4	4	4	8	13.4	122	3	3	10	24	28	28	28
25-34	16	5.4	38	1	1	4	6	8	21	27	71	12.0	126	2	2	5	23	29	31	35
35-54	75	5.0	15	1	2	4	6	9	11	24	125	8.4	80	1	2	5	8	27	28	31
55-74	28	6.8	25	3	3	6	8	12	15	27	57	10.1	63	2	2	8	14	22	26	36
75 +	8	8.0	13	3	3	8	11	13	13	13	8	5.6	20	2	2	4	6	13	16	16
ALL AGES	128	5.6	20	1	2	4	7	10	13	27	269	9.7	91	2	2	5	16	27	29	32
B. FEMALE																				
0-12 YRS.																				
13-17											1	6.0		6	6	6	6	6	6	6
18-20											4	15.5	212	1	1	16	28	29	29	29
21-24											3	20.7	207	4	4	28	29	30	30	30
25-34	8	8.3	108	1	1	3	13	26	27	27	27	11.2	157	1	2	4	26	28	31	44
35-54	7	4.7	12	2	2	4	6	11	12	12	45	9.8	99	2	2	5	13	28	28	30
55-74	3	5.0	7	3	3	4	7	8	8	8	21	9.3	69	2	2	6	14	25	26	26
75 +											3	5.0	7	3	3	4	7	8	8	8
ALL AGES	18	6.3	54	1	2	4	6	20	25	27	104	10.4	112	1	2	5	20	28	29	37
SUBTOTAL	**146**	**5.7**	**24**	**1**	**2**	**4**	**7**	**11**	**13**	**27**	**373**	**9.9**	**97**	**2**	**2**	**5**	**16**	**28**	**29**	**32**
GRAND TOTAL	**219**	**5.5**	**26**	**1**	**1**	**4**	**6**	**10**	**13**	**28**	**443**	**9.0**	**87**	**1**	**2**	**5**	**11**	**27**	**28**	**32**

ALCOHOL AMNESTIC SYND (291.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.																						
13-17																						
18-20																						
21-24																						
25-34																						
35-54	1	4.0		4	4	4	4	4	4	4	2	13.5	221	3	3	13	24	24	24	24
55-74	1	1.0		1	1	1	1	1	1	1	4	11.8	107	3	3	9	19	26	26	26
75 +																						
ALL AGES	2	2.5	5	1	1	2	4	4	4	4	6	12.3	111	3	3	9	24	26	26	26
B. FEMALE																						
0-12 YRS.																						
13-17																						
18-20											1	1.0		1	1	1	1	1	1	1
21-24																						
25-34																						
35-54																						
55-74	1	31.0		31	31	31	31	31	31	31	2	7.5	13	5	5	7	10	10	10	10
75 +											2	11.5	25	8	8	11	15	15	15	15
ALL AGES	1	31.0		31	31	31	31	31	31	31	5	7.8	28	1	1	8	11	15	15	15
SUBTOTAL	**3**	**12.0**	**273**	**1**	**1**	**4**	**24**	**31**	**31**	**31**	**11**	**10.3**	**71**	**1**	**2**	**8**	**14**	**25**	**26**	**26**
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.																						
13-17																						
18-20																						
21-24	1	1.0		1	1	1	1	1	1	1										
25-34																						
35-54	6	5.7	10	2	2	5	9	10	10	10	2	5.0		5	5	5	5	5	5	5
55-74	9	8.4	57	2	2	5	12	21	24	24	9	8.4	93	1	1	5	9	23	33	33
75 +	2	6.0		6	6	6	6	6	6	6	1	26.0		26	26	26	26	26	26	26
ALL AGES	18	6.8	34	1	2	5	9	14	21	24	12	9.3	97	1	2	5	9	28	32	33
B. FEMALE																						
0-12 YRS.																						
13-17																						
18-20	1	1.0		1	1	1	1	1	1	1										
21-24																						
25-34																						
35-54											3	5.7	20	1	1	6	9	10	10	10
55-74	2	22.5	61	17	17	22	28	28	28	28	6	10.5	78	3	3	6	19	23	24	24
75 +											1	45.0		45	45	45	45	45	45	45
ALL AGES	3	15.3	186	1	1	17	25	28	28	28	10	12.5	183	1	2	7	19	34	45	45
SUBTOTAL	**21**	**8.0**	**57**	**1**	**1**	**5**	**10**	**20**	**26**	**28**	**22**	**10.8**	**131**	**1**	**2**	**6**	**10**	**28**	**38**	**45**
GRAND TOTAL	**24**	**8.5**	**75**	**1**	**1**	**5**	**10**	**24**	**29**	**31**	**33**	**10.6**	**109**	**1**	**2**	**6**	**13**	**26**	**32**	**45**

ALCOHOLIC DEMENTIA NEC (291.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	2.0		2	2	2	2	2	2	2	1	1.0		1	1	50	99 +	99 +	99 +	99 +
35-54											6	11.3	112	1	1	9	20	26	27	27
55-74	7	19.6	751	1	2	10	19	68	80	80	12	19.7	414	2	3	14	25	50	69	72
75 +	3	13.7	21	10	10	12	17	19	19	19	2	9.0	50	4	4	9	14	14	14	14
ALL AGES	11	16.4	485	1	2	10	17	45	77	80	21	15.4	288	1	2	11	22	50	83	99 +
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34											1	4.0		4	4	4	4	4	4	4
35-54	1	2.0		2	2	2	2	2	2	2	2	22.0	648	4	4	22	40	40	40	40
55-74	2	15.5	181	6	6	15	25	25	25	25	7	6.4	7	3	3	7	8	10	10	10
75 +	3	7.3	5	5	5	8	9	9	9	9	1	28.0		28	28	28	28	28	28	28
ALL AGES	6	9.2	65	2	2	7	9	23	25	25	11	11.0	141	3	3	7	10	33	39	40
SUBTOTAL	**17**	**13.8**	**338**	**1**	**2**	**9**	**14**	**24**	**61**	**80**	**32**	**13.9**	**236**	**1**	**2**	**8**	**22**	**40**	**67**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-20																				
21-24	1	1.0		1	1	1	1	1	1	1										
25-34	7	8.4	153	1	1	3	12	30	34	34	3	7.7	44	2	2	6	13	15	15	15
35-54	8	9.9	186	1	1	6	8	33	43	43	13	7.9	60	1	1	3	15	19	22	23
55-74	16	9.6	131	1	1	5	12	24	39	45	22	6.8	24	1	1	6	9	15	16	16
75 +	3	10.0	61	5	5	6	16	19	19	19	2	26.0	200	16	16	26	36	36	36	36
ALL AGES	36	9.0	127	1	1	5	11	24	40	45	40	8.2	56	1	1	6	13	17	20	36
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	2	6.5	1	6	6	6	7	7	7	7	4	4.8	5	3	3	4	6	8	8	8
55-74	8	9.0	75	3	3	6	17	72	99 +	99 +	10	6.4	8	3	3	6	7	11	11	11
75 +	3	15.3	44	9	9	15	20	22	22	22	1	10.0		10	10	10	10	10	10	10
ALL AGES	13	10.1	60	3	4	7	15	36	86	99 +	15	6.2	8	3	3	6	8	11	11	11
SUBTOTAL	**49**	**9.3**	**108**	**1**	**1**	**6**	**13**	**27**	**43**	**99 +**	**55**	**7.7**	**42**	**1**	**2**	**6**	**11**	**16**	**18**	**35**
GRAND TOTAL	**66**	**10.5**	**166**	**1**	**1**	**6**	**13**	**25**	**43**	**97**	**87**	**9.9**	**122**	**1**	**2**	**6**	**13**	**23**	**36**	**89**

ALCOHOL HALLUCINOSIS (291.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	5	5.0	22	2	2	3	7	13	13	13	3	3.0	1	2	2	3	4	4	4	4
35-54	9	3.8	6	1	1	3	6	7	7	7	7	4.0	10	2	2	3	4	10	11	11
55-74	2	3.5	5	2	2	3	5	5	5	5										
75 +																				
ALL AGES	16	4.1	10	1	1	3	6	7	11	13	10	3.7	7	2	2	3	4	8	11	11
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	3.0		3	3	3	3	3	3	3	1	1.0		1	1	1	1	1	1	1
35-54	2	3.0	2	2	2	3	4	4	4	4	1	12.0		12	12	12	12	12	12	12
55-74	2	4.5	1	4	4	4	5	5	5	5	1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES	5	3.6	1	2	2	4	4	5	5	5	3	5.7	32	1	1	4	10	12	12	12
SUBTOTAL	**21**	**4.0**	**7**	**1**	**1**	**3**	**5**	**7**	**10**	**13**	**13**	**4.2**	**11**	**1**	**2**	**3**	**4**	**11**	**12**	**12**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17																				
18-20																				
21-24	2	3.5	1	3	3	3	4	4	4	4										
25-34	9	3.8	2	2	2	4	5	6	6	6	14	3.1	5	1	1	2	5	7	7	7
35-54	22	7.0	21	2	3	6	8	13	19	20	29	4.5	68	1	1	2	4	6	16	45
55-74	7	10.6	151	1	1	5	19	31	33	33	9	6.3	17	2	2	5	8	13	13	13
75 +											2	1.5	1	1	1	1	2	2	2	2
ALL AGES	41	6.6	40	2	2	4	8	14	21	33	54	4.4	40	1	1	3	5	7	13	44
B. FEMALE																				
0-12 YRS.																				
13-17	2	1.5	1	1	1	1	2	2	2	2										
18-20																				
21-24	1	5.0		5	5	5	5	5	5	5	2	3.0	2	2	2	3	4	4	4	4
25-34	3	14.7	41	8	8	15	19	21	21	21	1	2.0		2	2	2	2	2	2	2
35-54	8	5.0	30	1	1	3	6	15	17	17	14	4.1	7	1	2	4	5	8	10	10
55-74	5	3.8	5	1	1	4	5	7	7	7	5	6.4	14	1	1	7	9	11	11	11
75 +																				
ALL AGES	19	5.8	34	1	1	4	8	16	19	21	22	4.5	8	1	1	4	6	9	10	11
SUBTOTAL	**60**	**6.4**	**37**	**1**	**2**	**4**	**8**	**16**	**20**	**32**	**76**	**4.4**	**31**	**1**	**1**	**3**	**5**	**8**	**12**	**37**
GRAND TOTAL	**81**	**5.8**	**30**	**1**	**2**	**4**	**7**	**12**	**19**	**30**	**89**	**4.3**	**29**	**1**	**1**	**3**	**5**	**8**	**12**	**33**

PATHOLOGIC ALCOHOL INTOX (291.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	2.0		2	2	2	2	2	2	2										
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	2	4.0		4	4	4	4	4	4	4										
25-34	2	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
35-54	2	1.5	1	1	1	1	2	2	2	2										
55-74																				
75 +																				
ALL AGES	6	2.2	2	1	1	2	4	4	4	4	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
35-54	1	2.0		2	2	2	2	2	2	2										
55-74																				
75 +																				
ALL AGES	2	1.5	1	1	1	1	2	2	2	2	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**8**	**2.0**	**2**	**1**	**1**	**2**	**3**	**4**	**4**	**4**	**2**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
GRAND TOTAL	**9**	**2.0**	**2**	**1**	**1**	**2**	**3**	**4**	**4**	**4**	**2**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**

ALCOHOLIC JEALOUSY (291.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	7.0		7	7	7	7	7	7	7										
35-54																				
55-74																				
75 +																				
ALL AGES	1	7.0		7	7	7	7	7	7	7										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +											1	4.0		4	4	4	4	4	4	4
ALL AGES											1	4.0		4	4	4	4	4	4	4
SUBTOTAL	**1**	**7.0**		**7**	**7**	**7**	**7**	**7**	**7**	**7**	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54											1	3.0		3	3	3	3	3	3	3
55-74																				
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	1	4.0		4	4	4	4	4	4	4	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	5.0		5	5	5	5	5	5	5										
55-74																				
75 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5										
SUBTOTAL	**2**	**4.5**	**1**	**4**	**4**	**4**	**5**	**5**	**5**	**5**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
GRAND TOTAL	**3**	**5.3**	**3**	**4**	**4**	**5**	**6**	**7**	**7**	**7**	**2**	**3.5**	**1**	**3**	**3**	**3**	**4**	**4**	**4**	**4**

ALCOHOLIC PSYCHOSIS NEC (291.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.																						
13-17																						
18-20																						
21-24	3	4.0	9	1	1	4	6	7	7	7	4	1.8		1	1	2	2	2	2	2
25-34	26	3.7	21	1	1	3	4	5	11	25	15	2.3	3	1	1	2	3	5	6	6
35-54	65	3.1	5	1	1	2	4	5	8	11	73	3.1	7	1	1	2	4	6	9	15
55-74	41	5.0	20	1	1	4	6	10	16	22	45	4.8	25	1	1	3	6	9	13	29
75 +	3	18.0	64	10	10	18	24	26	26	26	6	5.0	14	1	1	4	9	10	10	10
ALL AGES	138	4.1	18	1	1	3	5	8	11	25	143	3.6	13	1	1	2	4	7	10	20
B. FEMALE																						
0-12 YRS.																						
13-17											1	1.0		1	1	1	1	1	1	1
18-20											1	1.0		1	1	1	1	1	1	1
21-24	2	2.5	1	2	2	2	3	3	3	3										
25-34	10	4.5	9	2	2	3	4	10	11	11	10	2.1	2	1	1	2	3	4	5	5
35-54	25	3.6	7	1	1	3	5	6	10	12	16	3.0	4	1	1	3	4	6	7	7
55-74	15	5.5	18	1	2	4	7	12	15	16	12	5.1	5	2	2	4	7	8	8	8
75 +	1	2.0		2	2	2	2	2	2	2	2	3.5	5	2	2	3	5	5	5	5
ALL AGES	53	4.2	11	1	2	3	5	9	12	16	42	3.3	5	1	1	3	4	7	8	8
SUBTOTAL	**191**	**4.1**	**16**	**1**	**1**	**3**	**5**	**8**	**11**	**24**	**185**	**3.5**	**11**	**1**	**1**	**3**	**4**	**7**	**9**	**18**
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.											1	4.0		4	4	4	4	4	4	4
13-17	1	5.0		5	5	5	5	5	5	5										
18-20	3	3.3	7	1	1	3	5	6	6	6	4	10.3	130	1	1	6	17	27	27	27
21-24	22	7.2	62	1	1	4	10	20	25	30	11	7.5	98	1	1	4	7	27	27	27
25-34	89	8.1	91	1	1	3	9	27	28	31	89	6.4	53	1	1	4	6	20	27	29
35-54	209	7.9	84	1	1	4	8	26	27	36	207	5.6	32	1	2	5	6	9	22	27
55-74	104	8.2	67	1	2	5	11	21	25	34	114	6.4	33	1	2	5	7	11	22	27
75 +	15	9.1	66	1	3	5	14	21	26	28	8	3.9	2	2	2	4	5	6	6	6
ALL AGES	443	8.0	78	1	1	4	9	25	27	31	434	6.0	38	1	2	5	6	10	27	27
B. FEMALE																						
0-12 YRS.																						
13-17																						
18-20	1	2.0		2	2	2	2	2	2	2	1	6.0		6	6	6	6	6	6	6
21-24	6	10.7	136	1	1	5	24	27	27	27	4	15.3	182	3	3	15	27	27	27	27
25-34	37	7.6	96	1	1	4	7	28	28	31	33	9.1	93	1	1	6	9	27	31	33
35-54	65	8.6	86	1	1	4	10	24	28	33	72	6.9	51	2	2	6	7	11	29	35
55-74	30	9.7	84	2	3	7	12	22	23	43	44	5.0	17	1	2	4	6	8	10	27
75 +	3	2.7	1	2	2	2	4	4	4	4	6	5.7	12	1	1	5	8	11	11	11
ALL AGES	142	8.5	87	1	1	4	9	25	28	35	160	7.0	54	1	2	5	7	13	27	33
SUBTOTAL	**585**	**8.1**	**80**	**1**	**1**	**4**	**9**	**25**	**27**	**33**	**594**	**6.3**	**42**	**1**	**2**	**5**	**7**	**11**	**27**	**30**
GRAND TOTAL	**776**	**7.1**	**68**	**1**	**1**	**4**	**8**	**22**	**27**	**31**	**779**	**5.6**	**37**	**1**	**1**	**4**	**6**	**9**	**26**	**29**

ALCOHOLIC PSYCHOSIS NOS (291.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	5.0		5	5	5	5	5	5	5	1	2.0		2	2	2	2	2	2	2
55-74																				
75 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	1.0		1	1	1	1	1	1	1										
25-34											1	2.0		2	2	2	2	2	2	2
35-54	2	9.5	61	4	4	9	15	15	15	15										
55-74																				
75 +																				
ALL AGES	3	6.7	54	1	1	4	12	15	15	15	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**4**	**6.3**	**36**	**1**	**1**	**4**	**10**	**15**	**15**	**15**	**2**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20											1	1.0		1	1	1	1	1	1	1
21-24	1	1.0		1	1	1	1	1	1	1										
25-34											1	3.0		3	3	3	3	3	3	3
35-54	1	2.0		2	2	2	2	2	2	2	1	2.0		2	2	2	2	2	2	2
55-74	3	12.0	39	7	7	10	17	19	19	19	2	2.5	1	2	2	2	3	3	3	3
75 +																				
ALL AGES	5	7.8	53	1	1	7	12	19	19	19	5	2.2	1	1	1	2	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	2	4.0	18	1	1	3	7	7	7	7										
35-54	4	3.8	2	2	2	3	5	6	6	6	1	3.0		3	3	3	3	3	3	3
55-74																				
75 +																				
ALL AGES	6	3.8	6	1	1	3	6	7	7	7	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**11**	**5.6**	**29**	**1**	**1**	**4**	**7**	**14**	**19**	**19**	**6**	**2.3**	**1**	**1**	**1**	**2**	**3**	**3**	**3**	**3**
GRAND TOTAL	**15**	**5.8**	**28**	**1**	**1**	**4**	**7**	**15**	**18**	**19**	**8**	**2.3**		**1**	**1**	**2**	**3**	**3**	**3**	**3**

DRUG WITHDRAWAL SYNDROME (292.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	2.0		2	2	2	2	2	2	2
13-17	1	5.0		5	5	5	5	5	5	5										
18-20																				
21-24											1	1.0		1	1	1	1	1	1	1
25-34	10	2.2	1	1	1	2	3	4	4	4	6	2.0	1	1	1	2	3	3	3	3
35-54	6	2.5	4	1	1	2	4	6	6	6	5	3.0	2	2	2	2	4	5	5	5
55-74	4	2.5	2	1	1	2	3	4	4	4	5	2.4	4	1	1	1	4	5	5	5
75 +	1	14.0		14	14	14	14	14	14	14										
ALL AGES	22	3.0	8	1	1	2	4	5	9	14	18	2.3	2	1	1	2	3	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20											1	4.0		4	4	4	4	4	4	4
21-24	3	2.7		2	2	3	3	3	3	3	3	3.7	2	2	2	4	5	5	5	5
25-34	14	3.8	7	1	1	3	6	7	9	10	8	2.0	1	1	1	2	3	3	3	3
35-54	6	3.0	3	1	1	3	3	6	6	6	6	3.3	3	1	1	3	4	6	6	6
55-74	7	5.4	5	3	3	6	6	8	9	9	3	5.0	4	3	3	5	6	7	7	7
75 +											5	4.8	9	3	3	4	6	10	10	10
ALL AGES	30	3.9	5	1	1	3	6	7	9	10	26	3.5	4	1	1	3	4	6	8	10
SUBTOTAL	**52**	**3.5**	**7**	**1**	**1**	**3**	**5**	**6**	**9**	**14**	**44**	**3.0**	**3**	**1**	**1**	**3**	**4**	**5**	**6**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	4	13.8	95	1	1	16	21	22	22	22	2	1.5	1	1	1	1	2	2	2	2
18-20	4	17.5	81	4	4	22	22	22	22	22	19	7.8	47	3	4	6	7	19	27	28
21-24	12	16.0	105	2	3	22	24	27	27	27	35	11.3	87	3	4	7	14	29	29	30
25-34	39	9.5	85	1	2	5	18	26	27	28	135	8.8	60	2	3	6	7	24	28	30
35-54	23	8.3	51	2	2	5	12	21	24	27	68	7.7	54	1	2	6	7	14	27	38
55-74	6	12.5	52	3	4	10	19	23	23	23	2	8.0	50	3	3	8	13	13	13	13
75 +	3	2.7	1	2	2	2	4	4	4	4	4	3.5	4	2	2	3	5	6	6	6
ALL AGES	91	10.6	80	2	2	5	21	25	27	28	265	8.6	61	2	3	6	7	26	28	30
B. FEMALE																				
0-12 YRS.																				
13-17	2	5.0	32	1	1	5	9	9	9	9	1	3.0		3	3	3	3	3	3	3
18-20	3	10.7	199	2	2	3	21	27	27	27	12	6.9	49	1	2	5	7	15	26	28
21-24	12	10.6	72	1	2	9	16	24	26	26	24	7.1	34	2	3	6	7	12	22	28
25-34	38	10.3	102	1	2	6	18	29	30	31	87	8.9	66	2	3	6	8	25	30	34
35-54	40	8.5	75	1	2	4	13	24	28	28	29	9.9	89	2	2	7	10	26	29	41
55-74	17	10.5	119	2	2	5	15	28	36	39	15	7.7	49	2	3	6	10	12	26	30
75 +	7	12.9	75	2	2	12	21	23	23	23	2	3.5	5	2	2	3	5	5	5	5
ALL AGES	119	9.8	90	1	2	5	16	27	29	34	170	8.5	61	2	2	6	8	23	28	34
SUBTOTAL	**210**	**10.2**	**84**	**1**	**2**	**5**	**19**	**26**	**28**	**31**	**435**	**8.6**	**60**	**2**	**3**	**6**	**8**	**24**	**28**	**31**
GRAND TOTAL	**262**	**8.8**	**77**	**1**	**2**	**5**	**13**	**23**	**27**	**31**	**479**	**8.1**	**58**	**2**	**2**	**6**	**7**	**24**	**28**	**31**

DRUG PARANOID/HALLUCINOS (292.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES								TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)					5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.																						
13-17	3	4.7	6	2	2	5	6	7	7	7		1	2.0		2	2	2	2	2	2	2
18-20	1	9.0		9	9	9	9	9	9	9		2	10.5	145	2	2	10	19	19	19	19
21-24	1	3.0		3	3	3	3	3	3	3											
25-34	4	2.8	1	1	1	3	4	4	4	4		5	2.8	6	1	1	2	4	7	7	7
35-54	2	1.5	1	1	1	1	2	2	2	2											
55-74	4	8.3	46	1	1	7	13	17	17	17		3	3.0	1	2	2	3	4	4	4	4
75 +	4	6.0	11	2	2	6	8	10	10	10		1	3.0		3	3	3	3	3	3	3
ALL AGES	19	5.1	17	1	1	4	7	10	14	17		12	4.1	24	1	1	3	4	11	18	19
B. FEMALE																						
0-12 YRS.	1	1.0		1	1	1	1	1	1	1											
13-17												1	1.0		1	1	1	1	1	1	1
18-20																						
21-24	3	6.3	71	1	1	2	12	16	16	16											
25-34	2	5.5	13	3	3	5	8	8	8	8											
35-54	4	7.5	74	1	1	4	13	20	20	20		1	3.0		3	3	3	3	3	3	3
55-74	12	7.9	20	2	3	8	11	15	15	15		8	10.1	171	1	2	6	10	33	41	41
75 +	5	5.0	27	1	1	4	7	14	14	14		8	5.9	27	2	2	4	8	15	17	17
ALL AGES	27	6.7	30	1	1	4	10	15	17	20		18	7.3	90	1	1	4	7	16	31	41
SUBTOTAL	**46**	**6.0**	**25**	**1**	**1**	**4**	**9**	**15**	**16**	**20**		**30**	**6.0**	**65**	**1**	**1**	**3**	**6**	**15**	**19**	**41**
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.																						
13-17	2	7.0	32	3	3	7	11	11	11	11		1	2.0		2	2	2	2	2	2	2
18-20	7	8.6	85	1	1	4	14	24	26	26		1	8.0		8	8	8	8	8	8	8
21-24	5	4.4	3	2	2	5	6	6	6	6		5	13.8	208	2	2	6	29	30	30	30
25-34	14	3.9	14	1	1	3	4	10	12	12		8	16.5	157	1	1	19	28	28	28	28
35-54	7	3.0	3	1	1	2	4	6	6	6		3	3.3	5	1	1	4	5	5	5	5
55-74	3	7.0	31	2	2	6	11	13	13	13		2	14.0	338	1	1	14	27	27	27	27
75 +	2	8.5	13	6	6	8	11	11	11	11		1	2.0		2	2	2	2	2	2	2
ALL AGES	40	5.3	25	1	1	4	6	12	14	26		21	12.0	144	1	1	6	27	29	29	30
B. FEMALE																						
0-12 YRS.																						
13-17	3	5.0	7	2	2	6	7	7	7	7											
18-20	2	21.0	800	1	1	21	41	41	41	41		3	4.0	7	2	2	3	6	7	7	7
21-24	2	11.0		11	11	11	11	11	11	11		1	4.0		4	4	4	4	4	4	4
25-34	6	6.5	27	1	1	5	10	14	15	15		4	8.5	111	1	1	4	15	24	24	24
35-54	4	5.0	9	2	2	4	7	9	9	9		2	4.5	5	3	3	4	6	6	6	6
55-74												2	2.5	5	1	1	2	4	4	4	4
75 +	3	9.0	39	4	4	7	14	16	16	16		3	5.3	3	4	4	5	6	7	7	7
ALL AGES	20	8.3	77	1	1	6	10	15	28	41		15	5.3	31	1	1	4	6	7	20	24
SUBTOTAL	**60**	**6.3**	**44**	**1**	**1**	**4**	**8**	**12**	**16**	**39**		**36**	**9.2**	**106**	**1**	**1**	**5**	**10**	**28**	**29**	**30**
GRAND TOTAL	**106**	**6.2**	**35**	**1**	**1**	**4**	**9**	**14**	**16**	**33**		**66**	**7.8**	**88**	**1**	**1**	**4**	**7**	**27**	**28**	**39**

PATHOLOGIC DRUG INTOX (292.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-20																				
21-24																				
25-34																				
35-54											1	1.0		1	1	1	1	1	1	1
55-74	2	8.5	41	4	4	8	13	13	13	13	1	13.0		13	13	13	13	13	13	13
75 +											1	4.0		4	4	4	4	4	4	4
ALL AGES	3	6.0	39	1	1	4	11	13	13	13	3	6.0	39	1	1	4	11	13	13	13
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	1.0		1	1	1	1	1	1	1										
21-24																				
25-34																				
35-54																				
55-74	1	5.0		5	5	5	5	5	5	5										
75 +											1	13.0		13	13	13	13	13	13	13
ALL AGES	2	3.0	8	1	1	3	5	5	5	5	1	13.0		13	13	13	13	13	13	13
SUBTOTAL	**5**	**4.8**	**24**	**1**	**1**	**4**	**7**	**13**	**13**	**13**	**4**	**7.8**	**37**	**1**	**1**	**8**	**13**	**13**	**13**	**13**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54	2	5.5	1	5	5	5	6	6	6	6	3	16.0	343	2	2	9	30	37	37	37
55-74											1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES	3	4.0	7	1	1	5	6	6	6	6	4	12.8	269	2	2	6	23	37	37	37
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54											1	2.0		2	2	2	2	2	2	2
55-74	3	7.0	7	4	4	8	9	9	9	9	1	65.0		65	65	65	65	65	65	65
75 +	2	2.0		2	2	2	2	2	2	2	1	7.0		7	7	7	7	7	7	7
ALL AGES	6	4.5	10	2	2	3	8	9	9	9	3	24.7	1224	2	2	7	50	65	65	65
SUBTOTAL	**9**	**4.3**	**9**	**1**	**1**	**4**	**6**	**9**	**9**	**9**	**7**	**17.9**	**583**	**2**	**2**	**7**	**30**	**59**	**65**	**65**
GRAND TOTAL	**14**	**4.5**	**13**	**1**	**1**	**4**	**6**	**9**	**12**	**13**	**11**	**14.2**	**388**	**1**	**1**	**7**	**13**	**48**	**64**	**65**

OTHER DRUG MENTAL DIS (292.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.																						
13-17	2	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
18-20	1	4.0		4	4	4	4	4	4	4	2	1.5	1	1	1	1	2	2	2	2
21-24	2	4.0	2	3	3	4	5	5	5	5										
25-34	4	3.3	6	1	1	3	5	6	6	6	6	2.8	4	1	1	2	5	6	6	6
35-54	8	7.1	60	1	1	4	10	20	24	24	5	5.4	25	1	1	4	7	14	14	14
55-74	10	3.6	5	1	1	4	5	7	8	8	13	4.8	12	1	1	5	7	8	12	13
75 +	17	4.7	9	1	1	5	6	8	11	13	13	4.7	4	2	2	4	6	8	9	9
ALL AGES	44	4.5	17	1	1	4	6	8	12	24	40	4.3	9	1	1	4	6	7	11	14
B. FEMALE																						
0-12 YRS.																						
13-17	1	13.0		13	13	13	13	13	13	13										
18-20	2	5.0	32	1	1	5	9	9	9	9	1	1.0		1	1	1	1	1	1	1
21-24	3	7.3	121	1	1	1	15	20	20	20	3	1.0		1	1	1	1	1	1	1
25-34	3	8.3	21	4	4	8	12	13	13	13	2	2.5	1	2	2	2	3	3	3	3
35-54	9	2.0	3	1	1	1	3	5	5	5	6	4.2	16	1	1	3	4	11	12	12
55-74	23	7.0	40	1	1	5	9	17	20	23	19	5.2	25	1	1	4	7	11	17	21
75 +	34	5.5	15	1	2	4	7	11	12	17	21	5.0	12	1	1	4	6	10	13	15
ALL AGES	75	5.8	27	1	1	4	8	13	17	22	52	4.6	17	1	1	4	6	10	13	21
SUBTOTAL	**119**	**5.3**	**23**	**1**	**1**	**4**	**7**	**12**	**17**	**23**	**92**	**4.5**	**13**	**1**	**1**	**4**	**6**	**9**	**13**	**18**
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.																						
13-17	2	2.5	5	1	1	2	4	4	4	4										
18-20	4	3.0	6	1	1	3	5	6	6	6	3	12.0	67	5	5	10	18	21	21	21
21-24	1	7.0		7	7	7	7	7	7	7	1	4.0		4	4	4	4	4	4	4
25-34	14	7.2	146	1	1	3	8	16	40	47	3	3.0	4	1	1	3	4	5	5	5
35-54	8	5.3	49	1	1	2	9	17	18	18	10	6.7	65	1	1	3	8	20	25	25
55-74	13	6.1	32	1	2	4	7	15	20	21	9	6.8	20	3	3	5	9	14	16	16
75 +	9	8.6	25	2	2	8	12	16	17	17	4	5.0	9	2	2	4	7	9	9	9
ALL AGES	51	6.3	60	1	1	4	8	15	18	47	30	6.6	36	1	1	5	8	16	21	25
B. FEMALE																						
0-12 YRS.																						
13-17	4	7.8	44	1	1	6	12	17	17	17	2	1.0		1	1	1	1	1	1	1
18-20	2	8.0	98	1	1	8	15	15	15	15										
21-24	2	2.0	2	1	1	1	3	3	3	3										
25-34	8	5.6	23	1	1	5	7	13	16	16	4	5.3	12	2	2	4	8	10	10	10
35-54	11	8.2	55	1	1	6	13	19	25	26	6	8.5	62	3	3	5	12	22	23	23
55-74	19	6.1	16	1	2	5	7	12	15	17	10	9.6	150	1	1	6	10	29	41	41
75 +	17	7.8	28	2	3	6	11	13	19	23	18	6.7	26	2	2	5	8	16	17	18
ALL AGES	63	6.9	29	1	1	6	10	14	17	26	40	7.3	59	1	1	4	9	17	21	41
SUBTOTAL	**114**	**6.6**	**43**	**1**	**1**	**5**	**9**	**14**	**17**	**34**	**70**	**7.0**	**48**	**1**	**1**	**5**	**9**	**16**	**21**	**38**
GRAND TOTAL	**233**	**6.0**	**33**	**1**	**1**	**4**	**8**	**13**	**17**	**24**	**162**	**5.5**	**31**	**1**	**1**	**4**	**7**	**12**	**16**	**25**

DRUG MENTAL DISORDER NOS (292.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	3	16.0	91	6	6	17	23	25	25	25										
18-20	6	4.3	5	1	1	4	6	7	7	7										
21-24	1	15.0		15	15	15	15	15	15	15	1	1.0		1	1	1	1	1	1	1
25-34	3	2.7	2	1	1	3	4	4	4	4	2	3.5	5	2	2	3	5	5	5	5
35-54	1	6.0		6	6	6	6	6	6	6										
55-74	1	3.0		3	3	3	3	3	3	3	4	8.8	134	1	1	4	15	26	26	26
75 +	2	9.5	61	4	4	9	15	15	15	15										
ALL AGES	17	7.4	43	1	1	5	9	17	22	25	7	6.1	80	1	1	3	5	22	26	26
B. FEMALE																				
0-12 YRS.																				
13-17	1	17.0		17	17	17	17	17	17	17	1	1.0		1	1	1	1	1	1	1
18-20	1	46.0		46	46	46	46	46	46	46										
21-24																				
25-34	3	8.0	31	3	3	7	12	14	14	14	2	4.5	1	4	4	4	5	5	5	5
35-54	3	3.3	3	2	2	3	4	5	5	5	3	16.0	471	2	2	5	32	41	41	41
55-74	3	7.7	58	1	1	6	13	16	16	16	6	3.3	11	1	1	2	3	9	10	10
75 +	4	13.5	81	6	6	12	21	24	24	24	1	9.0		9	9	9	9	9	9	9
ALL AGES	15	11.6	139	1	2	6	17	24	40	46	13	6.7	114	1	1	3	6	16	36	41
SUBTOTAL	**32**	**9.3**	**91**	**1**	**2**	**6**	**15**	**20**	**25**	**46**	**20**	**6.5**	**97**	**1**	**1**	**3**	**5**	**18**	**33**	**41**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											3	4.7	4	3	3	4	6	7	7	7
18-20	6	12.5	64	5	5	10	20	24	24	24	4	13.5	163	2	2	13	24	26	26	26
21-24	6	2.5	5	1	1	2	2	7	7	7	2	6.0	18	3	3	6	9	9	9	9
25-34	4	11.0	301	2	2	3	20	37	37	37	1	2.0		2	2	2	2	2	2	2
35-54	2	1.5	1	1	1	1	2	2	2	2	3	9.3	163	1	1	3	19	24	24	24
55-74	1	9.0		9	9	9	9	9	9	9										
75 +											3	3.0	1	2	2	3	4	4	4	4
ALL AGES	19	7.7	92	1	1	3	9	22	31	37	16	7.4	75	1	2	3	8	24	25	26
B. FEMALE																				
0-12 YRS.																				
13-17											1	4.0		4	4	4	4	4	4	4
18-20	2	3.0	8	1	1	2	5	5	5	5										
21-24	1	4.0		4	4	4	4	4	4	4										
25-34	1	2.0		2	2	2	2	2	2	2	4	12.0	164	1	1	11	23	25	25	25
35-54	3	6.0	1	5	5	6	7	7	7	7	2	9.5	113	2	2	9	17	17	17	17
55-74	1	2.0		2	2	2	2	2	2	2	6	8.5	136	1	1	4	6	29	32	32
75 +	1	3.0		3	3	3	3	3	3	3	3	4.0	4	2	2	4	5	6	6	6
ALL AGES	9	3.9	4	1	1	4	5	7	7	7	16	8.4	94	1	1	4	12	25	30	32
SUBTOTAL	**28**	**6.5**	**66**	**1**	**1**	**4**	**7**	**18**	**25**	**37**	**32**	**7.9**	**82**	**1**	**1**	**4**	**8**	**24**	**26**	**32**
GRAND TOTAL	**60**	**8.0**	**80**	**1**	**1**	**5**	**8**	**19**	**25**	**45**	**52**	**7.4**	**86**	**1**	**1**	**4**	**7**	**24**	**26**	**41**

ACUTE DELIRIUM (293.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	2.0		2	2	2	2	2	2	2
13-17	1	3.0		3	3	3	3	3	3	3										
18-20	1	2.0		2	2	2	2	2	2	2	1	5.0		5	5	5	5	5	5	5
21-24	1	6.0		6	6	6	6	6	6	6										
25-34	4	2.3		2	2	2	3	3	3	3	3	1.3		1	1	1	2	2	2	2
35-54	7	2.7	5	1	1	2	4	6	7	7	5	4.6	4	1	1	5	6	6	6	6
55-74	27	6.7	81	1	1	3	7	13	34	38	28	4.6	21	1	1	3	6	11	15	19
75 +	22	6.4	60	1	2	3	7	17	25	34	32	5.6	34	1	1	3	7	15	19	20
ALL AGES	63	5.7	58	1	1	3	5	12	24	37	70	4.9	24	1	1	3	6	12	19	20
B. FEMALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17																				
18-20											2	19.0	512	3	3	19	35	35	35	35
21-24																				
25-34	5	24.0	1212	2	2	5	40	84	84	84	1	4.0		4	4	4	4	4	4	4
35-54	5	4.2	25	1	1	3	6	13	13	13	3	2.7		2	2	3	3	3	3	3
55-74	39	5.6	26	1	2	4	7	12	13	28	26	4.7	11	1	1	4	6	10	11	13
75 +	45	5.8	13	1	2	5	8	11	14	16	43	5.5	19	1	2	4	8	10	15	22
ALL AGES	94	6.6	87	1	2	4	8	12	15	59	76	5.4	27	1	1	4	7	10	14	32
SUBTOTAL	**157**	**6.2**	**76**	**1**	**2**	**4**	**7**	**12**	**16**	**38**	**146**	**5.2**	**25**	**1**	**1**	**4**	**6**	**11**	**15**	**23**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											1	4.0		4	4	4	4	4	4	4
18-20											1	1.0		1	1	1	1	1	1	1
21-24	1	9.0		9	9	9	9	9	9	9										
25-34											2	1.5	1	1	1	1	2	2	2	2
35-54	7	6.3	31	1	1	5	7	16	18	18	3	4.7	30	1	1	2	9	11	11	11
55-74	13	7.4	23	1	2	6	11	14	16	16	7	3.4	2	2	2	4	4	5	5	5
75 +	12	7.3	27	1	1	7	12	14	14	14	4	3.5	9	1	1	3	6	7	7	7
ALL AGES	33	7.2	24	1	1	6	11	14	16	18	18	3.3	7	1	1	3	4	6	9	11
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	2	1.0		1	1	1	1	1	1	1	1	9.0		9	9	9	9	9	9	9
25-34	4	5.3	4	2	2	6	7	7	7	7	1	5.0		5	5	5	5	5	5	5
35-54	4	7.3	11	3	3	7	10	11	11	11	2	2.5	5	1	1	2	4	4	4	4
55-74	18	7.6	39	3	3	6	8	16	24	28	8	7.0	131	1	1	3	5	26	35	35
75 +	22	6.8	18	2	3	5	9	13	16	19	16	8.6	60	1	1	5	13	23	24	24
ALL AGES	50	6.8	24	2	2	6	8	12	18	28	28	7.6	70	1	1	4	10	22	25	35
SUBTOTAL	**83**	**6.9**	**24**	**1**	**2**	**6**	**9**	**13**	**17**	**25**	**46**	**5.9**	**49**	**1**	**1**	**4**	**6**	**14**	**24**	**35**
GRAND TOTAL	**240**	**6.5**	**57**	**1**	**2**	**5**	**8**	**13**	**16**	**34**	**192**	**5.4**	**30**	**1**	**1**	**4**	**6**	**12**	**17**	**30**

SUBACUTE DELIRIUM (293.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	2.0		2	2	2	2	2	2	2	3	4.7	6	2	2	5	6	7	7	7
75 +	3	4.3	25	1	1	2	8	10	10	10	1	16.0		16	16	16	16	16	16	16
ALL AGES	4	3.8	17	1	1	2	6	10	10	10	4	7.5	36	2	2	6	11	16	16	16
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	2.0		2	2	2	2	2	2	2	2	5.5	25	2	2	5	9	9	9	9
75 +	1	13.0		13	13	13	13	13	13	13	1	2.0		2	2	2	2	2	2	2
ALL AGES	2	7.5	61	2	2	7	13	13	13	13	3	4.3	17	2	2	2	7	9	9	9
SUBTOTAL	**6**	**5.0**	**26**	**1**	**1**	**2**	**10**	**13**	**13**	**13**	**7**	**6.1**	**27**	**2**	**2**	**5**	**8**	**15**	**16**	**16**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	3.0		3	3	3	3	3	3	3										
35-54	1	1.0		1	1	1	1	1	1	1										
55-74	1	7.0		7	7	7	7	7	7	7										
75 +																				
ALL AGES	3	3.7	9	1	1	3	6	7	7	7										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54											1	6.0		6	6	6	6	6	6	6
55-74	1	3.0		3	3	3	3	3	3	3										
75 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	1	3.0		3	3	3	3	3	3	3	2	4.0	8	2	2	4	6	6	6	6
SUBTOTAL	**4**	**3.5**	**6**	**1**	**1**	**3**	**5**	**7**	**7**	**7**	**2**	**4.0**	**8**	**2**	**2**	**4**	**6**	**6**	**6**	**6**
GRAND TOTAL	**10**	**4.4**	**17**	**1**	**1**	**3**	**7**	**11**	**13**	**13**	**9**	**5.7**	**21**	**2**	**2**	**5**	**7**	**13**	**16**	**16**

OTH TRANSIENT ORG MENTAL (293.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	14.0		14	14	14	14	14	14	14										
18-20																				
21-24	2	6.5	25	3	3	6	10	10	10	10										
25-34	4	3.3	2	1	1	3	4	5	5	5	3	9.7	43	4	4	8	15	17	17	17
35-54	6	11.5	90	2	2	9	18	26	27	27	3	11.7	40	7	7	9	16	19	19	19
55-74	9	20.0	408	6	6	15	23	55	67	67	6	22.3	650	1	1	16	34	62	65	65
75 +	7	17.6	65	5	7	16	25	28	28	28	2	4.5	1	4	4	4	5	5	5	5
ALL AGES	29	14.2	185	2	3	11	17	28	38	67	14	14.8	313	1	2	7	19	37	59	65
B. FEMALE																				
0-12 YRS.	1	46.0		46	46	46	46	46	46	46										
13-17	3	12.3	123	1	1	13	20	23	23	23	1	1.0		1	1	1	1	1	1	1
18-20	1	10.0		10	10	10	10	10	10	10										
21-24											1	3.0		3	3	3	3	3	3	3
25-34	5	10.4	65	4	4	6	16	23	23	23	1	4.0		4	4	4	4	4	4	4
35-54	11	10.7	51	1	3	9	16	21	23	23	5	6.4	88	1	1	3	9	23	23	23
55-74	14	18.4	116	4	7	19	23	31	42	45	4	6.3	22	1	1	6	10	12	12	12
75 +	10	12.0	316	2	3	6	9	37	62	62	2	12.0		12	12	12	12	12	12	12
ALL AGES	45	14.2	158	2	4	10	19	26	45	62	14	6.4	40	1	1	4	12	13	21	23
SUBTOTAL	**74**	**14.2**	**166**	**2**	**3**	**10**	**19**	**28**	**43**	**66**	**28**	**10.6**	**188**	**1**	**1**	**5**	**12**	**27**	**37**	**65**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	3.0		3	3	3	3	3	3	3										
18-20	1	5.0		5	5	5	5	5	5	5										
21-24	1	3.0		3	3	3	3	3	3	3										
25-34	5	12.6	77	6	6	8	19	26	26	26	2	7.5	25	4	4	7	11	11	11	11
35-54	8	7.0	25	1	2	5	11	14	15	15	6	6.8	27	2	2	6	10	14	15	15
55-74	7	10.3	119	2	3	6	11	30	34	34	1	7.0		7	7	7	7	7	7	7
75 +	3	11.3	33	5	5	13	15	16	16	16	1	4.0		4	4	4	4	4	4	4
ALL AGES	26	9.1	59	2	3	6	12	17	28	34	10	6.7	18	2	2	6	10	13	15	15
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	2	16.0	32	12	12	16	20	20	20	20										
21-24	2	12.0	72	6	6	12	18	18	18	18	1	4.0		4	4	4	4	4	4	4
25-34	7	11.7	155	2	2	7	14	33	38	38	4	3.8	4	2	2	4	5	6	6	6
35-54	9	8.2	51	2	2	6	8	20	26	26	5	3.2	5	1	1	3	5	6	6	6
55-74	9	11.7	72	1	1	13	18	23	25	25	1	25.0		25	25	25	25	25	25	25
75 +	3	20.3	304	7	7	14	33	40	40	40	1	14.0		14	14	14	14	14	14	14
ALL AGES	32	11.8	97	2	2	8	16	25	37	40	12	6.2	47	1	1	4	6	17	24	25
SUBTOTAL	**58**	**10.6**	**80**	**2**	**2**	**7**	**14**	**24**	**31**	**40**	**22**	**6.4**	**33**	**1**	**2**	**5**	**8**	**14**	**19**	**25**
GRAND TOTAL	**132**	**12.6**	**131**	**2**	**3**	**9**	**17**	**26**	**37**	**63**	**50**	**8.7**	**123**	**1**	**1**	**5**	**11**	**21**	**29**	**65**

TRANSIENT ORG MENTAL NOS (293.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-20																				
21-24	1	6.0		6	6	6	6	6	6	6	1	5.0		5	5	5	5	5	5	5
25-34	3	5.7	65	1	1	1	12	15	15	15	1	3.0		3	3	3	3	3	3	3
35-54	4	3.8	18	1	1	2	6	10	10	10	3	4.0	13	1	1	3	7	8	8	8
55-74	4	11.0	53	1	1	12	16	18	18	18	10	3.3	6	1	1	3	5	7	8	8
75 +	4	10.8	283	1	1	3	20	36	36	36	6	3.5	7	1	1	3	6	7	7	7
ALL AGES	16	7.8	91	1	1	3	12	18	31	36	22	3.4	6	1	1	3	5	7	8	8
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20											1	3.0		3	3	3	3	3	3	3
21-24																				
25-34	2	2.5	5	1	1	2	4	4	4	4	1	5.0		5	5	5	5	5	5	5
35-54											1	14.0		14	14	14	14	14	14	14
55-74	3	4.3	11	2	2	3	7	8	8	8	7	5.4	44	1	1	3	5	17	20	20
75 +	4	5.0	5	2	2	5	6	7	7	7	8	5.5	13	1	1	5	9	10	10	10
ALL AGES	9	4.2	6	1	1	4	6	8	8	8	18	5.8	25	1	1	4	9	13	18	20
SUBTOTAL	**25**	**6.5**	**62**	**1**	**1**	**3**	**8**	**15**	**22**	**36**	**40**	**4.5**	**15**	**1**	**1**	**3**	**6**	**9**	**12**	**20**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2										
18-20											1	2.0		2	2	2	2	2	2	2
21-24	1	4.0		4	4	4	4	4	4	4										
25-34	3	6.7		6	6	7	7	7	7	7	2	3.5	1	3	3	3	4	4	4	4
35-54																				
55-74	5	11.4	236	1	1	5	18	38	38	38										
75 +	1	2.0		2	2	2	2	2	2	2										
ALL AGES	11	7.7	110	1	1	5	7	22	37	38	3	3.0	1	2	2	3	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	7.0		7	7	7	7	7	7	7										
21-24	2	5.5	1	5	5	5	6	6	6	6	1	3.0		3	3	3	3	3	3	3
25-34											1	11.0		11	11	11	11	11	11	11
35-54	1	24.0		24	24	24	24	24	24	24	1	1.0		1	1	1	1	1	1	1
55-74	3	13.0	124	1	1	15	21	23	23	23										
75 +	2	4.5	25	1	1	4	8	8	8	8	1	6.0		6	6	6	6	6	6	6
ALL AGES	9	10.0	76	1	1	7	17	24	24	24	4	5.3	18	1	1	4	8	11	11	11
SUBTOTAL	**20**	**8.8**	**90**	**1**	**1**	**6**	**9**	**23**	**31**	**38**	**7**	**4.3**	**11**	**1**	**1**	**3**	**5**	**10**	**11**	**11**
GRAND TOTAL	**45**	**7.5**	**74**	**1**	**1**	**5**	**9**	**18**	**27**	**38**	**47**	**4.4**	**15**	**1**	**1**	**3**	**6**	**9**	**11**	**20**

AMNESTIC SYNDROME (294.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	1.0		1	1	1	1	1	1	1	1	7.0		7	7	7	7	7	7	7
55-74	1	5.0		5	5	5	5	5	5	5	5	1.2		1	1	1	2	2	2	2
75 +	1	2.0		2	2	2	2	2	2	2	1	4.0		4	4	4	4	4	4	4
ALL AGES	3	2.7	4	1	1	2	4	5	5	5	7	2.4	5	1	1	1	3	6	7	7
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	3	2.3	1	2	2	2	3	3	3	3	4	1.0		1	1	1	1	1	1	1
75 +	1	15.0		15	15	15	15	15	15	15	3	1.7		1	1	2	2	2	2	2
ALL AGES	4	5.5	40	2	2	3	9	15	15	15	7	1.3		1	1	1	2	2	2	2
SUBTOTAL	**7**	**4.3**	**24**	**1**	**1**	**2**	**4**	**13**	**15**	**15**	**14**	**1.9**	**3**	**1**	**1**	**1**	**2**	**4**	**6**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	4.0		4	4	4	4	4	4	4	1	22.0		22	22	22	22	22	22	22
35-54	1	13.0		13	13	13	13	13	13	13										
55-74																				
75 +																				
ALL AGES	2	8.5	41	4	4	8	13	13	13	13	1	22.0		22	22	22	22	22	22	22
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54											1	12.0		12	12	12	12	12	12	12
55-74																				
75 +	1	7.0		7	7	7	7	7	7	7										
ALL AGES	1	7.0		7	7	7	7	7	7	7	1	12.0		12	12	12	12	12	12	12
SUBTOTAL	**3**	**8.0**	**21**	**4**	**4**	**7**	**11**	**13**	**13**	**13**	**2**	**17.0**	**50**	**12**	**12**	**17**	**22**	**22**	**22**	**22**
GRAND TOTAL	**10**	**5.4**	**24**	**1**	**1**	**3**	**7**	**14**	**15**	**15**	**16**	**3.8**	**32**	**1**	**1**	**1**	**3**	**11**	**19**	**22**

DEMENTIA IN OTH DISEASES (294.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS			PERCENTILES							HOSPITALS WITHOUT PSY. UNIT/BEDS			PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34											1	27.0		27	27	27	27	27	27	27
35-54	2	2.0		2	2	2	2	2	2	2										
55-74	1	1.0		1	1	1	1	1	1	1	5	14.0	201	1	1	6	25	35	35	35
75 +	3	3.3	3	2	2	3	4	5	5	5	3	15.3	26	12	12	13	19	21	21	21
ALL AGES	6	2.5	2	1	1	2	3	5	5	5	9	15.9	124	1	3	13	23	32	35	35
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	5.0		5	5	5	5	5	5	5										
35-54	1	10.0		10	10	10	10	10	10	10	2	3.0	8	1	1	3	5	5	5	5
55-74											3	4.3	10	1	1	5	6	7	7	7
75 +	3	8.7	21	5	5	7	12	14	14	14	1	31.0		31	31	31	31	31	31	31
ALL AGES	5	8.2	15	5	5	7	11	14	14	14	6	8.3	130	1	1	5	7	29	31	31
SUBTOTAL	**11**	**5.1**	**16**	**1**	**1**	**5**	**7**	**12**	**14**	**14**	**15**	**12.9**	**131**	**1**	**1**	**7**	**22**	**31**	**34**	**35**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	2	15.5	61	10	10	15	21	21	21	21	1	21.0		21	21	21	21	21	21	21
35-54																				
55-74	5	5.4	13	1	1	5	7	11	11	11	1	12.0		12	12	12	12	12	12	12
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	8	7.6	41	1	2	5	10	18	21	21	2	16.5	41	12	12	16	21	21	21	21
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	13.0		13	13	13	13	13	13	13	2	25.5	25	22	22	25	29	29	29	29
55-74	2	8.0	2	7	7	8	9	9	9	9										
75 +	2	11.5	25	8	8	11	15	15	15	15	2	12.5	41	8	8	12	17	17	17	17
ALL AGES	5	10.4	12	7	7	9	13	15	15	15	4	19.0	78	8	8	19	25	29	29	29
SUBTOTAL	**13**	**8.7**	**29**	**1**	**3**	**8**	**11**	**16**	**20**	**21**	**6**	**18.2**	**55**	**8**	**8**	**19**	**22**	**28**	**29**	**29**
GRAND TOTAL	**24**	**7.0**	**26**	**1**	**2**	**6**	**10**	**14**	**17**	**21**	**21**	**14.4**	**112**	**1**	**1**	**12**	**22**	**30**	**33**	**35**

ORGANIC BRAIN SYND NEC (294.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS										
				PERCENTILES										PERCENTILES							
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																					
A. MALE																					
0-12 YRS.																					
13-17	1	12.0		12	12	12	12	12	12	12											
18-20											1	79.0		79	79	79	79	79	79	79
21-24	3	10.3	67	1	1	14	15	16	16	16											
25-34	3	10.3	43	4	4	10	15	17	17	17	3	12.7	5	10	10	13	14	15	15	15
35-54	2	7.5	1	7	7	7	8	8	8	8	2	41.0	722	22	22	41	60	60	60	60
55-74	7	7.1	17	1	1	7	10	12	12	12	3	13.3	14	10	10	15	58	99 +	99 +	99 +
75 +	5	14.0	172	1	1	12	18	36	36	36	1	12.0		12	12	56	99 +	99 +	99 +	99 +
ALL AGES	21	10.0	57	1	1	9	12	16	26	36	10	25.1	580	10	10	16	69	99 +	99 +	99 +
B. FEMALE																					
0-12 YRS.																					
13-17	1	14.0		14	14	14	14	14	14	14											
18-20	1	22.0		22	22	22	22	22	22	22											
21-24																					
25-34	2	12.0		12	12	12	12	12	12	12	2	56.5	2521	21	21	92	98	99 +	99 +	99 +
35-54	1	6.0		6	6	6	6	6	6	6	2	6.5	5	5	5	6	8	8	8	8
55-74	4	5.8	13	2	2	5	8	11	11	11	2	14.5	181	5	5	14	24	24	24	24
75 +	6	11.5	65	5	5	9	12	25	27	27											
ALL AGES	15	10.5	46	3	5	11	12	22	26	27	6	25.8	1120	5	5	21	75	98	99 +	99 +
SUBTOTAL	**36**	**10.2**	**51**	**1**	**2**	**10**	**12**	**17**	**25**	**36**	**16**	**25.4**	**720**	**5**	**6**	**17**	**74**	**99 +**	**99 +**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																					
A. MALE																					
0-12 YRS.	1	11.0		11	11	11	11	11	11	11											
13-17	2	26.5	481	11	11	26	42	42	42	42											
18-20	1	25.0		25	25	25	25	25	25	25	2	6.5	25	3	3	6	10	10	10	10
21-24	1	2.0		2	2	2	2	2	2	2	2	9.5	25	6	6	9	13	13	13	13
25-34	3	27.3	1015	7	7	11	51	64	64	64	3	7.0	27	4	4	9	56	99 +	99 +	99 +
35-54	1	22.0		22	22	22	22	22	22	22	6	25.7	660	4	5	27	62	94	99 +	99 +
55-74	3	11.3	37	5	5	12	16	17	17	17	4	11.8	148	4	4	6	18	30	30	30
75 +	1	6.0		6	6	6	6	6	6	6	3	10.7	81	4	4	7	17	21	21	21
ALL AGES	13	18.1	302	2	4	11	23	46	61	64	20	14.3	273	3	4	7	27	79	99 +	99 +
B. FEMALE																					
0-12 YRS.																					
13-17																					
18-20																					
21-24	1	10.0		10	10	10	10	10	10	10	1	10.0		10	10	10	10	10	10	10
25-34	4	9.8	44	3	3	10	15	16	16	16	1	17.0		17	17	17	17	17	17	17
35-54	3	7.7	30	2	2	8	12	13	13	13	1	3.0		3	3	3	3	3	3	3
55-74	5	11.8	52	4	4	9	16	23	23	23	3	15.3	123	8	8	10	23	28	28	28
75 +	2	10.5	25	7	7	10	14	14	14	14	1	4.0		4	4	4	4	4	4	4
ALL AGES	15	10.1	34	2	3	9	14	16	21	23	7	11.4	75	3	3	10	15	26	28	28
SUBTOTAL	**28**	**13.8**	**168**	**2**	**3**	**11**	**15**	**24**	**44**	**64**	**27**	**13.6**	**217**	**3**	**4**	**8**	**22**	**58**	**99 +**	**99 +**
GRAND TOTAL	**64**	**11.8**	**103**	**2**	**3**	**10**	**14**	**22**	**30**	**61**	**43**	**18.0**	**425**	**4**	**4**	**12**	**27**	**97**	**99 +**	**99 +**

ORGANIC BRAIN SYND NOS (294.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4										
18-20																				
21-24																				
25-34	7	3.9	6	1	1	4	6	7	7	7										
35-54	2	7.0	8	5	5	7	9	9	9	9	3	5.0	21	1	1	4	8	10	10	10
55-74	16	12.0	63	2	3	10	17	22	28	31	3	7.3	6	6	6	6	9	10	10	10
75 +	9	8.2	25	1	1	8	11	15	17	17	10	9.6	42	2	3	7	13	20	24	24
ALL AGES	35	8.9	46	1	2	7	10	20	22	31	16	8.3	33	1	2	7	10	16	22	24
B. FEMALE																				
0-12 YRS.																				
13-17	1	66.0		66	66	66	66	66	66	66										
18-20																				
21-24																				
25-34	1	8.0		8	8	8	8	8	8	8										
35-54	2	6.5	41	2	2	6	11	11	11	11	4	28.3	526	7	7	22	42	61	61	61
55-74	9	17.2	191	3	3	20	23	37	45	45	4	9.8	34	5	5	8	14	18	18	18
75 +	9	13.0	313	3	3	7	11	42	59	59	5	5.4	12	2	2	4	8	10	10	10
ALL AGES	22	16.3	329	2	3	9	23	49	62	66	13	13.8	249	2	3	8	19	31	55	61
SUBTOTAL	**57**	**11.8**	**163**	**1**	**2**	**8**	**14**	**23**	**40**	**66**	**29**	**10.8**	**131**	**2**	**3**	**7**	**11**	**23**	**26**	**61**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	2	22.5	41	18	18	22	27	27	27	27										
21-24	1	14.0		14	14	14	14	14	14	14										
25-34	3	5.0	3	4	4	4	6	7	7	7	1	4.0		4	4	4	4	4	4	4
35-54	4	30.0	1245	8	8	15	52	82	82	82										
55-74	2	13.5	41	9	9	13	18	18	18	18	1	1.0		1	1	1	1	1	1	1
75 +	3	8.0	9	5	5	8	10	11	11	11	1	4.0		4	4	4	4	4	4	4
ALL AGES	15	16.3	378	4	4	9	18	27	68	82	3	3.0	3	1	1	4	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	2	12.5	113	5	5	12	20	20	20	20										
35-54	2	13.0	50	8	8	13	18	18	18	18	1	12.0		12	12	12	12	12	12	12
55-74	5	15.0	100	4	4	13	20	31	31	31	3	9.3	109	1	1	6	17	21	21	21
75 +	3	8.0	43	1	1	9	13	14	14	14	2	8.0	32	4	4	8	12	12	12	12
ALL AGES	12	12.5	67	1	3	12	17	23	30	31	6	9.3	53	1	1	9	12	20	21	21
SUBTOTAL	**27**	**14.6**	**236**	**3**	**4**	**11**	**18**	**26**	**39**	**82**	**9**	**7.2**	**44**	**1**	**1**	**4**	**12**	**17**	**21**	**21**
GRAND TOTAL	**84**	**12.7**	**186**	**2**	**2**	**9**	**16**	**23**	**35**	**77**	**38**	**9.9**	**112**	**1**	**2**	**7**	**12**	**22**	**24**	**61**

SIMPLE SCHIZOPHRENIA (295.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	4.0		4	4	4	4	4	4	4
18-20																				
21-24																				
25-34	2	7.5	85	1	1	7	14	14	14	14										
35-54																				
55-74	2	9.5	25	6	6	9	13	13	13	13										
75 +											1	8.0		8	8	8	8	8	8	8
ALL AGES	4	8.5	38	1	1	9	13	14	14	14	2	6.0	8	4	4	6	8	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	2	17.5	5	16	16	17	19	19	19	19										
35-54	1	3.0		3	3	3	3	3	3	3	1	16.0		16	16	16	16	16	16	16
55-74	1	12.0		12	12	12	12	12	12	12										
75 +	4	10.3	25	5	5	9	14	17	17	17										
ALL AGES	8	11.4	33	3	4	11	16	18	19	19	1	16.0		16	16	16	16	16	16	16
SUBTOTAL	**12**	**10.4**	**34**	**1**	**2**	**11**	**15**	**18**	**19**	**19**	**3**	**9.3**	**38**	**4**	**4**	**8**	**14**	**16**	**16**	**16**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	28.0		28	28	28	28	28	28	28										
55-74																				
75 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	2	17.0	242	6	6	17	28	28	28	28										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74											1	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES											1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**2**	**17.0**	**242**	**6**	**6**	**17**	**28**	**28**	**28**	**28**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
GRAND TOTAL	**14**	**11.4**	**52**	**1**	**3**	**11**	**16**	**20**	**26**	**28**	**4**	**7.3**	**41**	**1**	**1**	**6**	**12**	**16**	**16**	**16**

HEBEPHRENIA (295.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.	1	16.0		16	16	16	16	16	16	16										
13-17																						
18-20																						
21-24	3	8.3	3	7	7	8	9	10	10	10	1	19.0		19	19	19	19	19	19	19
25-34	8	19.3	786	2	2	7	23	68	85	85	5	22.6	331	7	7	17	37	49	49	49
35-54	2	4.5	1	4	4	4	5	5	5	5	5	13.8	61	2	2	17	19	21	21	21
55-74																						
75 +																						
ALL AGES	14	14.6	462	2	3	7	16	34	74	85	11	18.3	175	2	5	17	21	39	48	49
B. FEMALE																						
0-12 YRS.																						
13-17	4	19.5	124	4	4	22	27	30	30	30											
18-20	1	46.0		46	46	46	46	46	46	46											
21-24	4	18.8	478	3	3	11	34	50	50	50											
25-34	4	15.0	202	2	2	11	24	35	35	35	2	4.5	25	1	1	4	8	8	8	8
35-54	14	8.8	32	4	4	7	10	15	23	25	2	16.0	98	9	9	16	23	23	23	23
55-74	3	24.0	84	16	16	22	31	34	34	34											
75 +																						
ALL AGES	30	15.1	170	3	4	9	22	34	46	50	4	10.3	84	1	1	3	16	23	23	23
SUBTOTAL	**44**	**15.0**	**252**	**3**	**3**	**9**	**19**	**34**	**47**	**85**	**15**	**16.1**	**159**	**1**	**2**	**17**	**21**	**33**	**45**	**49**
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.																						
13-17																						
18-20																						
21-24	2	45.5	1201	21	21	45	70	70	70	70	1	11.0		11	11	11	11	11	11	11
25-34	1	6.0		6	6	6	6	6	6	6	1	13.0		13	13	13	13	13	13	13
35-54	6	4.8	18	1	1	4	7	11	12	12	1	2.0		2	2	2	2	2	2	2
55-74											1	14.0		14	14	14	14	14	14	14
75 +																						
ALL AGES	9	14.0	480	1	1	6	14	50	70	70	4	10.0	30	2	2	12	13	14	14	14
B. FEMALE																						
0-12 YRS.																						
13-17																						
18-20																						
21-24	3	12.7	184	2	2	8	23	28	28	28	1	2.0		2	2	2	2	2	2	2
25-34	4	11.8	53	3	3	11	16	21	21	21	1	3.0		3	3	3	3	3	3	3
35-54	2	14.5	5	13	13	14	16	16	16	16											
55-74																						
75 +																						
ALL AGES	9	12.7	68	2	2	12	17	25	28	28	2	2.5	1	2	2	2	3	3	3	3
SUBTOTAL	**18**	**13.3**	**260**	**1**	**2**	**9**	**16**	**26**	**53**	**70**	**6**	**7.5**	**33**	**2**	**2**	**7**	**13**	**14**	**14**	**14**
GRAND TOTAL	**62**	**14.5**	**251**	**2**	**3**	**9**	**18**	**31**	**48**	**83**	**21**	**13.7**	**133**	**1**	**2**	**11**	**19**	**27**	**40**	**49**

CATATONIC SCHIZOPHRENIA (295.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20											1	3.0		3	3	3	3	3	3	3
21-24	4	12.3	5	10	10	11	14	16	16	16	2	32.0	722	13	13	32	51	51	51	51
25-34	6	10.7	51	4	4	8	19	20	20	20	3	17.3	391	4	4	8	32	40	40	40
35-54	7	11.4	58	3	3	9	19	22	22	22	3	10.3	47	5	5	8	15	18	18	18
55-74	1	50.0		50	50	50	50	50	50	50										
75 +																				
ALL AGES	18	13.5	120	3	4	11	19	22	39	50	9	16.7	295	3	3	8	23	47	51	51
B. FEMALE																				
0-12 YRS.	1	12.0		12	12	12	12	12	12	12										
13-17	1	78.0		78	78	78	78	78	78	78										
18-20																				
21-24	2	16.5	25	13	13	16	20	20	20	20	2	3.5	1	3	3	3	4	4	4	4
25-34	7	16.1	81	3	4	17	24	27	27	27	3	15.0	19	10	~~10~~	17	18	18	18	18
35-54	11	8.5	36	1	2	7	11	18	20	20	4	6.5	40	3	3	4	10	16	16	16
55-74	3	6.3	15	2	2	8	9	9	9	9	3	18.0	436	4	4	8	33	42	42	42
75 +																				
ALL AGES	25	14.0	229	2	3	10	18	25	40	78	12	11.0	129	3	3	6	16	25	40	42
SUBTOTAL	**43**	**13.8**	**179**	**2**	**3**	**10**	**19**	**23**	**35**	**78**	**21**	**13.4**	**199**	**3**	**3**	**8**	**17**	**41**	**46**	**51**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-20																				
21-24	1	3.0		3	3	3	3	3	3	3										
25-34	2	4.0	2	3	3	4	5	5	5	5										
35-54	2	22.0	800	2	2	22	42	42	42	42	2	3.0		3	3	3	3	3	3	3
55-74	1	1.0		1	1	1	1	1	1	1	1	2.0		2	2	2	2	2	2	2
75 +											1	8.0		8	8	8	8	8	8	8
ALL AGES	7	8.1	226	1	1	3	5	35	42	42	4	4.0	7	2	2	3	6	8	8	8
B. FEMALE																				
0-12 YRS.	1	51.0		51	51	51	51	51	51	51										
13-17																				
18-20																				
21-24																				
25-34	1	14.0		14	14	14	14	14	14	14										
35-54	1	25.0		25	25	25	25	25	25	25	2	5.0	18	2	2	5	8	8	8	8
55-74	3	32.3	2166	4	4	7	66	86	86	86										
75 +	1	8.0		8	8	8	8	8	8	8										
ALL AGES	7	27.9	916	4	5	14	44	79	86	86	2	5.0	18	2	2	5	8	8	8	8
SUBTOTAL	**14**	**18.0**	**633**	**1**	**1**	**6**	**25**	**54**	**79**	**86**	**6**	**4.3**	**9**	**2**	**2**	**3**	**8**	**8**	**8**	**8**
GRAND TOTAL	**57**	**14.8**	**286**	**1**	**3**	**10**	**19**	**27**	**51**	**85**	**27**	**11.4**	**169**	**2**	**3**	**8**	**15**	**36**	**43**	**51**

PARANOID SCHIZOPHRENIA (295.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	6.0		6	6	6	6	6	6	6
13-17	11	34.5	712	3	4	37	57	93	99	99 +	13	11.1	288	1	1	7	14	25	57	65
18-20	58	11.1	81	2	2	7	16	25	31	35	19	10.3	72	1	2	7	12	20	31	38
21-24	111	11.8	182	1	2	7	15	23	36	78	47	12.4	131	1	2	8	18	28	37	51
25-34	591	10.3	82	2	2	8	13	21	30	48	180	12.2	168	1	2	8	16	27	33	76
35-54	412	10.1	105	2	2	7	12	22	29	52	143	11.1	123	1	2	7	15	27	33	47
55-74	52	10.2	50	2	3	9	13	20	26	33	7	9.6	36	3	4	7	15	19	19	19
75 +	4	16.8	359	4	4	9	27	45	45	45	2	5.5	5	4	4	5	7	7	7	7
ALL AGES	1239	10.6	109	2	2	7	14	23	31	54	412	11.6	144	1	2	7	15	27	34	67
B. FEMALE																				
0-12 YRS.	2	13.0	18	10	10	13	16	16	16	16	1	6.0		6	6	6	6	6	6	6
13-17	3	8.0	12	6	6	6	11	12	12	12	1	63.0		63	63	63	63	63	63	63
18-20	13	10.8	54	1	1	11	14	20	26	28	3	10.7	79	5	5	6	17	21	21	21
21-24	55	9.7	108	2	2	6	13	26	30	49	13	16.5	319	1	2	6	28	46	53	55
25-34	224	12.3	143	1	2	9	16	27	34	57	77	9.6	120	1	1	6	12	22	42	89
35-54	378	11.7	116	2	3	8	16	26	33	55	117	9.6	75	1	1	7	13	21	26	41
55-74	169	14.8	147	3	4	11	19	33	41	54	45	11.4	86	2	2	8	13	29	33	36
75 +	11	20.1	98	7	9	18	30	34	35	35	7	7.3	30	3	3	4	12	16	16	16
ALL AGES	855	12.4	130	2	3	9	16	28	35	56	264	10.4	111	1	2	7	13	24	33	61
SUBTOTAL	**2094**	**11.4**	**117**	**2**	**2**	**8**	**14**	**25**	**33**	**55**	**676**	**11.1**	**132**	**1**	**2**	**7**	**14**	**25**	**33**	**63**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	26.5	1301	1	1	26	52	52	52	52	1	7.0		7	7	7	7	7	7	7
13-17	5	11.8	117	1	1	7	21	27	27	27										
18-20	20	15.1	86	3	4	13	21	29	33	35	6	10.8	81	3	3	7	15	26	27	27
21-24	56	8.4	25	2	2	7	11	16	19	22	28	14.8	216	1	1	9	25	37	45	45
25-34	176	10.9	75	1	2	8	15	23	27	39	84	10.1	155	1	2	6	13	24	44	99 +
35-54	131	11.7	105	1	2	8	16	23	28	52	69	12.1	187	2	2	7	15	27	48	62
55-74	18	11.1	39	2	3	11	14	21	23	24	5	10.2	111	1	1	4	18	26	26	26
75 +	1	1.0		1	1	1	1	1	1	1										
ALL AGES	409	11.1	82	1	2	8	15	22	27	39	193	11.5	171	1	2	6	15	30	44	92
B. FEMALE																				
0-12 YRS.																				
13-17	4	9.5	20	4	4	9	12	15	15	15										
18-20	6	15.5	162	1	1	14	22	34	35	35	1	2.0		2	2	2	2	2	2	2
21-24	20	14.3	53	3	5	16	20	22	26	30	7	6.0	17	2	2	4	9	12	13	13
25-34	76	13.2	174	2	2	9	16	32	38	69	28	9.5	97	1	3	6	10	18	27	52
35-54	78	12.2	105	1	2	9	17	28	35	42	26	8.9	42	2	2	7	11	18	24	30
55-74	38	16.2	137	2	3	12	26	36	43	99 +	5	13.0	172	3	3	12	18	35	35	35
75 +	5	7.2	12	4	4	6	8	13	13	13	1	2.0		2	2	2	2	2	2	2
ALL AGES	227	13.3	128	2	2	10	19	29	36	61	68	8.9	71	2	2	6	11	18	25	49
SUBTOTAL	**636**	**11.9**	**99**	**2**	**2**	**9**	**17**	**25**	**32**	**46**	**261**	**10.8**	**146**	**1**	**2**	**6**	**14**	**27**	**40**	**79**
GRAND TOTAL	**2730**	**11.5**	**113**	**2**	**2**	**8**	**15**	**25**	**33**	**54**	**937**	**11.1**	**134**	**1**	**2**	**7**	**14**	**26**	**35**	**63**

AC SCHIZOPHRENIC EPISODE (295.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	HOSPITALS WITHOUT PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	7	31.6	331	14	14	26	42	60	64	64	2	41.0	2592	5	5	41	77	77	77	77
18-20	14	13.4	120	1	1	11	20	29	36	38	2	7.5	61	2	2	7	13	13	13	13
21-24	21	10.1	73	2	2	7	13	25	29	31	6	6.8	2	5	5	7	7	9	9	9
25-34	30	8.6	42	2	2	6	14	18	23	23	7	11.9	91	3	3	7	22	23	23	23
35-54	4	20.3	1429	1	1	2	39	77	77	77	8	8.0	22	2	2	9	11	14	15	15
55-74	1	2.0		2	2	2	2	2	2	2	4	4.3	6	2	2	3	6	8	8	8
75 +																				
ALL AGES	77	12.5	184	1	2	8	16	27	38	73	29	10.4	199	2	2	7	10	22	26	77
B. FEMALE																				
0-12 YRS.																				
13-17	6	11.3	201	1	1	5	16	36	38	38										
18-20	4	11.5	41	7	7	9	15	21	21	21	6	7.3	53	1	1	5	11	19	20	20
21-24	12	10.9	77	1	1	11	18	23	25	25	4	7.0	22	4	4	5	10	14	14	14
25-34	15	10.5	87	1	2	8	17	24	31	33	7	7.6	36	1	1	7	13	16	16	16
35-54	18	12.1	113	1	2	9	17	30	32	34	8	6.6	30	1	1	5	10	15	17	17
55-74	8	10.8	146	2	2	8	12	31	39	39	1	4.0		4	4	4	4	4	4	4
75 +	1	13.0		13	13	13	13	13	13	13										
ALL AGES	64	11.3	96	1	2	9	16	25	33	39	26	7.0	31	1	1	5	11	16	18	20
SUBTOTAL	**141**	**11.9**	**145**	**1**	**2**	**9**	**16**	**27**	**36**	**65**	**55**	**8.8**	**120**	**1**	**2**	**6**	**11**	**17**	**22**	**74**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	51.0		51	51	51	51	51	51	51										
18-20	7	11.0	53	1	1	11	17	19	19	19	4	8.5	48	2	2	7	13	18	18	18
21-24	4	6.3	24	1	1	5	9	13	13	13	3	7.3	35	3	3	5	12	14	14	14
25-34	15	9.3	80	1	1	7	11	21	31	34	3	7.3	18	4	4	6	10	12	12	12
35-54	9	10.2	129	1	2	7	10	28	39	39	1	3.0		3	3	3	3	3	3	3
55-74																				
75 +																				
ALL AGES	36	10.7	122	1	1	7	13	21	37	51	11	7.4	27	2	2	5	11	16	18	18
B. FEMALE																				
0-12 YRS.																				
13-17	7	20.4	331	3	4	15	34	49	51	51										
18-20	4	6.8	6	3	3	7	8	9	9	9										
21-24	6	10.2	77	2	2	7	21	21	21	21	5	7.8	57	2	2	5	10	21	21	21
25-34	5	4.8	5	2	2	5	6	8	8	8	2	13.0	32	9	9	13	17	17	17	17
35-54	5	6.2	13	2	2	6	8	12	12	12	4	8.8	88	2	2	6	15	22	22	22
55-74	5	11.4	61	4	4	9	18	22	22	22	1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES	32	10.7	[illegible]	2	3	7	13	22	37	51	12	8.7	53	2	2	6	13	21	22	22
SUBTOTAL	**68**	**10.7**	**119**	**1**	**2**	**7**	**13**	**21**	**39**	**51**	**23**	**8.0**	**40**	**2**	**2**	**5**	**11**	**19**	**21**	**22**
GRAND TOTAL	**209**	**11.5**	**137**	**1**	**2**	**8**	**16**	**25**	**38**	**56**	**78**	**8.6**	**95**	**1**	**2**	**6**	**11**	**18**	**22**	**62**

LATENT SCHIZOPHRENIA (295.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17											1	2.0		2	2	2	2	2	2	2
18-20																				
21-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54	2	13.5	221	3	3	13	24	24	24	24										
55-74																				
75 +																				
ALL AGES	3	9.7	153	2	2	3	19	24	24	24	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**4**	**7.5**	**122**	**1**	**1**	**2**	**13**	**24**	**24**	**24**	**2**	**1.5**	**1**	**1**	**1**	**1**	**2**	**2**	**2**	**2**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	13.0		13	13	13	13	13	13	13										
35-54																				
55-74																				
75 +																				
ALL AGES	1	13.0		13	13	13	13	13	13	13										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	27.0		27	27	27	27	27	27	27										
25-34	1	56.0		56	56	56	56	56	56	56										
35-54																				
55-74																				
75 +	1	8.0		8	8	8	8	8	8	8										
ALL AGES	3	30.3	587	8	8	27	49	56	56	56										
SUBTOTAL	**4**	**26.0**	**465**	**8**	**8**	**20**	**41**	**56**	**56**	**56**										
GRAND TOTAL	**8**	**16.8**	**347**	**1**	**1**	**10**	**25**	**47**	**56**	**56**	**2**	**1.5**	**1**	**1**	**1**	**1**	**2**	**2**	**2**	**2**

RESIDUAL SCHIZOPHRENIA (295.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2	2	10.0	72	4	4	10	16	16	16	16
18-20	19	14.7	230	2	3	11	17	44	51	52	2	7.0	8	5	5	7	9	9	9	9
21-24	48	11.9	110	1	2	9	15	27	32	52	7	6.9	24	1	1	5	12	13	13	13
25-34	161	9.8	82	1	2	7	14	22	27	41	26	8.9	65	1	2	6	14	20	27	34
35-54	103	9.0	57	2	2	7	12	20	23	36	25	7.0	30	1	2	5	9	17	19	21
55-74	24	6.4	27	1	2	4	8	12	19	23	2	6.5	5	5	5	6	8	8	8	8
75 +	2	13.0	98	6	6	13	20	20	20	20										
ALL AGES	358	9.9	84	1	2	7	13	21	27	48	64	7.9	41	1	2	6	11	16	21	33
B. FEMALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3										
13-17	3	12.7	113	6	6	7	20	25	25	25	1	11.0		11	11	11	11	11	11	11
18-20	4	19.8	184	7	7	19	31	33	33	33	1	5.0		5	5	5	5	5	5	5
21-24	40	10.3	102	1	2	8	13	22	32	50	3	7.0	13	4	4	6	10	11	11	11
25-34	87	10.2	107	1	2	7	12	22	27	60	8	5.9	9	3	3	5	8	11	11	11
35-54	156	12.3	164	2	2	8	16	29	36	66	20	9.4	45	3	3	7	11	21	24	24
55-74	73	11.2	74	2	3	9	14	24	29	43	15	16.3	369	3	3	9	19	34	66	77
75 +	9	8.2	23	2	2	8	11	15	17	17	2	7.0	18	4	4	7	10	10	10	10
ALL AGES	373	11.3	123	2	2	8	14	25	33	60	50	10.6	142	3	3	7	11	22	27	77
SUBTOTAL	**731**	**10.6**	**105**	**2**	**2**	**7**	**14**	**23**	**30**	**52**	**114**	**9.1**	**86**	**2**	**2**	**6**	**11**	**19**	**24**	**50**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	41.0		41	41	41	41	41	41	41										
18-20	9	6.0	26	1	1	4	8	15	15	15	1	34.0		34	34	34	34	34	34	34
21-24	32	7.7	46	1	2	5	9	21	22	29	2	7.5	25	4	4	7	11	11	11	11
25-34	84	10.0	127	2	2	7	11	18	32	59	23	6.7	42	1	1	5	8	20	21	21
35-54	55	8.9	63	1	2	7	10	22	30	32	7	6.4	18	1	1	7	8	13	14	14
55-74	11	16.7	691	3	5	9	14	48	91	95	2	7.0		7	7	7	7	7	7	7
75 +	1	5.0		5	5	5	5	5	5	5	2	6.5	.1	6	6	6	7	7	7	7
ALL AGES	193	9.6	128	1	2	7	10	19	29	58	37	7.5	48	1	1	6	8	19	21	34
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	3	8.7	65	3	3	5	15	18	18	18	1	5.0		5	5	5	5	5	5	5
21-24	9	12.8	96	2	2	10	19	29	31	31	2	17.5	365	4	4	17	31	31	31	31
25-34	34	7.7	48	1	2	6	9	18	22	32	12	7.8	96	1	2	5	7	18	35	38
35-54	41	10.8	174	1	2	7	14	20	35	74	7	5.0	7	2	2	4	7	9	9	9
55-74	22	15.5	186	4	5	11	22	26	45	64	5	18.8	327	2	2	9	34	45	45	45
75 +	3	10.7	25	5	5	12	14	15	15	15										
ALL AGES	112	10.9	128	2	2	7	15	23	31	68	27	9.7	136	2	2	5	9	31	39	45
SUBTOTAL	**305**	**10.1**	**127**	**1**	**2**	**7**	**12**	**22**	**30**	**62**	**64**	**8.4**	**85**	**1**	**2**	**6**	**8**	**21**	**32**	**44**
GRAND TOTAL	**1036**	**10.5**	**110**	**1**	**2**	**7**	**14**	**23**	**30**	**55**	**178**	**8.8**	**86**	**1**	**2**	**6**	**11**	**20**	**26**	**43**

SCHIZOAFFECTIVE TYPE (295.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17	5	32.0	921	5	5	37	73	97	99 +	99 +	3	28.0	832	4	4	20	50	60	60	60
18-20	17	10.2	50	2	3	8	16	21	24	25	4	15.0	15	11	11	14	18	20	20	20
21-24	59	16.8	246	2	3	14	20	32	47	81	16	12.1	65	2	3	11	15	26	30	31
25-34	160	11.6	83	1	3	10	14	25	31	40	35	17.9	252	4	4	13	23	35	59	65
35-54	162	10.5	90	2	2	7	14	25	29	44	48	16.8	278	2	3	13	21	35	43	88
55-74	12	10.1	57	1	3	7	16	40	89	99 +	2	30.0	392	16	16	30	44	44	44	44
75 +	2	11.5	221	1	1	11	22	22	22	22										
ALL AGES	418	12.0	123	2	3	9	15	26	35	73	108	16.9	243	3	4	13	20	35	58	78
B. FEMALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17	9	21.0	431	2	2	19	29	56	63	63	1	49.0		49	49	49	49	49	49	49
18-20	13	24.2	410	2	4	25	33	45	71	77	2	9.0	72	3	3	9	15	15	15	15
21-24	52	11.9	124	2	3	9	14	24	28	69	6	15.7	133	2	3	14	19	34	36	36
25-34	196	12.5	146	2	3	10	16	24	34	65	33	10.8	75	2	2	8	14	19	31	41
35-54	232	13.1	142	2	3	10	17	28	36	56	75	15.9	177	2	4	13	21	33	46	66
55-74	62	15.7	153	3	4	12	19	31	40	62	26	18.7	159	3	4	16	27	40	42	48
75 +	3	21.0	469	8	8	9	37	46	46	46										
ALL AGES	568	13.5	156	2	3	10	17	28	36	68	143	15.3	160	2	3	12	19	34	41	52
SUBTOTAL	**986**	**12.9**	**142**	**2**	**3**	**10**	**16**	**27**	**36**	**70**	**251**	**16.0**	**195**	**2**	**3**	**13**	**19**	**35**	**44**	**70**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	62.0		62	62	62	62	62	62	62										
13-17	7	26.3	644	7	7	7	47	64	67	67	3	48.7	1615	3	3	64	75	79	79	79
18-20	6	25.3	511	4	4	19	37	62	65	65	4	13.5	132	3	3	11	22	29	29	29
21-24	38	13.1	157	2	2	10	17	29	34	65	8	17.0	135	2	3	17	26	31	33	33
25-34	80	10.7	89	1	2	8	13	25	33	85	21	17.8	244	3	4	13	22	43	55	62
35-54	59	12.2	111	2	3	7	21	28	36	40	19	14.8	174	3	3	10	18	38	45	49
55-74	12	15.0	309	2	3	9	17	38	62	66	1	17.0		17	17	17	17	17	17	17
75 +																				
ALL AGES	203	13.0	171	2	3	8	18	30	39	66	56	18.0	285	3	3	12	25	40	58	78
B. FEMALE																				
0-12 YRS.	2	33.5	221	23	23	33	44	44	44	44										
13-17	1	18.0		18	18	59	99 +	99 +	99 +	99 +										
18-20	10	16.7	516	3	3	7	11	59	62	62	2	14.0	242	3	3	14	25	25	25	25
21-24	19	18.5	149	3	4	14	29	35	37	38	5	12.4	157	2	2	9	17	34	34	34
25-34	85	12.6	97	2	3	9	18	27	31	46	19	19.2	134	3	5	19	24	38	43	44
35-54	100	13.3	107	2	3	11	19	26	31	79	20	14.3	138	1	2	13	17	37	40	41
55-74	24	20.0	250	5	6	17	23	34	62	68	6	12.2	87	2	2	11	16	27	28	28
75 +																				
ALL AGES	241	14.4	145	2	3	11	21	29	36	70	52	15.6	134	2	3	14	22	34	41	44
SUBTOTAL	**444**	**13.8**	**156**	**2**	**3**	**9**	**20**	**30**	**38**	**67**	**108**	**16.8**	**213**	**2**	**3**	**13**	**23**	**38**	**44**	**70**
GRAND TOTAL	**1430**	**13.2**	**146**	**2**	**3**	**10**	**17**	**28**	**37**	**68**	**359**	**16.3**	**198**	**2**	**3**	**13**	**20**	**35**	**44**	**70**

SCHIZOPHRENIA NEC (295.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	4	9.3	22	2	2	11	12	12	12	12										
18-20	3	13.7	64	5	5	15	19	21	21	21										
21-24	8	8.6	65	4	4	6	8	23	28	28	1	29.0		29	29	29	29	29	29	29
25-34	5	5.8	15	1	1	7	8	11	11	11	2	9.5	113	2	2	9	17	17	17	17
35-54	10	9.9	32	1	2	11	13	17	21	21	2	1.0		1	1	1	1	1	1	1
55-74	1	2.0		2	2	2	2	2	2	2	2	11.0	128	3	3	11	19	19	19	19
75 +																				
ALL AGES	31	8.9	40	1	2	7	12	17	21	28	7	10.3	127	1	1	3	18	27	29	29
B. FEMALE																				
0-12 YRS.																				
13-17	1	24.0		24	24	24	24	24	24	24										
18-20	1	7.0		7	7	7	7	7	7	7										
21-24	3	6.0	3	5	5	5	7	8	8	8										
25-34	5	11.6	47	5	5	11	16	22	22	22	2	20.0	512	4	4	20	36	36	36	36
35-54	16	12.5	163	1	2	7	20	33	42	46	6	7.0	54	1	1	4	9	20	21	21
55-74	7	10.9	83	1	1	7	20	23	23	23	2	25.0	1152	1	1	25	49	49	49	49
75 +	2	2.5	1	2	2	2	3	3	3	3										
ALL AGES	35	11.1	105	1	2	7	18	23	31	46	10	13.2	282	1	1	4	21	42	49	49
SUBTOTAL	**66**	**10.1**	**74**	**1**	**2**	**7**	**13**	**22**	**25**	**44**	**17**	**12.0**	**209**	**1**	**1**	**4**	**19**	**35**	**44**	**49**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											1	4.0		4	4	4	4	4	4	4
18-20	1	15.0		15	15	15	15	15	15	15	1	2.0		2	2	2	2	2	2	2
21-24	1	5.0		5	5	5	5	5	5	5	2	16.5	481	1	1	16	32	32	32	32
25-34	5	7.8	16	1	1	9	10	11	11	11	1	6.0		6	6	6	6	6	6	6
35-54	9	7.1	32	1	1	7	10	16	18	18	2	7.0	8	5	5	7	9	9	9	9
55-74	3	16.7	159	7	7	12	26	31	31	31										
75 +																				
ALL AGES	19	9.1	50	1	2	8	12	17	25	31	7	8.4	116	1	1	5	8	27	32	32
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	2	8.0	32	4	4	8	12	12	12	12										
21-24	4	7.0	31	2	2	6	11	14	14	14										
25-34	11	11.3	73	1	2	10	20	23	23	23	1	37.0		37	37	37	37	37	37	37
35-54	7	4.4	10	1	1	3	6	9	10	10	1	9.0		9	9	9	9	9	9	9
55-74	4	10.8	53	1	1	12	16	17	17	17	1	2.0		2	2	2	2	2	2	2
75 +	1	24.0		24	24	24	24	24	24	24										
ALL AGES	29	9.2	54	1	2	7	14	22	23	24	3	16.0	343	2	2	9	30	37	37	37
SUBTOTAL	**48**	**9.1**	**53**	**1**	**2**	**8**	**13**	**21**	**23**	**31**	**10**	**10.7**	**166**	**1**	**1**	**5**	**9**	**34**	**37**	**37**
GRAND TOTAL	**114**	**9.7**	**64**	**1**	**2**	**7**	**13**	**22**	**24**	**38**	**27**	**11.5**	**187**	**1**	**1**	**5**	**18**	**35**	**39**	**49**

SCHIZOPHRENIA NOS (295.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	32.0		32	32	32	32	32	32	32										
13-17	12	12.3	123	4	4	8	16	27	41	43	5	19.6	466	2	2	9	39	49	49	49
18-20	32	13.9	146	3	4	11	17	29	45	52	6	6.5	31	1	1	6	11	14	14	14
21-24	40	12.8	172	1	2	8	16	32	44	57	23	9.8	55	2	3	9	13	19	26	33
25-34	111	9.7	77	1	2	6	13	22	29	42	71	13.8	131	1	2	11	18	29	36	55
35-54	60	8.6	37	1	2	7	12	17	21	26	39	8.9	33	1	2	8	14	16	18	27
55-74	8	11.5	55	3	4	8	18	22	23	23	10	16.1	582	2	2	7	10	59	76	76
75 +	1	2.0		2	2	2	2	2	2	2										
ALL AGES	265	10.7	94	2	3	7	14	22	31	46	154	12.0	133	1	2	9	15	26	36	56
B. FEMALE																				
0-12 YRS.																				
13-17	10	20.1	605	2	3	11	48	84	99	99 +	4	16.8	21	11	11	17	20	22	22	22
18-20	9	10.8	72	1	3	10	13	24	31	31	1	13.0		13	13	13	13	13	13	13
21-24	21	11.6	89	2	2	9	15	31	32	32	4	2.0	2	1	1	1	3	4	4	4
25-34	69	8.1	46	2	2	5	12	17	21	35	18	10.9	280	1	1	5	13	28	54	70
35-54	85	11.8	89	3	4	8	16	24	31	48	40	17.5	349	2	3	12	22	34	62	91
55-74	24	10.5	36	1	3	10	14	20	21	24	15	17.1	314	1	2	10	27	49	55	57
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	219	10.8	95	2	2	8	14	21	31	62	82	15.1	299	1	2	10	19	32	52	87
SUBTOTAL	**484**	**10.7**	**95**	**2**	**3**	**8**	**14**	**22**	**31**	**52**	**236**	**13.1**	**191**	**1**	**2**	**9**	**17**	**28**	**38**	**76**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	10	17.0	318	1	1	11	22	47	59	59	3	29.0	1083	3	3	18	54	66	66	66
18-20	19	10.2	97	1	2	7	12	19	33	45	6	13.0	100	3	3	10	23	27	27	27
21-24	27	11.2	105	2	2	8	16	24	33	45	6	10.8	49	1	1	12	16	18	18	18
25-34	52	7.8	178	1	1	4	8	12	28	76	26	14.7	185	4	4	9	16	34	47	59
35-54	28	11.4	253	1	2	7	13	23	39	83	21	13.7	166	1	1	8	24	32	40	44
55-74	6	17.7	632	2	2	7	17	63	68	68	2	4.0	2	3	3	4	5	5	5	5
75 +																				
ALL AGES	142	10.5	196	1	2	6	12	22	39	77	64	14.2	187	2	2	9	20	29	44	65
B. FEMALE																				
0-12 YRS.	1	50.0		50	50	50	50	50	50	50										
13-17	5	14.8	313	4	4	9	46	95	99 +	99 +	1	7.0		7	7	7	7	7	7	7
18-20	5	6.8	12	3	3	6	9	12	12	12	3	16.3	263	7	7	7	28	35	35	35
21-24	14	10.9	96	1	2	8	18	26	29	30	5	15.0	57	7	7	11	22	24	24	24
25-34	32	12.0	107	2	3	9	15	25	41	45	9	7.8	38	1	1	6	14	17	17	17
35-54	37	9.4	62	2	2	6	12	22	29	31	11	20.1	415	2	3	13	35	52	63	64
55-74	4	6.0		6	6	6	6	6	6	6	3	19.7	832	2	2	4	41	53	53	53
75 +	1	9.0		9	9	9	9	9	9	9										
ALL AGES	99	10.8	104	2	3	7	13	27	36	75	32	15.0	251	2	2	8	17	42	52	64
SUBTOTAL	**241**	**10.7**	**156**	**1**	**2**	**7**	**12**	**24**	**38**	**77**	**96**	**14.5**	**205**	**2**	**2**	**9**	**18**	**35**	**44**	**65**
GRAND TOTAL	**725**	**10.7**	**115**	**2**	**2**	**7**	**14**	**23**	**31**	**60**	**332**	**13.5**	**195**	**1**	**2**	**9**	**17**	**29**	**43**	**71**

MANIC DIS, SINGL EPISODE (296.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES								TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)					5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																					
A. MALE																					
0-12 YRS.																					
13-17	2	14.5	1	14	14	14	15	15	15	15	1	5.0		5	5	5	5	5	5	5
18-20																					
21-24	1	12.0		12	12	12	12	12	12	12											
25-34	8	15.3	277	1	2	8	25	43	45	45											
35-54	4	18.8	458	1	1	12	31	50	50	50	3	7.3	17	3	3	8	10	11	11	11
55-74	8	6.1	14	2	2	5	9	12	12	12	2	3.0	2	2	2	3	4	4	4	4
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	23	12.5	180	1	2	8	13	39	47	50	7	5.1	11	2	2	4	7	10	11	11
B. FEMALE																					
0-12 YRS.																					
13-17	1	19.0		19	19	19	19	19	19	19											
18-20	1	5.0		5	5	5	5	5	5	5											
21-24	6	8.7	16	2	2	9	11	14	14	14											
25-34	12	10.0	89	2	2	5	16	26	27	27											
35-54	18	9.9	87	2	3	7	12	26	33	35	5	9.6	93	2	2	6	14	26	26	26
55-74	17	11.2	75	2	3	9	16	26	27	27	2	2.5	5	1	1	2	4	4	4	4
75 +	4	9.3	50	1	1	9	15	17	17	17											
ALL AGES	59	10.2	69	2	2	7	14	25	27	34	7	7.6	74	1	1	4	9	23	26	26
SUBTOTAL	**82**	**10.8**	**101**	**2**	**2**	**7**	**14**	**25**	**31**	**48**	**14**	**6.4**	**40**	**1**	**2**	**4**	**8**	**12**	**23**	**26**
2. PSYCH PRIN, 2ND PSYCH DX(S)																					
A. MALE																					
0-12 YRS.																					
13-17	2	10.0	50	5	5	10	15	15	15	15											
18-20	3	9.3	34	6	6	6	14	16	16	16											
21-24	5	14.8	13	10	10	14	17	20	20	20											
25-34	4	9.3	22	3	3	10	13	13	13	13	2	2.0	2	1	1	1	3	3	3	3
35-54	4	5.0	15	1	1	4	8	10	10	10											
55-74	2	4.5	1	4	4	4	5	5	5	5	1	4.0		4	4	4	4	4	4	4
75 +	1	77.0		77	77	77	77	77	77	77	1	3.0		3	3	3	3	3	3	3
ALL AGES	21	12.6	246	2	3	10	14	18	46	77	4	2.8	1	1	1	3	4	4	4	4
B. FEMALE																					
0-12 YRS.																					
13-17																					
18-20	1	4.0		4	4	4	4	4	4	4											
21-24																					
25-34	5	12.2	129	4	4	7	16	32	32	32											
35-54	4	6.3	8	3	3	6	8	10	10	10	1	1.0		1	1	1	1	1	1	1
55-74	4	7.0	54	3	3	4	11	18	18	18	4	5.0	22	2	2	3	8	12	12	12
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	14	8.4	64	3	3	6	10	19	29	32	6	4.0	16	1	1	3	3	11	12	12
SUBTOTAL	**35**	**10.9**	**174**	**3**	**3**	**7**	**14**	**18**	**29**	**77**	**10**	**3.5**	**10**	**1**	**1**	**3**	**3**	**8**	**12**	**12**
GRAND TOTAL	**117**	**10.9**	**120**	**2**	**3**	**7**	**14**	**24**	**31**	**59**	**24**	**5.2**	**29**	**1**	**1**	**3**	**5**	**11**	**16**	**26**

MANIC, RECURRENT EPISODE (296.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	2	6.0	50	1	1	6	11	11	11	11										
21-24																				
25-34	7	5.7	15	2	2	3	9	11	12	12	2	1.0		1	1	1	1	1	1	1
35-54	9	8.1	61	2	2	4	15	21	23	23										
55-74	3	19.0	57	11	11	20	24	26	26	26										
75 +	1	18.0		18	18	18	18	18	18	18										
ALL AGES	22	9.1	58	1	2	6	14	21	24	26	2	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	15.0		15	15	15	15	15	15	15										
21-24	2	9.5	61	4	4	9	15	15	15	15										
25-34	11	9.8	135	1	2	6	10	31	37	38										
35-54	13	9.1	36	2	3	10	11	18	22	23	2	2.5	5	1	1	2	4	4	4	4
55-74	15	17.6	204	6	6	14	18	51	51	51	2	4.5	5	3	3	4	6	6	6	6
75 +	3	9.3	9	6	6	11	11	11	11	11										
ALL AGES	45	12.3	122	2	3	10	15	23	41	51	4	3.5	4	1	1	3	5	6	6	6
SUBTOTAL	**67**	**11.2**	**103**	**2**	**2**	**9**	**15**	**22**	**28**	**51**	**6**	**2.7**	**4**	**1**	**1**	**2**	**4**	**6**	**6**	**6**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	13.0		13	13	13	13	13	13	13										
25-34	6	7.8	39	3	3	6	8	19	20	20										
35-54	4	4.5	4	3	3	4	6	7	7	7										
55-74	2	21.5	313	9	9	21	34	34	34	34										
75 +																				
ALL AGES	13	9.3	78	3	3	6	10	23	32	34										
B. FEMALE																				
0-12 YRS.																				
13-17	1	20.0		20	20	20	20	20	20	20										
18-20																				
21-24																				
25-34	6	18.3	209	1	1	20	30	35	36	36										
35-54	9	11.0	53	5	5	8	12	24	28	28	1	3.0		3	3	3	3	3	3	3
55-74	3	18.3	214	3	3	20	29	32	32	32										
75 +	1	14.0		14	14	14	14	14	14	14	1	3.0		3	3	3	3	3	3	3
ALL AGES	20	14.9	114	2	3	12	23	31	34	36	2	3.0		3	3	3	3	3	3	3
SUBTOTAL	**33**	**12.7**	**104**	**3**	**3**	**8**	**20**	**30**	**34**	**36**	**2**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
GRAND TOTAL	**100**	**11.7**	**103**	**2**	**3**	**9**	**15**	**25**	**33**	**51**	**8**	**2.8**	**3**	**1**	**1**	**3**	**4**	**5**	**6**	**6**

DEPR PSYCH, SINGL EPISOD (296.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	17	18.2	241	1	2	19	29	41	46	48	1	3.0		3	3	3	3	3	3	3
13-17	65	22.5	427	2	4	16	30	48	68	94	12	25.0	325	2	2	24	35	51	60	62
18-20	19	10.8	112	1	1	6	19	25	34	39	2	4.5	13	2	2	4	7	7	7	7
21-24	27	9.3	63	1	2	8	12	26	39	99 +	8	6.8	48	1	1	4	11	18	19	19
25-34	108	9.0	71	1	2	6	13	22	28	38	19	7.0	52	1	1	5	9	15	25	31
35-54	191	11.2	103	1	2	8	16	23	30	45	40	10.3	211	1	1	4	12	26	35	79
55-74	124	13.4	126	2	3	11	17	28	37	56	55	8.6	134	1	1	3	10	25	34	61
75 +	48	17.2	170	4	6	12	21	35	42	66	14	15.2	189	2	3	8	29	37	40	41
ALL AGES	599	13.1	159	1	2	9	17	29	39	66	151	10.6	175	1	1	5	12	28	39	62
B. FEMALE																				
0-12 YRS.	18	30.7	219	14	16	28	43	63	85	99 +	1	15.0		15	15	15	15	15	15	15
13-17	117	19.2	274	2	4	15	25	46	55	75	27	17.3	252	1	1	17	37	72	99 +	99 +
18-20	33	7.2	60	1	1	3	12	17	25	30	5	16.4	200	1	1	21	27	32	32	32
21-24	61	9.1	78	1	1	7	12	20	24	45	11	6.7	49	1	1	3	13	18	20	20
25-34	264	9.8	72	1	1	7	14	21	27	41	56	7.7	61	1	1	4	10	17	25	36
35-54	406	11.5	121	1	2	9	15	23	34	64	88	9.9	104	1	1	6	13	24	33	46
55-74	278	13.6	129	1	3	11	18	27	35	57	77	15.7	146	2	3	14	21	32	40	55
75 +	105	14.2	170	1	2	11	19	29	36	71	37	12.0	69	2	2	11	16	25	28	29
ALL AGES	1282	12.6	139	1	2	9	17	27	35	62	302	11.9	125	1	2	9	17	29	37	76
SUBTOTAL	**1881**	**12.7**	**147**	**1**	**2**	**9**	**17**	**28**	**36**	**64**	**453**	**11.5**	**141**	**1**	**1**	**7**	**17**	**29**	**37**	**62**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	28	39.4	415	11	14	43	56	81	99 +	99 +										
13-17	108	26.8	444	2	5	22	46	65	98	99 +	8	18.1	264	1	1	28	36	76	99 +	99 +
18-20	27	12.4	143	2	2	9	15	29	34	56	4	6.5	26	3	3	4	9	14	14	14
21-24	47	12.3	202	1	2	6	17	37	53	99 +	13	14.5	442	1	2	5	14	42	70	76
25-34	179	10.5	101	1	2	7	13	23	28	61	27	6.4	24	1	1	5	9	11	18	22
35-54	249	12.2	124	2	3	9	16	28	34	69	34	12.4	149	1	2	9	18	29	37	57
55-74	110	14.1	154	2	3	11	19	29	35	71	33	10.6	104	1	2	6	17	23	43	99 +
75 +	35	15.3	92	1	3	16	23	28	30	37	6	19.7	230	5	5	16	32	41	42	42
ALL AGES	783	15.2	228	2	3	10	21	39	55	99 +	125	11.4	152	1	2	6	16	31	41	99 +
B. FEMALE																				
0-12 YRS.	14	35.3	387	5	6	43	58	96	99 +	99 +										
13-17	151	24.2	350	2	3	20	38	56	66	99 +	19	18.1	413	1	2	11	32	61	81	99 +
18-20	39	17.8	190	2	3	15	24	35	50	54	4	2.3	3	1	1	2	3	5	5	5
21-24	97	12.6	179	1	2	8	18	28	38	94	13	20.9	637	1	1	6	35	59	74	77
25-34	313	11.9	145	1	2	8	15	28	38	65	48	10.4	140	1	1	6	13	27	39	54
35-54	349	12.9	160	2	2	9	16	27	36	65	53	9.3	70	2	2	7	12	21	27	42
55-74	161	14.9	155	2	4	11	20	31	42	70	47	13.7	132	1	2	9	23	31	34	43
75 +	64	14.5	110	4	5	12	17	27	38	57	13	17.8	261	3	4	7	29	42	51	53
ALL AGES	1188	14.8	202	2	3	10	20	36	48	92	197	12.6	193	1	2	7	17	32	43	69
SUBTOTAL	**1971**	**15.0**	**211**	**2**	**3**	**10**	**20**	**37**	**50**	**99 +**	**322**	**12.2**	**175**	**1**	**2**	**7**	**16**	**32**	**42**	**83**
GRAND TOTAL	**3852**	**13.9**	**181**	**1**	**2**	**10**	**19**	**31**	**44**	**79**	**775**	**11.7**	**157**	**1**	**2**	**7**	**16**	**30**	**39**	**77**

DEPR PSYCH, RECUR EPISOD (296.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	19.0	362	1	1	27	56	99+	99+	99+										
13-17	25	14.7	206	1	1	10	22	42	65	99+	6	35.2	857	3	3	33	63	72	73	73
18-20	13	15.3	351	1	1	7	27	39	60	65	1	15.0		15	15	15	15	15	15	15
21-24	26	10.1	92	1	1	6	15	25	32	34	4	17.8	523	4	4	7	30	52	52	52
25-34	85	9.6	59	1	2	7	13	23	25	32	17	10.7	90	1	1	7	16	24	31	34
35-54	165	11.4	84	1	2	9	16	26	30	38	29	11.9	158	1	1	7	19	30	44	45
55-74	124	16.0	102	3	4	14	22	31	35	62	34	17.6	175	2	2	15	26	34	42	56
75 +	26	18.1	358	3	4	12	29	45	91	99+	9	27.8	291	9	9	28	34	53	64	64
ALL AGES	468	12.9	122	1	2	10	19	29	35	84	100	16.7	246	1	2	11	25	38	48	68
B. FEMALE																				
0-12 YRS.	7	20.1	146	10	11	16	21	41	46	46										
13-17	53	12.5	123	1	2	11	18	29	40	98	13	26.6	733	1	1	25	46	65	83	87
18-20	26	6.7	134	1	1	2	7	19	34	53	1	1.0		1	1	1	1	1	1	1
21-24	42	8.4	76	1	1	5	13	20	27	39	8	3.0	8	1	1	2	4	8	9	9
25-34	219	10.8	107	1	2	8	14	22	30	56	21	10.4	141	1	1	5	15	28	38	45
35-54	416	12.6	115	2	3	10	17	28	33	48	60	13.0	221	2	2	8	16	31	43	84
55-74	378	16.0	123	2	4	14	22	31	38	50	80	19.0	259	2	3	15	25	44	55	68
75 +	139	19.4	237	3	5	15	25	39	54	72	36	20.0	230	2	4	18	25	37	70	99+
ALL AGES	1280	13.8	137	1	2	11	19	29	37	56	219	16.5	268	1	2	12	22	42	49	87
SUBTOTAL	**1748**	**13.6**	**132**	**1**	**2**	**11**	**19**	**29**	**36**	**56**	**319**	**16.6**	**259**	**1**	**2**	**12**	**23**	**41**	**49**	**85**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17	36	20.4	525	1	2	12	30	62	75	83	4	21.8	620	6	6	11	35	59	59	59
18-20	22	12.0	114	2	2	10	15	35	64	99+	2	7.5	1	7	7	7	8	8	8	8
21-24	42	9.4	109	1	2	6	12	18	35	52	2	16.5	365	3	3	16	30	30	30	30
25-34	129	10.3	82	2	2	8	15	22	27	42	33	11.6	198	1	1	6	11	39	45	50
35-54	224	12.5	160	1	2	8	17	28	40	61	29	12.2	95	1	2	9	17	30	31	36
55-74	82	16.5	188	3	4	14	19	34	48	68	16	9.0	41	1	2	6	14	17	21	22
75 +	21	15.3	111	4	5	13	24	34	66	99+	10	22.8	439	4	4	18	27	53	77	77
ALL AGES	557	12.9	169	2	2	9	16	29	42	68	96	12.9	185	1	2	8	17	30	40	69
B. FEMALE																				
0-12 YRS.	2	25.5	41	21	21	25	30	30	30	30										
13-17	57	23.0	401	2	3	18	36	61	96	99+	12	10.1	145	2	2	6	12	25	42	45
18-20	52	13.3	230	1	2	8	18	33	44	77	7	8.4	79	1	1	4	14	23	25	25
21-24	111	12.5	211	2	3	7	14	28	50	94	4	10.8	167	2	2	5	18	30	30	30
25-34	357	13.0	171	2	2	8	18	32	43	79	39	10.5	125	1	2	8	12	25	38	49
35-54	480	14.1	148	2	3	11	19	30	39	70	52	8.7	85	1	2	6	11	20	26	45
55-74	188	16.9	205	3	4	13	22	34	46	94	32	14.7	131	2	3	11	23	32	39	40
75 +	57	20.3	243	4	5	16	28	39	49	86	19	19.7	174	5	6	16	30	34	45	54
ALL AGES	1304	14.7	192	2	3	10	20	33	45	89	165	11.7	128	2	2	8	14	27	36	49
SUBTOTAL	**1861**	**14.2**	**185**	**2**	**3**	**10**	**19**	**32**	**44**	**81**	**261**	**12.2**	**147**	**1**	**2**	**8**	**16**	**30**	**39**	**54**
GRAND TOTAL	3609	13.9	160	2	3	10	19	30	39	73	580	14.6	214	1	2	9	21	34	45	72

BIPOLAR AFFECTIVE, MANIC (296.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	47.0		47	47	47	47	47	47	47										
13-17	13	16.4	138	3	4	15	19	32	43	46										
18-20	18	9.4	38	2	3	8	15	19	21	21	1	37.0		37	37	37	37	37	37	37
21-24	36	10.6	48	1	3	10	14	18	22	36	13	9.2	94	1	2	4	12	26	31	32
25-34	111	10.3	69	2	2	8	14	21	24	46	34	8.9	108	1	2	5	10	26	37	41
35-54	144	10.9	72	2	3	8	15	20	26	50	34	8.4	33	1	2	7	12	16	21	22
55-74	67	13.8	153	1	3	10	19	28	36	59	9	8.3	66	2	3	6	8	21	29	29
75 +	4	10.3	140	3	3	5	17	28	28	28	3	11.3	31	5	5	14	15	15	15	15
ALL AGES	394	11.4	88	2	3	9	15	22	28	52	94	9.1	77	1	2	6	11	21	31	40
B. FEMALE																				
0-12 YRS.																				
13-17	8	19.1	433	1	2	9	46	83	99 +	99 +										
18-20	14	16.0	75	1	3	15	19	29	30	30	2	12.0	2	11	11	12	13	13	13	13
21-24	34	10.3	40	1	3	10	15	19	22	23	11	12.5	34	2	3	14	17	19	20	20
25-34	141	12.3	103	2	3	10	16	25	31	58	28	12.6	84	2	2	9	18	24	32	36
35-54	235	12.0	91	3	4	9	15	26	35	44	56	8.9	58	2	2	6	12	19	26	37
55-74	151	14.4	103	3	4	12	19	27	31	56	31	11.3	108	3	3	8	14	24	31	51
75 +	19	16.6	133	4	6	15	21	36	44	45	2	26.0	648	8	8	26	44	44	44	44
ALL AGES	602	12.9	101	2	3	10	16	26	33	52	130	10.9	81	2	3	8	15	22	30	45
SUBTOTAL	**996**	**12.3**	**96**	**2**	**3**	**10**	**16**	**25**	**31**	**52**	**224**	**10.1**	**81**	**2**	**2**	**7**	**14**	**22**	**30**	**42**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	63.0		63	63	63	63	63	63	63										
13-17	6	20.0	97	9	9	21	28	32	32	32										
18-20	6	7.8	23	1	1	7	11	15	15	15	3	11.3	263	1	1	3	23	30	30	30
21-24	9	10.8	47	3	4	9	13	22	26	26	6	13.0	197	2	2	5	30	32	32	32
25-34	47	13.3	164	2	2	11	19	26	33	70	21	8.1	39	2	3	7	10	16	23	28
35-54	70	12.4	76	2	3	10	18	26	32	86	26	5.7	8	2	2	5	7	11	12	13
55-74	19	16.3	86	2	4	15	22	28	33	38	5	9.8	159	3	3	3	14	32	32	32
75 +											1	6.0		6	6	6	6	6	6	6
ALL AGES	158	13.5	117	2	2	11	19	27	32	69	62	7.8	57	2	2	6	8	15	30	32
B. FEMALE																				
0-12 YRS.																				
13-17	5	15.2	232	1	1	12	25	39	39	39	1	24.0		24	24	24	24	24	24	24
18-20	4	22.5	295	4	4	22	36	42	42	42	4	7.3	10	4	4	7	10	11	11	11
21-24	9	12.0	25	6	7	9	16	19	20	20	4	6.3	7	4	4	6	8	10	10	10
25-34	44	10.3	45	1	3	10	14	20	22	29	10	15.2	155	1	2	13	20	34	43	43
35-54	74	11.7	155	1	3	8	17	22	23	78	21	10.6	70	2	3	7	16	25	27	28
55-74	37	17.8	204	3	4	14	23	36	51	62	10	12.9	174	2	2	7	21	35	41	41
75 +	5	20.0	146	4	4	19	30	35	35	35	1	18.0		18	18	18	18	18	18	18
ALL AGES	178	13.2	142	2	3	11	18	26	35	61	51	11.8	93	2	3	8	17	26	29	43
SUBTOTAL	**336**	**13.3**	**131**	**2**	**3**	**11**	**18**	**27**	**34**	**64**	**113**	**9.6**	**79**	**2**	**3**	**6**	**12**	**24**	**30**	**42**
GRAND TOTAL	**1332**	**12.6**	**104**	**2**	**3**	**10**	**16**	**25**	**31**	**56**	**337**	**10.0**	**79**	**2**	**2**	**7**	**14**	**22**	**30**	**41**

BIPOLAR AFFECT, DEPRESS (296.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	HOSPITALS WITHOUT PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	3	32.0	589	5	5	39	49	52	52	52										
18-20	6	22.3	960	2	2	12	20	78	84	84										
21-24	5	13.8	137	6	6	8	19	34	34	34	1	2.0		2	2	2	2	2	2	2
25-34	32	12.3	129	1	2	9	15	25	41	51	5	16.8	135	3	3	15	25	33	33	33
35-54	39	10.6	171	1	2	6	13	29	40	63	11	9.5	69	1	2	8	14	24	24	24
55-74	32	14.0	120	1	3	10	23	33	36	37	1	10.0		10	10	10	10	10	10	10
75 +	6	19.8	86	7	7	22	28	29	29	29	1	45.0		45	45	45	45	45	45	45
ALL AGES	123	13.6	191	1	2	8	18	35	40	69	19	12.9	145	1	2	10	21	29	40	45
B. FEMALE																				
0-12 YRS.																				
13-17	3	11.0	7	9	9	10	13	14	14	14	1	3.0		3	3	3	3	3	3	3
18-20	5	7.4	65	1	1	7	20	92	99 +	99 +	1	6.0		6	6	6	6	6	6	6
21-24	6	8.2	36	3	3	7	7	19	20	20	2	4.5	1	4	4	4	5	5	5	5
25-34	52	15.8	181	3	5	11	20	32	51	64	9	12.6	131	2	2	7	27	28	28	28
35-54	89	10.9	117	2	2	7	13	22	29	57	9	12.4	134	1	1	11	17	30	38	38
55-74	56	16.1	297	2	3	11	19	39	65	99 +	11	21.2	254	3	6	17	29	48	55	56
75 +	12	16.3	115	2	5	14	23	30	39	40	1	8.0		8	8	8	8	8	8	8
ALL AGES	223	13.5	177	2	3	10	18	28	44	94	34	14.2	173	1	2	10	18	33	41	56
SUBTOTAL	**346**	**13.5**	**182**	**2**	**3**	**9**	**18**	**31**	**42**	**84**	**53**	**13.8**	**158**	**1**	**2**	**10**	**19**	**32**	**41**	**56**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	30.0		30	30	30	30	30	30	30										
13-17	4	18.3	438	2	2	11	31	49	49	49										
18-20	2	15.0	18	12	12	15	18	18	18	18	1	2.0		2	2	2	2	2	2	2
21-24	5	11.2	167	4	4	5	15	34	34	34	3	5.3	3	4	4	5	6	7	7	7
25-34	19	9.5	38	3	3	7	14	18	21	24	2	4.0	18	1	1	4	7	7	7	7
35-54	38	10.4	74	2	3	8	15	24	27	36	7	9.3	53	3	3	6	13	21	23	23
55-74	12	11.3	66	1	1	9	19	22	24	24	3	19.7	218	7	7	16	31	36	36	36
75 +	1	17.0		17	17	58	99 +	99 +	99 +	99 +	3	17.0	151	3	3	22	25	26	26	26
ALL AGES	82	11.2	84	2	3	8	16	24	31	83	19	10.6	94	1	2	7	15	25	31	36
B. FEMALE																				
0-12 YRS.	1	48.0		48	48	48	48	48	48	48										
13-17	2	50.5	685	32	32	69	92	99 +	99 +	99 +	1	6.0		6	6	6	6	6	6	6
18-20	5	16.2	71	9	9	15	20	30	30	30	1	4.0		4	4	4	4	4	4	4
21-24	7	21.6	328	7	7	11	36	50	52	52	2	7.0	18	4	4	7	10	10	10	10
25-34	33	11.8	154	1	2	9	16	27	35	63	6	18.3	49	10	10	19	21	28	29	29
35-54	77	11.8	125	2	2	8	16	28	35	52	8	11.9	72	1	2	9	18	25	26	26
55-74	29	14.6	99	4	5	10	19	30	37	39	7	29.3	407	3	3	42	44	50	51	51
75 +	7	17.4	36	10	10	17	23	24	24	24	2	18.5	1	18	18	18	19	19	19	19
ALL AGES	161	13.8	158	2	3	10	19	32	40	68	27	17.4	193	3	4	15	22	42	45	51
SUBTOTAL	**243**	**12.9**	**135**	**2**	**3**	**9**	**17**	**28**	**37**	**71**	**46**	**14.6**	**161**	**2**	**3**	**10**	**21**	**35**	**43**	**51**
GRAND TOTAL	**589**	**13.3**	**161**	**2**	**3**	**9**	**18**	**30**	**40**	**79**	**99**	**14.2**	**157**	**1**	**2**	**10**	**21**	**33**	**42**	**54**

BIPOLAR AFFECTIVE, MIXED (296.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	7.0	18	4	4	7	10	10	10	10										
18-20	1	10.0		10	10	10	10	10	10	10										
21-24	5	19.0	196	5	5	11	33	36	36	36	3	16.0	112	8	8	12	24	28	28	28
25-34	14	9.9	122	1	1	6	12	22	38	42	10	15.2	96	5	5	11	23	30	32	32
35-54	25	11.1	64	4	5	9	11	28	29	29	8	18.9	788	2	3	7	17	67	87	87
55-74	9	16.6	97	3	4	22	24	28	29	29	3	9.0	49	4	4	6	14	17	17	17
75 +	2	19.0	512	3	3	19	35	35	35	35	1	17.0		17	17	17	17	17	17	17
ALL AGES	58	12.4	104	2	3	9	19	29	34	42	25	15.8	289	3	5	10	19	28	46	87
B. FEMALE																				
0-12 YRS.																				
13-17	2	5.0	18	2	2	5	8	8	8	8										
18-20	8	6.5	24	2	2	5	8	14	17	17	1	14.0		14	14	14	14	14	14	14
21-24	3	12.3	167	3	3	7	22	27	27	27	1	10.0		10	10	10	10	10	10	10
25-34	41	10.4	58	2	3	9	15	21	24	34	5	10.4	51	4	4	10	14	22	22	22
35-54	71	13.9	175	3	4	9	18	27	43	71	27	14.0	228	3	5	9	15	30	60	63
55-74	29	18.6	338	3	5	14	17	36	77	80	13	22.6	339	2	7	18	25	56	65	67
75 +	9	22.3	283	4	6	18	46	74	99 +	99 +	2	17.5	5	16	16	17	19	19	19	19
ALL AGES	163	13.8	181	2	3	10	17	27	44	80	49	16.0	230	3	5	12	18	31	60	67
SUBTOTAL	**221**	**13.4**	**161**	**2**	**3**	**10**	**17**	**28**	**38**	**78**	**74**	**15.9**	**247**	**3**	**5**	**11**	**18**	**29**	**59**	**82**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	7.5	5	6	6	7	9	9	9	9										
18-20	4	34.3	1235	1	1	33	64	69	69	69										
21-24	6	15.7	41	10	10	12	23	25	25	25	2	7.0	32	3	3	7	11	11	11	11
25-34	14	14.6	555	2	3	8	12	30	80	94	2	8.0	8	6	6	8	10	10	10	10
35-54	20	11.7	112	2	4	9	13	26	38	46	10	14.7	186	1	2	9	20	38	43	43
55-74	6	11.2	101	1	1	9	14	27	29	29	4	28.0	762	5	5	19	45	68	68	68
75 +	2	18.5	41	14	14	18	23	23	23	23										
ALL AGES	54	14.6	297	1	3	10	15	29	57	93	18	16.1	286	2	3	10	20	40	58	68
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	2	19.0	338	6	6	19	32	32	32	32	1	2.0		2	2	2	2	2	2	2
21-24	1	7.0		7	7	7	7	7	7	7	1	4.0		4	4	4	4	4	4	4
25-34	16	12.9	163	2	3	8	16	39	43	44	10	11.1	63	4	4	8	16	23	29	29
35-54	30	10.4	80	1	2	7	14	25	28	37	9	7.8	13	3	4	7	11	13	14	14
55-74	12	15.0	239	2	3	12	17	36	55	58	2	5.5	13	3	3	5	8	8	8	8
75 +											1	18.0		18	18	18	18	18	18	18
ALL AGES	61	12.2	134	1	2	8	15	27	39	56	24	9.0	40	3	3	7	12	17	21	29
SUBTOTAL	**115**	**13.3**	**211**	**1**	**3**	**9**	**15**	**28**	**43**	**78**	**42**	**12.0**	**155**	**2**	**3**	**8**	**15**	**24**	**37**	**68**
GRAND TOTAL	**336**	**13.4**	**177**	**2**	**3**	**9**	**16**	**28**	**41**	**77**	**116**	**14.5**	**215**	**3**	**4**	**10**	**17**	**29**	**50**	**74**

BIPOLAR AFFECTIVE NOS (296.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	14.5	25	11	11	14	18	18	18	18										
18-20	6	18.5	94	5	6	19	25	30	31	31										
21-24	9	18.3	94	8	8	17	23	33	37	37	5	10.0	20	4	4	10	13	16	16	16
25-34	16	8.9	96	1	1	7	11	29	31	31	1	3.0		3	3	3	3	3	3	3
35-54	27	8.4	53	1	2	5	12	17	22	33	10	6.5	21	1	1	7	9	12	15	15
55-74	10	6.2	15	1	2	6	8	12	14	14	3	7.0	1	6	6	7	8	8	8	8
75 +	4	10.8	63	3	3	9	17	21	21	21	2	7.5	5	6	6	7	9	9	9	9
ALL AGES	74	10.6	77	1	1	8	15	24	31	36	21	7.3	17	1	2	8	9	13	15	16
B. FEMALE																				
0-12 YRS.																				
13-17	1	28.0		28	28	28	28	28	28	28										
18-20	1	3.0		3	3	3	3	3	3	3										
21-24	11	9.3	78	1	1	8	11	25	28	28	3	12.7	49	5	5	14	18	19	19	19
25-34	48	12.7	119	2	3	10	18	24	33	53	10	10.0	116	1	1	7	12	27	37	37
35-54	39	11.4	100	1	1	9	14	30	35	37	14	13.7	154	2	2	10	20	38	40	40
55-74	36	12.4	89	2	3	10	18	25	27	46	5	11.6	96	6	6	7	14	29	29	29
75 +	3	7.7	36	2	2	7	12	14	14	14	3	21.0	301	6	6	17	34	40	40	40
ALL AGES	139	11.9	101	1	2	9	16	26	32	47	35	12.9	130	1	2	9	17	37	39	40
SUBTOTAL	**213**	**11.5**	**91**	**1**	**2**	**9**	**15**	**25**	**31**	**45**	**56**	**10.8**	**94**	**1**	**2**	**8**	**14**	**21**	**38**	**40**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	42.0		42	42	42	42	42	42	42										
13-17	6	22.8	800	1	1	8	42	69	72	72										
18-20	1	16.0		16	16	16	16	16	16	16										
21-24	12	17.2	166	1	2	17	26	33	42	44	3	17.7	81	11	11	14	24	28	28	28
25-34	20	11.8	115	1	1	11	17	21	33	45	5	9.6	29	4	4	10	12	18	18	18
35-54	27	17.9	372	1	2	12	19	57	65	67	9	7.2	71	2	2	3	9	21	28	28
55-74	8	12.3	49	6	6	10	17	24	25	25	2	24.0	392	10	10	24	38	38	38	38
75 +	1	11.0		11	11	11	11	11	11	11										
ALL AGES	76	16.2	261	1	2	11	20	41	57	71	19	11.3	102	2	2	10	13	28	34	38
B. FEMALE																				
0-12 YRS.																				
13-17	3	38.0	93	27	27	42	44	45	45	45										
18-20	4	11.5	33	8	8	9	15	20	20	20										
21-24	13	12.7	73	2	4	12	16	28	30	31	3	3.7	2	2	2	4	5	5	5	5
25-34	35	10.4	232	1	1	5	11	18	51	73	10	9.4	42	2	2	8	16	17	18	18
35-54	33	12.8	119	2	3	11	17	25	29	58	6	10.2	55	2	2	11	16	19	19	19
55-74	15	15.7	55	6	6	13	21	28	29	30	6	12.7	91	2	2	11	19	26	27	27
75 +	3	13.0	13	10	10	12	16	17	17	17	1	3.0		3	3	3	3	3	3	3
ALL AGES	106	13.1	151	1	2	10	17	27	33	66	26	9.4	54	2	2	6	16	19	21	27
SUBTOTAL	**182**	**14.4**	**198**	**1**	**2**	**11**	**17**	**29**	**44**	**70**	**45**	**10.2**	**73**	**2**	**2**	**7**	**16**	**19**	**28**	**38**
GRAND TOTAL	**395**	**12.8**	**143**	**1**	**2**	**10**	**17**	**27**	**36**	**64**	**101**	**10.5**	**85**	**2**	**2**	**8**	**15**	**20**	**33**	**40**

MANIC-DEPRESSIVE NEC/NOS (296.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	11	10.9	74	1	2	8	19	49	93	99 +	7	23.7	366	1	3	19	34	54	58	58
18-20	2	11.5	25	8	8	11	15	15	15	15										
21-24	12	8.6	60	1	1	5	17	20	21	21	2	16.0	288	4	4	16	28	28	28	28
25-34	25	9.4	65	1	2	7	12	17	28	37	4	5.8	39	1	1	3	9	15	15	15
35-54	21	6.6	10	2	2	7	8	10	12	13	6	1.3		1	1	1	2	2	2	2
55-74	12	10.7	78	3	3	8	13	22	33	35	2	16.5	113	9	9	16	24	24	24	24
75 +	4	16.0	77	3	3	19	21	22	22	22										
ALL AGES	87	9.3	55	1	2	7	13	20	25	76	21	12.5	228	1	1	4	20	32	46	58
B. FEMALE																				
0-12 YRS.																				
13-17	6	17.8	190	2	2	20	28	34	35	35	9	26.4	515	6	7	17	49	61	61	61
18-20	5	12.6	119	2	2	8	21	29	29	29										
21-24	6	6.2	34	1	1	4	11	15	15	15	5	10.4	88	1	1	6	18	24	24	24
25-34	49	12.7	139	1	2	9	17	32	37	49	34	23.6	209	3	5	24	30	36	46	78
35-54	54	14.9	273	2	2	11	16	34	49	81	31	25.2	272	3	4	26	31	47	55	74
55-74	29	11.1	79	1	2	9	15	25	32	35	10	20.5	181	2	2	20	30	38	46	46
75 +	6	22.5	294	7	7	16	37	48	49	49	3	2.7	2	1	1	3	4	4	4	4
ALL AGES	155	13.5	179	1	2	10	17	32	37	75	92	22.7	257	2	3	21	30	43	55	76
SUBTOTAL	**242**	**12.0**	**138**	**1**	**2**	**8**	**16**	**27**	**35**	**76**	**113**	**20.8**	**266**	**1**	**2**	**18**	**30**	**40**	**55**	**75**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	60.0		60	60	60	60	60	60	60
13-17	9	23.3	682	4	4	19	23	66	89	89	4	16.8	618	3	3	30	99 +	99 +	99 +	99 +
18-20	4	24.3	1482	3	3	6	44	82	82	82	1	30.0		30	30	30	30	30	30	30
21-24	15	5.8	29	1	1	4	7	12	19	22	3	4.3	3	3	3	4	5	6	6	6
25-34	23	9.5	88	1	1	7	15	26	30	33	3	12.7	205	2	2	7	23	29	29	29
35-54	31	10.1	117	2	2	7	12	22	33	53	8	7.4	23	2	3	6	10	15	17	17
55-74	4	27.3	84	14	14	29	33	36	36	36	1	6.0		6	6	6	6	6	6	6
75 +											1	18.0		18	18	18	18	18	18	18
ALL AGES	86	12.0	230	1	2	7	14	30	34	86	22	13.2	265	2	3	7	23	64	99 +	99 +
B. FEMALE																				
0-12 YRS.	1	69.0		69	69	69	69	69	69	69	1	30.0		30	30	30	30	30	30	30
13-17	18	21.3	557	1	1	14	41	70	94	99 +	6	29.2	259	7	8	28	45	49	49	49
18-20	8	6.0	28	2	2	3	9	15	16	16										
21-24	10	8.9	159	1	1	3	8	31	39	39	4	21.5	191	6	6	20	31	39	39	39
25-34	53	14.4	305	1	2	8	20	32	48	97	14	19.6	319	2	4	13	30	64	91	99 +
35-54	50	14.4	155	1	2	9	23	32	36	56	19	13.8	91	3	4	13	23	25	30	33
55-74	14	12.9	57	2	5	12	14	25	28	29	11	14.9	170	1	1	10	27	34	38	38
75 +	11	14.6	183	3	3	10	17	39	43	43										
ALL AGES	165	14.6	256	1	2	9	21	37	44	96	55	18.1	197	2	4	15	28	39	48	98
SUBTOTAL	**251**	**13.7**	**248**	**1**	**2**	**8**	**18**	**33**	**44**	**89**	**77**	**16.7**	**218**	**2**	**3**	**13**	**28**	**44**	**62**	**99 +**
GRAND TOTAL	**493**	**12.9**	**193**	**1**	**2**	**8**	**17**	**31**	**39**	**85**	**190**	**19.1**	**251**	**1**	**2**	**17**	**29**	**42**	**58**	**99 +**

AFFECT PSYCHOSES NEC/NOS (296.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	6.0		6	6	6	6	6	6	6										
13-17																				
18-20																				
21-24	2	11.5	13	9	9	11	14	14	14	14										
25-34	5	8.0	20	2	2	10	11	13	13	13										
35-54	4	5.3	4	3	3	5	7	8	8	8										
55-74	3	9.3	61	3	3	7	15	18	18	18	2	25.5	13	23	23	25	28	28	28	28
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	16	7.6	21	2	3	6	10	14	17	18	2	25.5	13	23	23	25	28	28	28	28
B. FEMALE																				
0-12 YRS.																				
13-17	3	2.7	1	2	2	2	4	4	4	4										
18-20	1	15.0		15	15	15	15	15	15	15										
21-24																				
25-34	8	6.9	18	3	3	5	10	14	14	14	2	2.0	2	1	1	2	3	3	3	3
35-54	15	9.8	148	1	2	5	11	28	40	44	3	6.3	31	1	1	6	10	12	12	12
55-74	13	20.5	274	2	4	14	28	50	56	58	1	18.0		18	18	18	18	18	18	18
75 +	1	41.0		41	41	41	41	41	41	41	1	25.0		25	25	25	25	25	25	25
ALL AGES	41	13.0	194	2	2	7	15	34	46	58	7	9.4	87	1	1	6	16	24	25	25
SUBTOTAL	**57**	**11.5**	**150**	**2**	**2**	**7**	**14**	**28**	**43**	**57**	**9**	**13.0**	**117**	**1**	**1**	**12**	**23**	**27**	**28**	**28**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	8.0		8	8	8	8	8	8	8										
13-17	1	29.0		29	29	29	29	29	29	29										
18-20	3	6.3	15	2	2	8	9	9	9	9										
21-24	3	6.0	12	2	2	8	8	8	8	8										
25-34	2	2.5	1	2	2	2	3	3	3	3										
35-54	4	12.0	170	1	1	8	21	30	30	30										
55-74	3	18.0	117	6	6	21	25	27	27	27										
75 +											1	9.0		9	9	9	9	9	9	9
ALL AGES	17	10.6	99	1	2	8	15	29	30	30	1	9.0		9	9	9	9	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17	3	25.7	527	3	3	25	43	49	49	49										
18-20	1	4.0		4	4	4	4	4	4	4										
21-24																				
25-34	9	10.3	43	5	5	9	13	63	99 +	99 +	1	4.0		4	4	4	4	4	4	4
35-54	16	9.1	77	1	1	6	13	22	28	30	4	4.0	10	1	1	3	6	8	8	8
55-74	8	15.5	93	3	4	13	23	30	31	31	3	15.3	536	1	1	3	32	42	42	42
75 +	1	25.0		25	25	25	25	25	25	25										
ALL AGES	38	12.3	116	1	3	10	20	29	41	99 +	8	8.3	190	1	1	3	6	32	42	42
SUBTOTAL	**55**	**11.8**	**108**	**1**	**2**	**8**	**20**	**29**	**31**	**97**	**9**	**8.3**	**168**	**1**	**1**	**4**	**8**	**29**	**42**	**42**
GRAND TOTAL	**112**	**11.6**	**129**	**2**	**2**	**8**	**14**	**28**	**39**	**73**	**18**	**10.7**	**139**	**1**	**1**	**5**	**18**	**27**	**36**	**42**

PARANOID STATE, SIMPLE (297.0)

	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54																				
55-74																				
75 +	2	3.0	2	2	2	3	4	4	4	4										
ALL AGES	3	2.3	3	1	1	2	3	4	4	4										
SUBTOTAL	**3**	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**4**	**4**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +	1	14.0		14	14	14	14	14	14	14										
ALL AGES	1	14.0		14	14	14	14	14	14	14										
SUBTOTAL	**1**	**14.0**		**14**	**14**	**14**	**14**	**14**	**14**	**14**										
GRAND TOTAL	**4**	**5.3**	**35**	**1**	**1**	**3**	**9**	**14**	**14**	**14**										

PARANOIA (297.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	4.0		4	4	4	4	4	4	4										
25-34	7	18.7	524	3	3	7	39	54	55	55	1	1.0		1	1	1	1	1	1	1
35-54	5	5.0	28	1	1	3	7	14	14	14	3	13.7	199	5	5	6	24	30	30	30
55-74	3	15.0	49	10	10	12	20	23	23	23	4	10.5	75	2	2	9	17	21	21	21
75 +	3	7.0	28	3	3	5	11	13	13	13	3	5.0	9	2	2	5	7	8	8	8
ALL AGES	19	11.9	229	1	2	5	13	39	52	55	11	9.0	83	1	1	5	12	25	30	30
B. FEMALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-20																				
21-24																				
25-34	6	9.5	76	2	2	7	11	24	26	26										
35-54	9	6.7	12	2	3	6	10	12	13	13	1	12.0		12	12	12	12	12	12	12
55-74	16	14.1	194	2	3	9	17	40	48	51	5	8.0	31	3	3	5	14	14	14	14
75 +	5	14.2	89	4	4	13	22	27	27	27	2	17.0	18	14	14	17	20	20	20	20
ALL AGES	36	11.5	118	2	3	8	14	25	37	51	9	9.7	42	1	2	12	14	18	20	20
SUBTOTAL	**55**	**11.6**	**154**	**2**	**3**	**7**	**13**	**26**	**47**	**55**	**20**	**9.3**	**62**	**1**	**1**	**6**	**14**	**20**	**25**	**30**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	3	12.3	2	12	12	12	13	13	13	13										
25-34	8	6.4	14	2	2	6	8	12	14	14	2	5.0	8	3	3	5	7	7	7	7
35-54	3	7.0	3	6	6	6	8	9	9	9										
55-74	4	9.3	31	3	3	9	14	15	15	15	3	9.0	37	5	5	6	13	16	16	16
75 +											1	5.0		5	5	5	5	5	5	5
ALL AGES	18	8.1	17	2	3	7	12	14	15	15	6	7.0	21	3	3	6	7	15	16	16
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	1.0		1	1	1	1	1	1	1										
21-24																				
25-34	3	18.3	258	2	2	19	30	34	34	34	1	4.0		4	4	4	4	4	4	4
35-54	2	6.0	8	4	4	6	8	8	8	8	1	35.0		35	35	35	35	35	35	35
55-74	10	9.0	29	2	2	8	12	16	19	19										
75 +	2	10.5	5	9	9	10	12	12	12	12	2	15.0	98	8	8	15	22	22	22	22
ALL AGES	18	9.9	67	1	2	8	12	19	28	34	4	17.3	197	4	4	15	28	35	35	35
SUBTOTAL	**36**	**9.0**	**42**	**2**	**2**	**8**	**12**	**15**	**19**	**34**	**10**	**11.1**	**106**	**3**	**3**	**6**	**16**	**28**	**35**	**35**
GRAND TOTAL	**91**	**10.6**	**109**	**2**	**2**	**7**	**13**	**20**	**34**	**53**	**30**	**9.9**	**74**	**1**	**2**	**6**	**14**	**21**	**30**	**35**

PARAPHRENIA (297.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	1.0		1	1	1	1	1	1	1										
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	9.0		9	9	9	9	9	9	9										
55-74	1	5.0		5	5	5	5	5	5	5	3	4.7	14	2	2	3	7	9	9	9
75 +																				
ALL AGES	2	7.0	8	5	5	7	9	9	9	9	3	4.7	14	2	2	3	7	9	9	9
SUBTOTAL	**3**	**5.0**	**16**	**1**	**1**	**5**	**8**	**9**	**9**	**9**	**3**	**4.7**	**14**	**2**	**2**	**3**	**7**	**9**	**9**	**9**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	**3**	**5.0**	**16**	**1**	**1**	**5**	**8**	**9**	**9**	**9**	**3**	**4.7**	**14**	**2**	**2**	**3**	**7**	**9**	**9**	**9**

SHARED PARANOID DISORDER (297.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74											1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES											1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	2	5.5	5	4	4	5	7	7	7	7										
55-74											1	3.0		3	3	3	3	3	3	3
75 +											1	5.0		5	5	5	5	5	5	5
ALL AGES	2	5.5	5	4	4	5	7	7	7	7	2	4.0	2	3	3	4	5	5	5	5
SUBTOTAL	**2**	**5.5**	**5**	**4**	**4**	**5**	**7**	**7**	**7**	**7**	**3**	**3.7**	**1**	**3**	**3**	**3**	**5**	**5**	**5**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	**2**	**5.5**	**5**	**4**	**4**	**5**	**7**	**7**	**7**	**7**	**3**	**3.7**	**1**	**3**	**3**	**3**	**5**	**5**	**5**	**5**

PARANOID STATES NEC (297.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	7.0		7	7	7	7	7	7	7										
21-24																				
25-34	2	8.0		8	8	8	8	8	8	8										
35-54																				
55-74	1	8.0		8	8	8	8	8	8	8										
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	5	7.0	3	4	4	8	8	8	8	8										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	2	8.5	61	3	3	8	14	14	14	14										
55-74																				
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	3	7.0	37	3	3	4	11	14	14	14										
SUBTOTAL	**8**	**7.0**	**12**	**3**	**3**	**7**	**8**	**12**	**14**	**14**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	18.0		18	18	18	18	18	18	18										
75 +																				
ALL AGES	1	18.0		18	18	18	18	18	18	18										
SUBTOTAL	**1**	**18.0**		**18**	**18**	**18**	**18**	**18**	**18**	**18**										
GRAND TOTAL	**9**	**8.2**	**25**	**3**	**3**	**8**	**10**	**16**	**18**	**18**										

PARANOID STATE NOS (297.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	8.0		8	8	8	8	8	8	8										
18-20	2	2.0	2	1	1	2	3	3	3	3										
21-24	3	2.0	3	1	1	1	3	4	4	4										
25-34	13	8.8	56	2	3	7	10	20	27	29	2	4.5	25	1	1	4	8	8	8	8
35-54	13	6.4	19	1	3	4	8	13	15	16	7	17.4	314	6	7	10	15	49	57	57
55-74	5	16.2	271	5	5	10	22	45	45	45	2	7.0	50	2	2	7	12	12	12	12
75 +	2	9.0	72	3	3	9	15	15	15	15	2	3.0		3	3	3	3	3	3	3
ALL AGES	39	8.1	68	1	2	5	10	16	24	45	13	11.6	207	1	2	10	12	23	51	57
B. FEMALE																				
0-12 YRS.																				
13-17	1	25.0		25	25	25	25	25	25	25										
18-20																				
21-24	1	2.0		2	2	2	2	2	2	2	1	34.0		34	34	34	34	34	34	34
25-34	11	7.0	49	1	1	4	13	18	22	22	1	15.0		15	15	15	15	15	15	15
35-54	25	8.1	66	2	2	5	9	19	24	38	3	9.7	71	1	1	10	16	18	18	18
55-74	15	8.6	40	1	1	9	11	16	23	25	9	13.6	46	1	3	14	18	22	23	23
75 +	11	18.3	395	5	5	11	21	43	72	75	10	12.0	50	3	3	11	20	21	21	21
ALL AGES	64	10.0	124	1	2	6	14	21	25	70	24	13.3	65	1	3	13	19	21	26	34
SUBTOTAL	**103**	**9.2**	**104**	**1**	**2**	**6**	**11**	**20**	**25**	**59**	**37**	**12.7**	**111**	**1**	**2**	**11**	**17**	**21**	**30**	**57**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	5	6.0	9	3	3	5	8	10	10	10	2	15.0	2	14	14	15	16	16	16	16
21-24	2	6.0	2	5	5	6	7	7	7	7										
25-34	16	9.4	95	1	1	7	11	27	34	36	3	4.3	11	2	2	3	7	8	8	8
35-54	9	9.4	66	1	2	8	12	23	27	27	1	13.0		13	13	13	13	13	13	13
55-74	9	6.2	12	2	2	7	9	11	11	11	3	20.3	238	10	10	13	32	38	38	38
75 +	4	12.8	115	1	1	11	20	27	27	27	2	10.5	85	4	4	10	17	17	17	17
ALL AGES	45	8.5	60	1	1	7	10	17	27	36	11	12.5	100	2	3	13	15	25	37	38
B. FEMALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-20	2	11.5	221	1	1	11	22	22	22	22										
21-24	1	6.0		6	6	6	6	6	6	6	1	28.0		28	28	28	28	28	28	28
25-34	9	5.7	15	1	1	6	7	12	12	12										
35-54	6	4.2	5	1	1	4	6	7	7	7	3	10.7	64	6	6	6	17	20	20	20
55-74	5	11.0	29	5	5	9	16	18	18	18	4	11.5	44	4	4	12	17	18	18	18
75 +	4	14.5	42	10	10	12	18	24	24	24	2	10.5	1	10	10	10	11	11	11	11
ALL AGES	28	7.8	39	1	1	6	11	17	22	24	10	12.7	58	4	5	10	18	24	28	28
SUBTOTAL	**73**	**8.3**	**50**	**1**	**1**	**7**	**10**	**17**	**26**	**34**	**21**	**12.6**	**76**	**3**	**3**	**11**	**16**	**23**	**32**	**38**
GRAND TOTAL	**176**	**8.8**	**82**	**1**	**1**	**6**	**11**	**19**	**25**	**43**	**58**	**12.7**	**96**	**1**	**3**	**11**	**17**	**21**	**32**	**55**

REACT DEPRESS PSYCHOSIS (298.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	43.0		43	43	43	43	43	43	43										
18-20											1	2.0		2	2	2	2	2	2	2
21-24	2	8.0	72	2	2	8	14	14	14	14										
25-34	1	10.0		10	10	10	10	10	10	10	1	2.0		2	2	2	2	2	2	2
35-54	3	3.0	7	1	1	2	5	6	6	6	2	6.5	1	6	6	6	7	7	7	7
55-74	3	7.0	63	1	1	4	13	16	16	16	1	1.0		1	1	1	1	1	1	1
75 +	1	16.0		16	16	16	16	16	16	16	1	6.0		6	6	6	6	6	6	6
ALL AGES	11	10.5	151	1	1	6	15	27	42	43	6	4.0	7	1	1	4	6	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	3.0		3	3	3	3	3	3	3										
25-34	2	3.5	5	2	2	3	5	5	5	5	1	3.0		3	3	3	3	3	3	3
35-54	6	9.3	43	4	4	7	14	19	20	20										
55-74	4	17.8	50	7	7	21	22	22	22	22	5	13.0	114	2	2	13	22	26	26	26
75 +	2	30.5	1	30	30	30	31	31	31	31	2	12.5	1	12	12	12	13	13	13	13
ALL AGES	15	13.2	103	2	3	9	21	30	31	31	8	11.6	78	2	2	12	17	24	26	26
SUBTOTAL	**26**	**12.0**	**121**	**1**	**2**	**8**	**20**	**29**	**33**	**43**	**14**	**8.4**	**59**	**1**	**1**	**6**	**13**	**21**	**25**	**26**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	2.0		2	2	2	2	2	2	2										
21-24	1	2.0		2	2	2	2	2	2	2										
25-34	3	18.0	163	4	4	21	27	29	29	29										
35-54	3	10.7	153	3	3	4	20	25	25	25										
55-74	1	7.0		7	7	7	7	7	7	7	1	8.0		8	8	8	8	8	8	8
75 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	9	10.8	119	2	2	4	22	27	29	29	2	5.0	18	2	2	5	8	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-17	1	18.0		18	18	18	18	18	18	18										
18-20	1	18.0		18	18	18	18	18	18	18										
21-24																				
25-34	4	14.8	553	1	1	4	27	50	50	50	2	2.5	1	2	2	2	3	3	3	3
35-54	4	16.8	210	5	5	12	25	38	38	38										
55-74											2	5.5	1	5	5	5	6	6	6	6
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	10	16.2	258	1	2	12	18	44	50	50	5	3.8	3	2	2	3	5	6	6	6
SUBTOTAL	**19**	**13.6**	**191**	**1**	**2**	**7**	**20**	**34**	**45**	**50**	**7**	**4.1**	**6**	**2**	**2**	**3**	**6**	**8**	**8**	**8**
GRAND TOTAL	**45**	**12.7**	**147**	**1**	**2**	**7**	**20**	**30**	**39**	**50**	**21**	**7.0**	**44**	**1**	**2**	**5**	**9**	**16**	**23**	**26**

EXCITATIV TYPE PSYCHOSIS (298.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	3	9.7	68	3	3	7	16	19	19	19										
25-34	1	6.0		6	6	6	6	6	6	6										
35-54																				
55-74											3	7.7	44	2	2	6	13	15	15	15
75 +											1	11.0		11	11	11	11	11	11	11
ALL AGES	4	8.8	48	3	3	6	13	19	19	19	4	8.5	32	2	2	8	13	15	15	15
B. FEMALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-20	1	1.0		1	1	1	1	1	1	1	2	3.5	13	1	1	3	6	6	6	6
21-24											1	8.0		8	8	8	8	8	8	8
25-34	2	2.0		2	2	2	2	2	2	2	1	5.0		5	5	5	5	5	5	5
35-54	5	11.4	78	6	6	7	14	27	27	27	2	5.0	8	3	3	5	7	7	7	7
55-74	4	8.0	31	3	3	6	11	16	16	16	3	4.0	3	2	2	5	5	5	5	5
75 +	2	11.0	50	6	6	11	16	16	16	16	3	4.0	1	3	3	4	5	5	5	5
ALL AGES	15	7.8	50	1	1	6	9	16	24	27	12	4.5	4	1	2	5	6	7	8	8
SUBTOTAL	**19**	**8.0**	**47**	**1**	**1**	**6**	**9**	**18**	**23**	**27**	**16**	**5.5**	**13**	**1**	**2**	**5**	**7**	**11**	**14**	**15**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	12.0		12	12	12	12	12	12	12										
18-20																				
21-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54	1	7.0		7	7	7	7	7	7	7	1	2.0		2	2	2	2	2	2	2
55-74																				
75 +											1	1.0		1	1	1	1	1	1	1
ALL AGES	3	6.7	30	1	1	7	11	12	12	12	2	1.5	1	1	1	1	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17	1	5.0		5	5	5	5	5	5	5										
18-20																				
21-24											1	1.0		1	1	1	1	1	1	1
25-34	1	18.0		18	18	18	18	18	18	18	1	7.0		7	7	7	7	7	7	7
35-54	3	2.0	1	1	1	2	3	3	3	3										
55-74	1	12.0		12	12	12	12	12	12	12	1	4.0		4	4	4	4	4	4	4
75 +	3	9.3	3	8	8	9	10	11	11	11	1	3.0		3	3	3	3	3	3	3
ALL AGES	9	7.7	30	1	1	8	11	16	18	18	4	3.8	6	1	1	3	5	7	7	7
SUBTOTAL	**12**	**7.4**	**28**	**1**	**1**	**7**	**11**	**14**	**17**	**18**	**6**	**3.0**	**5**	**1**	**1**	**2**	**4**	**7**	**7**	**7**
GRAND TOTAL	**31**	**7.8**	**38**	**1**	**1**	**7**	**11**	**17**	**19**	**27**	**22**	**4.8**	**12**	**1**	**1**	**4**	**6**	**9**	**13**	**15**

REACTIVE CONFUSION (298.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24											2	1.5	1	1	1	1	2	2	2	2
25-34																				
35-54											1	2.0		2	2	2	2	2	2	2
55-74											1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES											4	2.3	1	1	1	2	3	4	4	4
B. FEMALE																				
0-12 YRS.											1	2.0		2	2	2	2	2	2	2
13-17																				
18-20																				
21-24																				
25-34	2	7.0	32	3	3	7	11	11	11	11	1	1.0		1	1	1	1	1	1	1
35-54	1	5.0		5	5	5	5	5	5	5										
55-74	1	30.0		30	30	30	30	30	30	30										
75 +	1	11.0		11	11	11	11	11	11	11	1	4.0		4	4	4	4	4	4	4
ALL AGES	5	12.0	114	3	3	11	16	30	30	30	3	2.3	3	1	1	2	3	4	4	4
SUBTOTAL	**5**	**12.0**	**114**	**3**	**3**	**11**	**16**	**30**	**30**	**30**	**7**	**2.3**	**1**	**1**	**1**	**2**	**3**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	16.0		16	16	16	16	16	16	16										
21-24											1	1.0		1	1	1	1	1	1	1
25-34																				
35-54																				
55-74	1	4.0		4	4	4	4	4	4	4	1	3.0		3	3	3	3	3	3	3
75 +	1	7.0		7	7	7	7	7	7	7	1	2.0		2	2	2	2	2	2	2
ALL AGES	3	9.0	39	4	4	7	14	16	16	16	3	2.0	1	1	1	2	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	40.0		40	40	40	40	40	40	40										
55-74	1	2.0		2	2	2	2	2	2	2										
75 +	1	2.0		2	2	2	2	2	2	2										
ALL AGES	3	14.7	480	2	2	2	31	40	40	40										
SUBTOTAL	**6**	**11.8**	**219**	**2**	**2**	**5**	**16**	**38**	**40**	**40**	**3**	**2.0**	**1**	**1**	**1**	**2**	**3**	**3**	**3**	**3**
GRAND TOTAL	**11**	**11.9**	**155**	**2**	**2**	**7**	**15**	**34**	**39**	**40**	**10**	**2.2**	**1**	**1**	**1**	**2**	**3**	**4**	**4**	**4**

ACUTE PARANOID REACTION (298.3)

TYPE OF PATIENT	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
(1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	28.0		28	28	28	28	28	28	28										
25-34	5	8.8	65	3	3	6	11	23	23	23										
35-54	2	8.5	41	4	4	8	13	13	13	13	2	3.5	1	3	3	3	4	4	4	4
55-74	2	7.5	1	7	7	7	8	8	8	8	1	6.0		6	6	6	6	6	6	6
75 +											1	5.0		5	5	5	5	5	5	5
ALL AGES	10	10.4	72	3	3	7	13	25	28	28	4	4.5	2	3	3	4	5	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-20	1	7.0		7	7	7	7	7	7	7										
21-24											2	2.5	5	1	1	2	4	4	4	4
25-34	2	5.5	5	4	4	5	7	7	7	7										
35-54											2	4.0		4	4	4	4	4	4	4
55-74	4	8.5	42	4	4	6	12	18	18	18	2	3.5	1	3	3	3	4	4	4	4
75 +	1	31.0		31	31	31	31	31	31	31	4	5.3	24	1	1	5	9	10	10	10
ALL AGES	8	10.4	89	4	4	7	13	27	31	31	11	3.8	10	1	1	4	4	9	10	10
SUBTOTAL	**18**	**10.4**	**75**	**3**	**4**	**7**	**13**	**26**	**30**	**31**	**15**	**4.0**	**7**	**1**	**1**	**4**	**5**	**9**	**10**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	24.0		24	24	24	24	24	24	24										
21-24																				
25-34	5	4.2	9	1	1	5	7	7	7	7										
35-54	2	9.5	13	7	7	9	12	12	12	12										
55-74	1	8.0		8	8	8	8	8	8	8										
75 +	1	13.0		13	13	13	13	13	13	13										
ALL AGES	10	8.5	45	1	1	7	12	18	24	24										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	3.0		3	3	3	3	3	3	3	1	10.0		10	10	10	10	10	10	10
25-34	2	4.0	8	2	2	4	6	6	6	6	2	5.0	2	4	4	5	6	6	6	6
35-54	2	6.5	1	6	6	6	7	7	7	7	2	10.0	18	7	7	10	13	13	13	13
55-74	4	9.8	71	1	1	10	17	18	18	18	1	14.0		14	14	14	14	14	14	14
75 +	2	17.0	72	11	11	17	23	23	23	23	1	4.0		4	4	4	4	4	4	4
ALL AGES	11	8.8	53	1	2	6	15	20	23	23	7	8.3	17	4	4	7	12	14	14	14
SUBTOTAL	**21**	**8.7**	**46**	**1**	**1**	**7**	**12**	**20**	**23**	**24**	**7**	**8.3**	**17**	**4**	**4**	**7**	**12**	**14**	**14**	**14**
GRAND TOTAL	**39**	**9.5**	**58**	**1**	**2**	**7**	**13**	**23**	**26**	**31**	**22**	**5.4**	**14**	**1**	**1**	**4**	**7**	**11**	**13**	**14**

PSYCHOGEN PARANOID PSYCH (298.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +	1	32.0		32	32	32	32	32	32	32										
ALL AGES	1	32.0		32	32	32	32	32	32	32										
SUBTOTAL	**1**	**32.0**		**32**	**32**	**32**	**32**	**32**	**32**	**32**										
GRAND TOTAL	**1**	**32.0**		**32**	**32**	**32**	**32**	**32**	**32**	**32**										

REACT PSYCHOSIS NEC/NOS (298.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.																						
13-17	4	1.3		1	1	1	1	2	2	2										
18-20	8	8.5	32	2	3	7	13	17	18	18	1	1.0		1	1	1	1	1	1	1
21-24	7	15.9	1042	2	2	3	6	73	89	89	2	2.0	2	1	1	2	3	3	3	3
25-34	8	3.9	15	1	1	3	4	11	13	13	5	3.2	4	1	1	3	4	6	6	6
35-54	10	5.6	17	1	1	4	9	11	12	12	5	3.4	9	1	1	2	6	8	8	8
55-74	7	7.7	6	4	4	8	10	11	11	11	3	2.3	3	1	1	2	3	4	4	4
75 +	2	6.5	5	5	5	6	8	8	8	8	1	5.0		5	5	5	5	5	5	5
ALL AGES	46	7.3	169	1	1	5	8	12	16	89	17	2.9	5	1	1	2	4	6	7	8
B. FEMALE																						
0-12 YRS.																						
13-17	4	5.8	20	1	1	5	9	11	11	11										
18-20	8	6.4	8	1	2	6	8	10	10	10										
21-24	8	7.8	28	1	2	7	9	16	19	19	2	9.5	13	7	7	9	12	12	12	12
25-34	28	5.7	44	1	1	4	6	13	19	33	6	6.7	42	1	1	4	12	16	17	17
35-54	28	7.1	35	1	2	6	9	13	18	29	9	4.8	9	2	2	5	6	10	11	11
55-74	13	6.9	21	2	3	5	8	12	18	20	3	3.0	1	2	2	3	4	4	4	4
75 +	1	12.0		12	12	12	12	12	12	12	1	39.0		39	39	39	39	39	39	39
ALL AGES	90	6.6	31	1	1	5	9	12	17	31	21	7.1	72	1	1	5	9	14	27	39
SUBTOTAL	**136**	**6.9**	**76**	**1**	**1**	**5**	**9**	**12**	**17**	**41**	**38**	**5.3**	**45**	**1**	**1**	**3**	**6**	**12**	**15**	**39**
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.																						
13-17	2	1.5	1	1	1	1	2	2	2	2										
18-20	4	5.0	6	3	3	5	7	8	8	8	1	2.0		2	2	2	2	2	2	2
21-24	6	1.5		1	1	1	2	2	2	2	3	3.7	2	2	2	4	5	5	5	5
25-34	21	5.8	47	1	1	3	5	16	25	26	4	4.5	6	2	2	4	6	8	8	8
35-54	11	5.4	16	1	1	5	7	11	15	15	3	23.0	301	8	8	19	36	42	42	42
55-74	2	8.5	61	3	3	8	14	14	14	14										
75 +	2	19.0	2	18	18	19	20	20	20	20										
ALL AGES	48	5.6	36	1	1	3	6	15	20	26	11	9.1	143	2	2	4	8	28	41	42
B. FEMALE																						
0-12 YRS.																						
13-17	10	9.4	189	1	1	5	8	30	47	47										
18-20	4	6.0	17	1	1	6	9	11	11	11										
21-24	7	5.9	24	1	1	4	11	13	13	13	2	6.0	8	4	4	6	8	8	8	8
25-34	30	5.7	43	1	1	3	6	12	19	33	1	3.0		3	3	3	3	3	3	3
35-54	23	6.8	65	1	1	4	7	19	29	30	7	11.9	42	3	4	11	18	20	20	20
55-74	5	9.8	77	2	2	7	15	24	24	24	1	5.0		5	5	5	5	5	5	5
75 +	2	13.5	5	12	12	13	15	15	15	15										
ALL AGES	81	6.9	65	1	1	4	8	15	26	43	11	9.4	38	3	3	7	15	19	20	20
SUBTOTAL	**129**	**6.4**	**54**	**1**	**1**	**4**	**8**	**15**	**24**	**36**	**22**	**9.2**	**87**	**2**	**2**	**6**	**11**	**19**	**29**	**42**
GRAND TOTAL	**265**	**6.7**	**65**	**1**	**1**	**4**	**8**	**14**	**19**	**33**	**60**	**6.7**	**63**	**1**	**1**	**4**	**8**	**17**	**19**	**42**

PSYCHOSIS NOS (298.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	1.7	1	1	1	1	3	3	3	3	1	1.0		1	1	1	1	1	1	1
13-17	15	12.2	173	1	1	7	27	39	82	99 +	4	22.5	910	1	1	12	44	65	65	65
18-20	11	13.7	575	1	1	5	14	44	81	84	4	10.5	35	2	2	12	14	15	15	15
21-24	28	8.6	105	2	2	5	9	21	26	52	7	7.0	50	1	1	4	10	19	21	21
25-34	60	8.2	64	1	2	6	10	20	25	38	22	5.1	24	1	1	4	8	10	17	20
35-54	56	7.8	55	1	2	6	10	16	23	40	27	5.4	28	1	1	5	7	11	21	21
55-74	64	6.4	41	1	1	4	8	14	20	30	45	5.2	20	1	2	4	6	10	12	26
75 +	55	10.1	99	1	2	7	14	21	26	55	39	8.6	75	1	2	6	10	21	30	36
ALL AGES	292	8.5	92	1	2	5	11	19	27	54	149	6.8	64	1	1	5	8	16	21	36
B. FEMALE																				
0-12 YRS.																				
13-17	7	8.3	48	1	1	8	15	18	18	18										
18-20	15	11.8	129	1	1	8	17	22	39	45	1	9.0		9	9	9	9	9	9	9
21-24	18	7.7	32	1	1	6	12	14	19	23	5	1.4	1	1	1	1	2	3	3	3
25-34	66	7.7	49	2	2	5	10	14	22	33	18	7.8	26	1	2	8	11	15	16	17
35-54	75	8.8	67	1	2	6	13	17	28	42	24	7.4	33	1	2	6	10	17	21	22
55-74	112	8.0	56	1	2	6	9	16	24	38	79	6.5	26	1	1	5	9	14	18	22
75 +	123	9.4	137	1	1	6	10	18	36	62	95	7.0	38	1	2	5	8	13	20	33
ALL AGES	416	8.6	83	1	2	6	10	17	27	45	222	6.8	32	1	1	5	9	13	18	30
SUBTOTAL	**708**	**8.6**	**86**	**1**	**2**	**6**	**11**	**18**	**27**	**48**	**371**	**6.8**	**45**	**1**	**1**	**5**	**8**	**14**	**20**	**33**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	21.7	48	14	14	23	27	28	28	28										
13-17	16	24.8	410	3	4	16	42	56	64	67										
18-20	12	10.2	32	3	4	10	16	17	17	17	3	3.0	4	1	1	4	52	99 +	99 +	99 +
21-24	16	8.6	78	1	1	7	10	20	30	34	9	5.8	10	1	2	7	8	10	11	11
25-34	58	7.6	79	1	1	5	10	20	24	44	12	9.4	63	2	3	6	18	41	89	99 +
35-54	41	9.6	190	1	1	6	11	23	52	99 +	19	4.6	12	1	1	4	7	12	57	99 +
55-74	20	10.9	149	1	2	7	12	25	40	53	17	5.5	26	1	1	4	6	13	18	20
75 +	17	8.8	54	1	1	6	14	18	24	27	15	3.9	9	1	1	3	5	9	10	11
ALL AGES	183	10.5	153	1	1	6	14	23	37	78	75	5.5	24	1	1	4	7	14	24	99 +
B. FEMALE																				
0-12 YRS.																				
13-17	7	27.9	885	3	5	16	33	80	91	91										
18-20	4	8.3	46	3	3	6	13	18	18	18										
21-24	15	8.5	19	1	3	8	11	14	18	19	6	9.8	73	1	1	8	15	23	24	24
25-34	53	8.8	86	1	1	6	10	25	31	37	15	5.6	26	1	1	4	7	14	17	18
35-54	51	8.5	36	1	3	8	12	15	18	35	19	6.8	51	1	1	4	7	20	25	25
55-74	44	9.4	54	1	2	7	12	21	23	34	25	10.6	190	2	3	7	11	18	33	73
75 +	45	10.1	85	2	3	7	14	21	32	46	29	6.7	26	2	2	5	8	15	17	22
ALL AGES	219	9.7	94	1	2	7	12	20	28	40	94	7.8	78	1	2	5	9	16	22	52
SUBTOTAL	**402**	**10.1**	**120**	**1**	**1**	**7**	**13**	**21**	**33**	**62**	**169**	**6.8**	**55**	**1**	**2**	**5**	**8**	**15**	**22**	**99 +**
GRAND TOTAL	**1110**	**9.1**	**99**	**1**	**2**	**6**	**12**	**19**	**28**	**54**	**540**	**6.8**	**48**	**1**	**1**	**5**	**8**	**15**	**21**	**38**

INFANTILE AUTISM (299.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	HOSPITALS WITHOUT PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	5	25.4	186	8	8	27	36	42	42	42										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	5	25.4	186	8	8	27	36	42	42	42										
B. FEMALE																				
0-12 YRS.	1	23.0		23	23	23	23	23	23	23										
13-17											1	1.0		1	1	1	1	1	1	1
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	23.0		23	23	23	23	23	23	23	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**6**	**25.0**	**150**	**8**	**9**	**25**	**34**	**41**	**42**	**42**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	4	45.3	104	36	36	42	52	60	60	60										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	4	45.3	104	36	36	42	52	60	60	60										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**4**	**45.3**	**104**	**36**	**36**	**42**	**52**	**60**	**60**	**60**										
GRAND TOTAL	**10**	**33.1**	**229**	**8**	**12**	**35**	**42**	**52**	**60**	**60**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**

EARLY CHLD PSYCHOSES NEC (299.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	24.3	282	7	7	24	38	42	42	42										
13-17	1	12.0		12	12	12	12	12	12	12										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	5	21.8	244	7	7	13	37	42	42	42										
B. FEMALE																				
0-12 YRS.	1	83.0		83	83	83	83	83	83	83	1	30.0		30	30	30	30	30	30	30
13-17	1	2.0		2	2	2	2	2	2	2	1	22.0		22	22	22	22	22	22	22
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	42.5	3281	2	2	42	83	83	83	83	2	26.0	32	22	22	26	30	30	30	30
SUBTOTAL	**7**	**27.7**	**812**	**2**	**3**	**13**	**40**	**75**	**83**	**83**	**2**	**26.0**	**32**	**22**	**22**	**26**	**30**	**30**	**30**	**30**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	6	30.7	283	7	8	41	43	89	99 +	99 +										
13-17	1	63.0		63	63	63	63	63	63	63										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	7	35.3	386	7	8	41	53	89	99 +	99 +										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**7**	**35.3**	**386**	**7**	**8**	**41**	**53**	**89**	**99 +**	**99 +**										
GRAND TOTAL	**14**	**31.5**	**569**	**3**	**7**	**39**	**44**	**83**	**96**	**99 +**	**2**	**26.0**	**32**	**22**	**22**	**26**	**30**	**30**	**30**	**30**

EARLY CHLD PSYCHOSIS NOS (299.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																					
A. MALE																					
0-12 YRS.	2	49.5	113	42	42	57	89	99+	99+	99+											
13-17	1	42.0		42	42	42	42	42	42	42											
18-20																					
21-24																					
25-34																					
35-54																					
55-74																					
75 +																					
ALL AGES	3	47.0	75	42	42	50	78	99+	99+	99+											
B. FEMALE																					
0-12 YRS.																					
13-17																					
18-20																					
21-24																					
25-34																					
35-54																					
55-74																					
75 +																					
ALL AGES																					
SUBTOTAL	**3**	**47.0**	**75**	**42**	**42**	**50**	**78**	**99+**	**99+**	**99+**											
2. PSYCH PRIN, 2ND PSYCH DX(S)																					
A. MALE																					
0-12 YRS.	4	73.8	612	47	47	95	96	99+	99+	99+											
13-17	1	8.0		8	8	8	8	8	8	8											
18-20																					
21-24																					
25-34																					
35-54																					
55-74																					
75 +																					
ALL AGES	5	60.6	1331	8	12	76	95	99+	99+	99+											
B. FEMALE																					
0-12 YRS.	1	28.0		28	28	28	28	28	28	28											
13-17																					
18-20																					
21-24																					
25-34																					
35-54																					
55-74																					
75 +																					
ALL AGES	1	28.0		28	28	28	28	28	28	28											
SUBTOTAL	**6**	**55.2**	**1238**	**8**	**12**	**58**	**95**	**99**	**99+**	**99+**											
GRAND TOTAL	**9**	**52.4**	**817**	**9**	**20**	**57**	**95**	**99+**	**99+**	**99+**											

ANXIETY STATES (300.0)

	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	8.0		8	8	8	8	8	8	8	1	2.0		2	2	2	2	2	2	2
13-17											1	1.0		1	1	1	1	1	1	1
18-20	4	13.5	163	2	2	11	23	30	30	30	1	2.0		2	2	2	2	2	2	2
21-24	7	3.7	24	1	1	1	5	12	14	14	2	1.5	1	1	1	1	2	2	2	2
25-34	22	3.4	20	1	1	2	4	7	13	21	17	2.2	2	1	1	2	3	5	6	6
35-54	41	4.0	25	1	1	2	4	10	17	23	31	2.6	5	1	1	2	3	8	9	99 +
55-74	26	4.7	23	1	1	3	6	11	18	18	25	3.1	5	1	1	3	4	5	8	10
75 +	8	3.4	4	1	1	3	5	6	7	7	9	1.9	1	1	1	1	3	4	4	4
ALL AGES	109	4.4	28	1	1	2	5	10	18	26	87	2.6	4	1	1	2	3	5	8	66
B. FEMALE																				
0-12 YRS.	2	3.0		3	3	3	3	3	3	3										
13-17	6	13.8	544	1	1	5	9	56	61	61	1	4.0		4	4	4	4	4	4	4
18-20	3	2.7		2	2	3	3	3	3	3	4	6.3	36	1	1	4	10	15	15	15
21-24	9	9.1	98	1	1	5	17	25	29	29	5	1.6		1	1	2	2	2	2	2
25-34	58	6.2	40	1	1	4	8	16	18	31	26	3.0	16	1	1	2	3	6	13	20
35-54	59	5.5	59	1	1	3	5	11	19	44	49	2.0	2	1	1	2	2	4	6	6
55-74	75	6.0	61	1	1	3	8	14	18	50	54	3.2	7	1	1	2	4	7	9	12
75 +	20	4.3	8	1	2	3	6	8	11	13	29	3.6	13	1	1	2	4	10	11	16
ALL AGES	232	6.0	63	1	1	3	7	15	18	48	168	2.9	9	1	1	2	3	6	9	16
SUBTOTAL	**341**	**5.5**	**52**	**1**	**1**	**3**	**6**	**14**	**18**	**37**	**255**	**2.8**	**7**	**1**	**1**	**2**	**3**	**6**	**9**	**16**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17	5	32.2	400	12	12	23	52	57	57	57	2	7.5	85	1	1	7	14	14	14	14
18-20	9	6.9	66	1	1	3	9	21	22	22	1	23.0		23	23	23	23	23	23	23
21-24	6	4.3	34	1	1	2	4	15	16	16	1	28.0		28	28	28	28	28	28	28
25-34	32	5.8	16	1	1	6	8	10	11	21	9	6.2	56	1	1	4	6	19	25	25
35-54	37	8.0	61	1	1	5	14	20	23	29	17	7.4	78	1	1	4	10	24	28	29
55-74	17	5.8	26	1	1	4	7	12	18	21	11	5.1	31	1	1	3	5	14	19	20
75 +	2	9.5	85	3	3	9	16	16	16	16	3	3.7	6	1	1	4	5	6	6	6
ALL AGES	108	7.8	83	1	1	5	10	20	22	53	45	7.0	66	1	1	4	9	23	26	29
B. FEMALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17	8	16.3	349	1	1	10	20	47	59	59	1	1.0		1	1	1	1	1	1	1
18-20	7	13.7	164	2	2	9	19	34	38	38	3	5.0	13	1	1	6	7	8	8	8
21-24	21	12.9	464	1	2	6	10	29	61	99	4	5.0	3	3	3	5	6	7	7	7
25-34	61	9.5	81	1	1	7	14	24	27	34	23	7.5	72	1	1	4	8	24	27	31
35-54	94	10.9	185	1	1	6	15	30	41	90	34	7.0	70	1	1	4	7	20	27	37
55-74	44	8.4	45	1	1	6	14	18	21	23	29	4.6	19	1	1	3	6	10	17	17
75 +	16	10.1	112	2	3	6	15	20	36	43	5	4.0	8	1	1	5	6	7	7	7
ALL AGES	251	10.5	157	1	1	6	14	25	33	78	100	6.0	48	1	1	4	7	16	22	34
SUBTOTAL	**359**	**9.7**	**135**	**1**	**1**	**6**	**13**	**23**	**30**	**59**	**145**	**6.3**	**53**	**1**	**1**	**4**	**7**	**17**	**25**	**31**
GRAND TOTAL	**700**	**7.7**	**98**	**1**	**1**	**4**	**9**	**19**	**25**	**56**	**400**	**4.1**	**26**	**1**	**1**	**2**	**4**	**9**	**16**	**29**

HYSTERIA (300.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENT!LES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	1.5	1	1	1	1	2	2	2	2	3	4.3	10	1	1	5	6	7	7	7
13-17	5	2.0	2	1	1	2	3	4	4	4	5	2.4	4	1	1	1	4	5	5	5
18-20	7	3.4	7	1	1	3	5	8	8	8	4	3.8	23	1	1	1	6	11	11	11
21-24	5	2.6	3	1	1	3	4	5	5	5	9	4.8	30	1	1	3	6	14	18	18
25-34	13	3.7	12	1	1	2	5	9	11	12	6	4.2	6	1	1	4	7	7	7	7
35-54	10	2.8	5	1	1	2	4	6	8	8	9	4.0	6	1	1	4	6	7	7	7
55-74	8	2.5	5	1	1	2	3	6	8	8	5	3.0	12	1	1	2	4	9	9	9
75 +	3	2.0	1	1	1	2	3	3	3	3	3	3.7		3	3	4	4	4	4	4
ALL AGES	53	2.9	6	1	1	2	4	7	8	12	44	3.9	11	1	1	3	5	7	10	18
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1	3	2.7		2	2	3	3	3	3	3
13-17	16	15.0	410	1	1	4	21	55	58	59	9	2.6	10	1	1	1	2	8	11	11
18-20	8	2.4	4	1	1	2	3	6	7	7	6	3.5	4	1	1	3	5	6	6	6
21-24	15	4.0	9	1	1	3	6	8	10	11	12	2.9	15	1	1	1	3	8	13	14
25-34	38	8.0	229	1	1	5	7	18	61	99 +	36	6.8	153	1	1	2	5	20	41	56
35-54	36	4.9	27	1	1	4	6	7	17	26	24	4.6	33	1	1	3	6	9	47	99 +
55-74	17	4.2	13	1	1	3	5	10	12	13	22	4.1	21	1	1	3	4	9	14	21
75 +	5	5.0	15	1	1	4	7	11	11	11	6	4.0	10	1	1	3	5	9	10	10
ALL AGES	136	6.6	131	1	1	3	7	13	24	95	118	4.7	61	1	1	2	5	9	21	70
SUBTOTAL	**189**	**5.6**	**98**	**1**	**1**	**3**	**6**	**10**	**19**	**80**	**162**	**4.5**	**47**	**1**	**1**	**2**	**5**	**9**	**15**	**55**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3										
13-17	4	18.0	254	2	2	16	30	38	38	38										
18-20	4	6.8	23	2	2	7	11	11	11	11	1	3.0		3	3	3	3	3	3	3
21-24	5	5.4	16	1	1	5	9	10	10	10	5	5.6	25	1	1	4	8	14	14	14
25-34	9	6.4	30	1	1	5	12	14	14	14	4	10.8	113	2	2	8	19	25	25	25
35-54	15	12.7	146	1	1	7	20	30	34	35	3	1.0		1	1	1	1	1	1	1
55-74	4	5.0	32	1	1	3	9	13	13	13										
75 +																				
ALL AGES	42	9.5	98	1	1	5	14	25	32	38	13	5.9	52	1	1	3	8	16	23	25
B. FEMALE																				
0-12 YRS.	4	11.5	122	1	1	11	21	22	22	22										
13-17	9	4.7	10	2	2	4	6	10	12	12	3	4.3	6	3	3	3	6	7	7	7
18-20	6	6.7	52	2	2	4	7	20	21	21	1	4.0		4	4	4	4	4	4	4
21-24	11	17.0	512	1	1	7	20	51	75	77	8	7.1	84	1	1	3	9	23	28	28
25-34	45	14.2	308	1	1	4	19	37	55	74	20	4.0	6	1	1	3	6	8	9	9
35-54	48	12.6	271	1	1	7	14	27	56	78	21	3.7	13	1	1	3	4	8	13	17
55-74	10	5.7	16	1	1	4	8	12	13	13	8	5.9	42	1	1	4	6	17	21	21
75 +	2	11.5	113	4	4	11	19	19	19	19	2	3.0	8	1	1	3	5	5	5	5
ALL AGES	135	12.2	252	1	1	5	18	27	48	77	63	4.5	22	1	1	3	6	9	12	27
SUBTOTAL	**177**	**11.5**	**217**	**1**	**1**	**5**	**16**	**27**	**38**	**76**	**76**	**4.8**	**26**	**1**	**1**	**3**	**6**	**9**	**16**	**27**
GRAND TOTAL	**366**	**8.4**	**165**	**1**	**1**	**4**	**9**	**21**	**34**	**76**	**238**	**4.6**	**41**	**1**	**1**	**3**	**5**	**9**	**16**	**50**

PHOBIC DISORDERS (300.2)

	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	1.0		1	1	1	1	1	1	1										
25-34											1	4.0		4	4	4	4	4	4	4
35-54	1	12.0		12	12	12	12	12	12	12										
55-74																				
75 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	2	6.5	61	1	1	6	12	12	12	12	2	3.0	2	2	2	3	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4										
18-20																				
21-24	2	2.0	2	1	1	2	3	3	3	3										
25-34	4	3.5	6	1	1	3	5	6	6	6	2	3.5	1	3	3	3	4	4	4	4
35-54	7	11.0	79	3	3	6	18	24	25	25	3	4.3	13	1	1	4	7	8	8	8
55-74	5	5.0	8	2	2	5	7	9	9	9	1	19.0		19	19	19	19	19	19	19
75 +											2	9.5	1	9	9	9	10	10	10	10
ALL AGES	19	6.5	43	1	1	5	6	18	22	25	8	7.3	32	1	2	6	9	16	19	19
SUBTOTAL	**21**	**6.5**	**41**	**1**	**1**	**5**	**7**	**17**	**22**	**25**	**10**	**6.4**	**29**	**1**	**1**	**4**	**9**	**14**	**19**	**19**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											1	28.0		28	28	28	28	28	28	28
18-20	1	7.0		7	7	7	7	7	7	7										
21-24	2	7.0	8	5	5	7	9	9	9	9										
25-34	1	1.0		1	1	1	1	1	1	1										
35-54	3	8.3	10	5	5	9	10	11	11	11	1	11.0		11	11	11	11	11	11	11
55-74	2	14.5	13	12	12	14	17	17	17	17										
75 +																				
ALL AGES	9	8.4	23	1	2	9	11	15	17	17	2	19.5	145	11	11	19	28	28	28	28
B. FEMALE																				
0-12 YRS.																				
13-17	1	29.0		29	29	29	29	29	29	29										
18-20																				
21-24	2	13.0	128	5	5	13	21	21	21	21										
25-34	6	19.7	497	1	1	10	33	56	59	59	3	3.0	4	1	1	3	4	5	5	5
35-54	11	11.8	193	2	2	6	15	38	42	42	6	9.2	31	1	1	10	14	15	15	15
55-74	2	5.0	2	4	4	5	6	6	6	6	1	13.0		13	13	13	13	13	13	13
75 +																				
ALL AGES	22	14.2	248	1	3	6	21	37	49	59	10	7.7	30	1	1	7	13	14	15	15
SUBTOTAL	**31**	**12.5**	**187**	**1**	**2**	**7**	**16**	**34**	**42**	**59**	**12**	**9.7**	**58**	**1**	**1**	**10**	**13**	**19**	**27**	**28**
GRAND TOTAL	**52**	**10.1**	**135**	**1**	**2**	**6**	**12**	**26**	**35**	**59**	**22**	**8.2**	**46**	**1**	**1**	**6**	**12**	**16**	**23**	**28**

OBSESSIVE-COMPULSIVE DIS (300.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	28.0		28	28	28	28	28	28	28	1	2.0		2	2	2	2	2	2	2
18-20	1	4.0		4	4	4	4	4	4	4										
21-24	1	7.0		7	7	7	7	7	7	7										
25-34	3	3.7	9	1	1	3	6	7	7	7	2	2.5	5	1	1	2	4	4	4	4
35-54																				
55-74																				
75 +																				
ALL AGES	6	8.3	99	1	1	5	7	26	28	28	3	2.3	3	1	1	2	3	4	4	4
B. FEMALE																				
0-12 YRS.											1	4.0		4	4	4	4	4	4	4
13-17																				
18-20																				
21-24	2	11.5	13	9	9	11	14	14	14	14										
25-34	2	3.5	5	2	2	3	5	5	5	5										
35-54	1	3.0		3	3	3	3	3	3	3										
55-74	1	18.0		18	18	18	18	18	18	18										
75 +																				
ALL AGES	6	8.5	41	2	2	7	14	18	18	18	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	**12**	**8.4**	**64**	**1**	**2**	**6**	**11**	**21**	**27**	**28**	**4**	**2.8**	**2**	**1**	**1**	**3**	**4**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	31.0		31	31	31	31	31	31	31										
18-20	3	12.0	171	3	3	6	22	27	27	27	1	13.0		13	13	13	13	13	13	13
21-24	2	16.5	221	6	6	16	27	27	27	27										
25-34											2	22.0	338	9	9	22	35	35	35	35
35-54	1	15.0		15	15	15	15	15	15	15	2	13.5	61	8	8	13	19	19	19	19
55-74	1	5.0		5	5	5	5	5	5	5										
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	9	13.7	134	3	3	6	27	29	31	31	5	16.3	122	8	8	13	23	35	35	35
B. FEMALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-20																				
21-24	2	17.0	242	6	6	17	28	28	28	28										
25-34	2	24.0	72	18	18	24	30	30	30	30										
35-54	3	28.3	529	2	2	39	43	44	44	44	1	3.0		3	3	3	3	3	3	3
55-74	2	6.5	25	3	3	6	10	10	10	10										
75 +																				
ALL AGES	9	20.0	252	2	2	18	32	42	44	44	2	2.0	2	1	1	2	3	3	3	3
SUBTOTAL	**18**	**16.8**	**194**	**2**	**3**	**12**	**28**	**37**	**42**	**44**	**7**	**12.6**	**133**	**1**	**1**	**9**	**17**	**32**	**35**	**35**
GRAND TOTAL	**30**	**13.5**	**154**	**2**	**2**	**7**	**27**	**30**	**39**	**44**	**11**	**9.0**	**106**	**1**	**1**	**4**	**12**	**25**	**34**	**35**

NEUROTIC DEPRESSION (300.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	20.0	74	10	10	20	27	29	29	29	1	2.0		2	2	2	2	2	2	2
13-17	49	18.2	378	1	2	11	30	52	70	99 +	8	31.5	797	1	6	23	37	80	94	94
18-20	10	9.5	112	1	1	5	14	28	31	31	1	1.0		1	1	1	1	1	1	1
21-24	17	5.5	41	1	1	2	8	15	21	23	1	1.0		1	1	1	1	1	1	1
25-34	69	5.8	87	1	1	3	7	11	13	64	7	3.3	15	1	1	2	3	10	12	12
35-54	88	8.0	57	1	1	6	10	20	24	35	17	3.2	7	1	1	2	5	8	8	8
55-74	31	8.2	53	1	2	8	11	14	27	34	15	4.5	9	2	2	3	6	8	11	12
75 +	18	6.6	35	1	2	4	10	15	20	22	6	5.7	21	2	2	4	9	13	13	13
ALL AGES	286	9.2	137	1	1	6	11	23	33	73	56	7.8	205	1	1	3	8	18	28	91
B. FEMALE																				
0-12 YRS.	9	27.4	110	11	12	29	37	71	99 +	99 +	1	4.0		4	4	4	4	4	4	4
13-17	105	16.3	314	1	2	8	24	46	55	86	17	15.4	470	1	1	7	24	34	69	88
18-20	29	5.6	30	1	1	3	9	14	17	18	6	11.5	380	1	1	4	7	47	51	51
21-24	48	5.2	50	1	1	3	6	10	16	45	5	1.8	1	1	1	2	2	3	3	3
25-34	174	8.1	101	1	1	5	10	17	27	49	34	6.0	56	1	1	3	8	17	25	32
35-54	201	7.5	62	1	1	5	9	15	23	45	66	6.8	94	1	1	4	7	14	19	59
55-74	92	9.4	86	1	2	7	11	19	28	52	44	5.7	50	1	1	4	6	12	15	45
75 +	33	10.8	238	2	2	7	12	19	32	87	18	6.3	14	2	2	5	9	12	13	14
ALL AGES	691	9.4	134	1	1	6	11	22	36	57	191	7.1	113	1	1	4	8	15	26	57
SUBTOTAL	**977**	**9.3**	**135**	**1**	**1**	**6**	**11**	**22**	**35**	**67**	**247**	**7.3**	**132**	**1**	**1**	**4**	**8**	**15**	**27**	**63**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	39	38.5	362	12	20	36	43	67	83	92	2	40.0	1682	11	11	69	92	99 +	99 +	99 +
13-17	94	27.0	450	2	3	28	44	58	87	99 +	19	25.6	530	1	1	18	46	59	64	68
18-20	25	6.0	33	1	1	4	8	17	18	22	7	1.9	1	1	1	2	3	3	3	3
21-24	49	5.7	30	1	1	4	8	13	16	29	9	6.2	38	1	1	4	8	17	21	21
25-34	136	7.6	63	1	1	5	10	17	22	44	24	4.1	13	1	1	3	6	9	12	15
35-54	124	7.6	43	1	1	5	11	17	21	30	32	6.7	73	1	1	4	7	13	29	41
55-74	41	10.3	64	2	2	8	14	21	28	35	12	4.0	10	1	1	3	6	9	10	10
75 +	7	18.6	190	5	5	13	31	39	40	40	5	4.2	7	2	2	3	6	8	8	8
ALL AGES	515	13.6	254	1	1	7	17	41	48	91	110	9.2	212	1	1	4	8	28	50	81
B. FEMALE																				
0-12 YRS.	8	27.6	386	7	7	29	47	84	99 +	99 +	2	34.0	1682	5	5	34	63	63	63	63
13-17	154	25.1	400	3	4	22	42	56	89	99 +	19	17.5	444	2	2	17	29	99 +	99 +	99 +
18-20	40	8.3	87	1	1	5	11	22	32	37	5	12.0	157	1	1	8	23	29	29	29
21-24	84	8.9	126	1	1	5	12	20	30	61	16	5.3	47	1	2	3	5	8	23	30
25-34	215	8.6	61	1	1	6	11	19	26	38	61	7.2	70	1	1	5	9	17	26	41
35-54	239	9.8	91	1	2	7	13	22	30	44	73	7.3	62	1	2	5	8	18	27	39
55-74	59	8.5	50	2	2	7	12	19	24	31	19	7.1	86	1	1	3	9	15	30	41
75 +	18	10.4	57	3	3	9	13	20	29	33	7	6.6	7	2	3	7	9	10	10	10
ALL AGES	817	12.3	184	1	2	7	16	32	44	93	202	8.4	123	1	1	5	9	21	35	99 +
SUBTOTAL	**1332**	**12.8**	**212**	**1**	**2**	**7**	**16**	**36**	**45**	**91**	**312**	**8.7**	**153**	**1**	**1**	**5**	**9**	**24**	**41**	**99 +**
GRAND TOTAL	**2309**	**11.3**	**183**	**1**	**2**	**7**	**14**	**30**	**43**	**79**	**559**	**8.1**	**144**	**1**	**1**	**4**	**8**	**20**	**34**	**91**

NEURASTHENIA (300.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	1.0		1	1	1	1	1	1	1										
25-34																				
35-54											1	1.0		1	1	1	1	1	1	1
55-74											1	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1	2	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	1.0		1	1	1	1	1	1	1	1	8.0		8	8	8	8	8	8	8
55-74											1	10.0		10	10	10	10	10	10	10
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1	2	9.0	2	8	8	9	10	10	10	10
SUBTOTAL	**2**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**	**4**	**5.0**	**22**	**1**	**1**	**5**	**9**	**10**	**10**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	5.0		5	5	5	5	5	5	5										
55-74																				
75 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54											2	11.5	13	9	9	11	14	14	14	14
55-74																				
75 +																				
ALL AGES											2	11.5	13	9	9	11	14	14	14	14
SUBTOTAL	**1**	**5.0**		**5**	**5**	**5**	**5**	**5**	**5**	**5**	**2**	**11.5**	**13**	**9**	**9**	**11**	**14**	**14**	**14**	**14**
GRAND TOTAL	**3**	**2.3**	**6**	**1**	**1**	**1**	**4**	**5**	**5**	**5**	**6**	**7.2**	**26**	**1**	**1**	**8**	**10**	**14**	**14**	**14**

DEPERSONALIZATION SYND (300.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	7.0		7	7	7	7	7	7	7										
75 +																				
ALL AGES	1	7.0		7	7	7	7	7	7	7										
SUBTOTAL	**1**	**7.0**		**7**	**7**	**7**	**7**	**7**	**7**	**7**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20											1	1.0		1	1	1	1	1	1	1
21-24																				
25-34	1	3.0		3	3	3	3	3	3	3										
35-54																				
55-74																				
75 +																				
ALL AGES	1	3.0		3	3	3	3	3	3	3	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
GRAND TOTAL	**2**	**5.0**	**8**	**3**	**3**	**5**	**7**	**7**	**7**	**7**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**

HYPOCHONDRIASIS (300.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																					
A. MALE																					
0-12 YRS.																					
13-17																					
18-20																					
21-24																					
25-34	1	4.0		4	4	4	4	4	4	4											
35-54																					
55-74																					
75 +																					
ALL AGES	1	4.0		4	4	4	4	4	4	4											
B. FEMALE																					
0-12 YRS.																					
13-17																					
18-20																					
21-24																					
25-34	1	6.0		6	6	6	6	6	6	6											
35-54																					
55-74	1	15.0		15	15	15	15	15	15	15	2	26.5	1105	3	3	26	50	50	50	50
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	2	10.5	41	6	6	10	15	15	15	15	3	18.7	734	3	3	3	38	50	50	50
SUBTOTAL	**3**	**8.3**	**35**	**4**	**4**	**6**	**13**	**15**	**15**	**15**	**3**	**18.7**	**734**	**3**	**3**	**3**	**38**	**50**	**50**	**50**
2. PSYCH PRIN, 2ND PSYCH DX(S)																					
A. MALE																					
0-12 YRS.																					
13-17																					
18-20																					
21-24																					
25-34																					
35-54	2	8.0	18	5	5	8	11	11	11	11											
55-74																					
75 +																					
ALL AGES	2	8.0	18	5	5	8	11	11	11	11											
B. FEMALE																					
0-12 YRS.	2	23.5	481	8	8	23	39	39	39	39											
13-17																					
18-20																					
21-24																					
25-34											1	21.0		21	21	21	21	21	21	21
35-54	1	10.0		10	10	10	10	10	10	10											
55-74	3	15.0	36	9	9	15	19	21	21	21											
75 +	1	11.0		11	11	11	11	11	11	11											
ALL AGES	7	16.1	123	8	8	11	19	35	39	39	1	21.0		21	21	21	21	21	21	21
SUBTOTAL	**9**	**14.3**	**107**	**5**	**6**	**11**	**16**	**32**	**39**	**39**	**1**	**21.0**		**21**	**21**	**21**	**21**	**21**	**21**	**21**
GRAND TOTAL	**12**	**12.8**	**92**	**4**	**5**	**10**	**15**	**26**	**37**	**39**	**4**	**19.3**	**490**	**3**	**3**	**12**	**35**	**50**	**50**	**50**

NEUROTIC DISORDERS NEC (300.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74											1	2.0		2	2	2	2	2	2	2
75 +	1	8.0		8	8	8	8	8	8	8										
ALL AGES	1	8.0		8	8	8	8	8	8	8	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17	1	3.0		3	3	3	3	3	3	3	1	2.0		2	2	2	2	2	2	2
18-20																				
21-24	2	6.0	8	4	4	6	8	8	8	8	1	1.0		1	1	1	1	1	1	1
25-34	1	1.0		1	1	1	1	1	1	1	1	8.0		8	8	8	8	8	8	8
35-54	6	3.7	7	1	1	3	7	7	7	7	5	8.2	90	2	2	4	11	25	25	25
55-74	4	12.0	44	5	5	11	16	21	21	21	2	23.5	613	6	6	23	41	41	41	41
75 +	1	8.0		8	8	8	8	8	8	8	1	19.0		19	19	19	19	19	19	19
ALL AGES	15	6.3	27	1	1	5	8	11	19	21	11	10.7	158	1	1	6	16	31	40	41
SUBTOTAL	**16**	**6.4**	**26**	**1**	**1**	**6**	**8**	**11**	**18**	**21**	**12**	**10.0**	**150**	**1**	**1**	**5**	**13**	**30**	**39**	**41**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24											1	2.0		2	2	2	2	2	2	2
25-34																				
35-54	3	12.0	100	2	2	12	19	22	22	22	1	25.0		25	25	25	25	25	25	25
55-74	2	6.0	32	2	2	6	10	10	10	10										
75 +																				
ALL AGES	5	9.6	69	2	2	10	14	22	22	22	2	13.5	265	2	2	13	25	25	25	25
B. FEMALE																				
0-12 YRS.	2	14.0	50	9	9	14	19	19	19	19										
13-17	1	10.0		10	10	10	10	10	10	10										
18-20																				
21-24											1	6.0		6	6	6	6	6	6	6
25-34	3	6.3	47	1	1	4	11	14	14	14	2	16.5	421	2	2	16	31	31	31	31
35-54	6	15.0	354	5	5	7	12	49	53	53	1	5.0		5	5	5	5	5	5	5
55-74	4	12.8	62	4	4	12	18	23	23	23										
75 +																				
ALL AGES	16	12.4	150	2	4	9	14	23	44	53	4	11.0	181	2	2	5	18	31	31	31
SUBTOTAL	**21**	**11.7**	**129**	**1**	**2**	**10**	**14**	**22**	**36**	**53**	**6**	**11.8**	**164**	**2**	**2**	**5**	**25**	**30**	**31**	**31**
GRAND TOTAL	**37**	**9.4**	**90**	**1**	**2**	**8**	**11**	**21**	**23**	**53**	**18**	**10.6**	**146**	**1**	**2**	**5**	**19**	**29**	**37**	**41**

NEUROTIC DISORDER NOS (300.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17	9	8.2	149	1	1	3	10	30	32	32	1	1.0		1	1	1	1	1	1	1
18-20	3	3.3	11	1	1	2	6	7	7	7	2	2.0	2	1	1	2	3	3	3	3
21-24	1	2.0		2	2	2	2	2	2	2	1	6.0		6	6	6	6	6	6	6
25-34	5	2.6	7	1	1	1	4	7	7	7	5	4.0	12	1	1	3	7	9	9	9
35-54	10	4.6	17	1	1	3	10	11	11	11	2	4.5	25	1	1	4	8	8	8	8
55-74	7	3.6	6	1	1	3	4	8	9	9	12	3.8	2	2	2	3	5	6	7	7
75 +	6	4.3	29	1	1	3	3	14	15	15	8	3.3	4	1	1	3	5	6	7	7
ALL AGES	42	4.7	42	1	1	3	4	10	20	32	31	3.6	5	1	1	3	5	7	8	9
B. FEMALE																				
0-12 YRS.																				
13-17	9	9.1	197	1	1	2	14	33	43	43	6	1.5	1	1	1	1	2	3	3	3
18-20	6	1.7	1	1	1	1	3	3	3	3	2	1.0		1	1	1	1	1	1	1
21-24	9	3.0	8	1	1	2	5	8	8	8	4	1.3		1	1	1	2	2	2	2
25-34	11	4.5	17	1	1	3	6	10	15	15	5	2.4	3	1	1	2	3	5	5	5
35-54	13	3.3	8	1	1	2	5	8	9	9	5	1.0		1	1	1	1	1	1	1
55-74	5	6.0	22	2	2	4	8	14	14	14	10	2.9	4	1	1	2	4	6	7	7
75 +	15	8.8	119	1	2	4	11	31	35	37	11	6.4	17	3	3	5	8	14	15	15
ALL AGES	68	5.5	62	1	1	3	6	13	18	42	43	3.1	9	1	1	2	4	7	10	15
SUBTOTAL	**110**	**5.2**	**54**	**1**	**1**	**3**	**6**	**13**	**17**	**39**	**74**	**3.3**	**8**	**1**	**1**	**3**	**5**	**7**	**8**	**15**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17	11	4.2	28	1	1	2	5	11	18	19	2	1.0		1	1	1	1	1	1	1
18-20	10	2.8	8	1	1	2	3	7	10	10	10	7.6	292	1	1	1	5	31	56	56
21-24	15	2.6	6	1	1	2	3	8	8	8	7	4.7	27	1	1	2	8	13	14	14
25-34	45	2.2	5	1	1	1	3	5	7	11	25	2.8	4	1	1	2	4	6	6	7
35-54	34	4.3	28	1	1	2	4	16	16	18	11	3.9	17	1	1	3	4	9	15	16
55-74	14	5.5	62	1	1	3	6	10	27	32	7	6.6	6	5	5	5	8	11	11	11
75 +	2	3.5	5	2	2	3	5	5	5	5	4	2.8	3	1	1	2	4	5	5	5
ALL AGES	131	3.4	19	1	1	2	4	7	15	21	67	4.2	51	1	1	2	5	7	11	49
B. FEMALE																				
0-12 YRS.	2	1.0		1	1	1	1	1	1	1										
13-17	14	7.9	109	1	1	3	10	24	34	37	5	1.4		1	1	1	2	2	2	2
18-20	13	1.6	2	1	1	1	2	4	5	5	9	2.3	4	1	1	1	3	6	7	7
21-24	20	3.6	12	1	1	2	4	9	12	14	5	1.8	2	1	1	1	2	4	4	4
25-34	43	7.8	188	1	1	4	7	10	42	76	13	3.5	7	1	1	3	5	7	9	9
35-54	36	9.1	196	1	1	3	7	37	44	50	22	3.9	16	1	1	3	5	9	14	17
55-74	6	5.2	3	2	2	5	7	7	7	7	5	2.8	3	1	1	2	4	5	5	5
75 +	8	6.0	29	1	1	4	8	15	17	17	2	7.0	2	6	6	7	8	8	8	8
ALL AGES	142	6.7	124	1	1	3	7	13	37	52	61	3.2	9	1	1	2	4	7	8	16
SUBTOTAL	**273**	**5.1**	**77**	**1**	**1**	**2**	**5**	**10**	**18**	**45**	**128**	**3.7**	**31**	**1**	**1**	**2**	**5**	**7**	**10**	**26**
GRAND TOTAL	**383**	**5.1**	**70**	**1**	**1**	**2**	**5**	**10**	**18**	**44**	**202**	**3.6**	**22**	**1**	**1**	**2**	**5**	**7**	**9**	**16**

PARANOID PERSONALITY (301.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	11.0		11	11	11	11	11	11	11										
35-54	4	3.3	10	1	1	2	5	8	8	8	1	4.0		4	4	4	4	4	4	4
55-74																				
75 +																				
ALL AGES	5	4.8	20	1	1	2	9	11	11	11	1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	17.0		17	17	17	17	17	17	17										
35-54																				
55-74	1	5.0		5	5	5	5	5	5	5										
75 +																				
ALL AGES	2	11.0	72	5	5	11	17	17	17	17										
SUBTOTAL	**7**	**6.6**	**34**	**1**	**1**	**5**	**10**	**16**	**17**	**17**	1	4.0		4	4	4	4	4	4	4
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	3.0		3	3	3	3	3	3	3										
21-24	1	3.0		3	3	3	3	3	3	3										
25-34	1	7.0		7	7	7	7	7	7	7										
35-54	2	10.0		10	10	10	10	10	10	10	1	5.0		5	5	5	5	5	5	5
55-74	1	6.0		6	6	6	6	6	6	6										
75 +																				
ALL AGES	6	6.5	10	3	3	6	10	10	10	10	1	5.0		5	5	5	5	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	8.0		8	8	8	8	8	8	8										
35-54																				
55-74	1	2.0		2	2	2	2	2	2	2										
75 +	1	9.0		9	9	9	9	9	9	9										
ALL AGES	3	6.3	15	2	2	8	9	9	9	9										
SUBTOTAL	**9**	**6.4**	**10**	**2**	**2**	**7**	**9**	**10**	**10**	**10**	1	5.0		5	5	5	5	5	5	5
GRAND TOTAL	**16**	**6.5**	**19**	**1**	**2**	**6**	**9**	**11**	**15**	**17**	**2**	**4.5**	**1**	**4**	**4**	**4**	**5**	**5**	**5**	**5**

AFFECTIVE PERSONALITY (301.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	10.0		10	10	10	10	10	10	10										
18-20																				
21-24																				
25-34	2	13.5	41	9	9	13	18	18	18	18										
35-54	4	11.0	89	1	1	11	19	20	20	20	1	6.0		6	6	6	6	6	6	6
55-74	2	18.0	18	15	15	18	21	21	21	21										
75 +																				
ALL AGES	9	13.0	50	1	3	15	19	21	21	21	1	6.0		6	6	6	6	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17	1	7.0		7	7	7	7	7	7	7										
18-20																				
21-24	1	1.0		1	1	1	1	1	1	1										
25-34	4	18.5	79	6	6	20	24	27	27	27	2	10.0	32	6	6	10	14	14	14	14
35-54																				
55-74	2	4.0	2	3	3	4	5	5	5	5										
75 +																				
ALL AGES	8	11.3	95	1	2	6	20	25	27	27	2	10.0	32	6	6	10	14	14	14	14
SUBTOTAL	**17**	**12.2**	**68**	**1**	**2**	**10**	**20**	**21**	**25**	**27**	**3**	**8.7**	**20**	**6**	**6**	**6**	**12**	**14**	**14**	**14**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	2	24.5	1105	1	1	24	48	48	48	48										
21-24																				
25-34	4	1.8	1	1	1	2	2	3	3	3	2	2.5	1	2	2	2	3	3	3	3
35-54	5	5.2	5	2	2	6	7	8	8	8	1	4.0		4	4	4	4	4	4	4
55-74											1	5.0		5	5	5	5	5	5	5
75 +	1	10.0		10	10	10	10	10	10	10										
ALL AGES	12	7.7	170	1	1	3	7	21	44	48	4	3.5	2	2	2	3	4	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17	2	27.0	1058	4	4	27	50	50	50	50										
18-20	1	7.0		7	7	7	7	7	7	7										
21-24	3	21.0	97	10	10	24	28	29	29	29										
25-34	6	15.8	349	1	1	9	24	47	50	50	4	11.3	179	1	1	7	21	30	30	30
35-54	5	8.0	22	2	2	9	11	14	14	14	1	20.0		20	20	20	20	20	20	20
55-74	4	7.8	16	4	4	7	11	13	13	13										
75 +	1	15.0		15	15	15	15	15	15	15										
ALL AGES	22	13.9	190	1	2	9	15	35	50	50	5	13.0	151	1	1	12	22	30	30	30
SUBTOTAL	**34**	**11.7**	**187**	**1**	**1**	**7**	**13**	**31**	**49**	**50**	**9**	**8.8**	**101**	**1**	**1**	**4**	**14**	**26**	**30**	**30**
GRAND TOTAL	**51**	**11.8**	**147**	**1**	**1**	**8**	**17**	**25**	**47**	**50**	**12**	**8.8**	**77**	**1**	**2**	**5**	**13**	**23**	**29**	**30**

SCHIZOID PERSONALITY (301.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	35.5	61	30	30	35	41	41	41	41										
18-20	1	10.0		10	10	10	10	10	10	10										
21-24	3	4.3	10	1	1	5	6	7	7	7	1	17.0		17	17	17	17	17	17	17
25-34	3	9.3	27	5	5	8	13	15	15	15										
35-54	1	3.0		3	3	3	3	3	3	3										
55-74																				
75 +																				
ALL AGES	10	12.5	169	1	2	7	15	35	41	41	1	17.0		17	17	17	17	17	17	17
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	3	9.3	41	2	2	13	13	13	13	13										
25-34	1	13.0		13	13	13	13	13	13	13	1	4.0		4	4	4	4	4	4	4
35-54	3	7.0	52	1	1	5	12	15	15	15										
55-74	1	12.0		12	12	12	12	12	12	12										
75 +																				
ALL AGES	8	9.3	31	1	1	12	13	14	15	15	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	**18**	**11.1**	**104**	**1**	**1**	**9**	**13**	**26**	**37**	**41**	**2**	**10.5**	**85**	**4**	**4**	**10**	**17**	**17**	**17**	**17**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	4	27.0	777	4	4	20	49	63	63	63										
18-20																				
21-24	3	8.0	31	3	3	7	12	14	14	14										
25-34	8	11.0	197	2	3	6	10	35	45	45	1	23.0		23	23	23	23	23	23	23
35-54	3	13.7	133	6	6	8	22	27	27	27										
55-74																				
75 +																				
ALL AGES	18	14.5	288	2	3	7	14	42	56	63	1	23.0		23	23	23	23	23	23	23
B. FEMALE																				
0-12 YRS.																				
13-17	1	30.0		30	30	30	30	30	30	30	1	6.0		6	6	6	6	6	6	6
18-20																				
21-24																				
25-34	3	8.0	19	5	5	6	11	13	13	13										
35-54	1	2.0		2	2	2	2	2	2	2										
55-74	1	4.0		4	4	4	4	4	4	4										
75 +																				
ALL AGES	6	10.0	110	2	2	5	13	28	30	30	1	6.0		6	6	6	6	6	6	6
SUBTOTAL	**24**	**13.4**	**240**	**2**	**3**	**6**	**13**	**36**	**50**	**63**	**2**	**14.5**	**145**	**6**	**6**	**14**	**23**	**23**	**23**	**23**
GRAND TOTAL	**42**	**12.4**	**179**	**1**	**2**	**7**	**13**	**32**	**43**	**63**	**4**	**12.5**	**82**	**4**	**4**	**11**	**20**	**23**	**23**	**23**

EXPLOSIVE PERSONALITY (301.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	3	7.7	80	2	2	3	14	18	18	18										
35-54	5	5.2	10	2	2	6	7	9	9	9										
55-74											1	7.0		7	7	7	7	7	7	7
75 +	2	6.0	32	2	2	6	10	10	10	10										
ALL AGES	10	6.1	27	2	2	4	9	14	18	18	1	7.0		7	7	7	7	7	7	7
B. FEMALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3										
13-17																				
18-20	2	18.0	338	5	5	18	31	31	31	31										
21-24																				
25-34																				
35-54																				
55-74											1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	3	13.0	244	3	3	5	24	31	31	31	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**13**	**7.7**	**70**	**2**	**2**	**5**	**9**	**21**	**29**	**31**	**2**	**4.5**	**13**	**2**	**2**	**4**	**7**	**7**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	5	19.2	350	3	3	17	29	49	49	49										
18-20	1	16.0		16	16	16	16	16	16	16										
21-24																				
25-34	6	11.8	87	1	1	14	19	22	22	22										
35-54	3	12.3	44	6	6	12	17	19	19	19										
55-74	1	10.0		10	10	10	10	10	10	10										
75 +																				
ALL AGES	16	14.4	140	1	1	14	19	23	41	49										
B. FEMALE																				
0-12 YRS.																				
13-17	1	12.0		12	12	12	12	12	12	12										
18-20	1	4.0		4	4	4	4	4	4	4										
21-24																				
25-34	1	12.0		12	12	12	12	12	12	12										
35-54											2	2.0	2	1	1	1	3	3	3	3
55-74																				
75 +																				
ALL AGES	3	9.3	22	4	4	12	12	12	12	12	2	2.0	2	1	1	1	3	3	3	3
SUBTOTAL	**19**	**13.6**	**122**	**1**	**2**	**12**	**19**	**23**	**37**	**49**	**2**	**2.0**	**2**	**1**	**1**	**3**	**76**	**99 +**	**99 +**	**99 +**
GRAND TOTAL	**32**	**11.2**	**107**	**1**	**2**	**9**	**17**	**22**	**30**	**49**	**4**	**3.3**	**6**	**1**	**1**	**3**	**30**	**99 +**	**99 +**	**99 +**

COMPULSIVE PERSONALITY (301.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	3	4.3	7	2	2	4	6	7	7	7										
35-54	1	4.0		4	4	4	4	4	4	4										
55-74																				
75 +	1	15.0		15	15	15	15	15	15	15										
ALL AGES	5	6.4	26	2	2	4	9	15	15	15										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	41.0		41	41	41	41	41	41	41										
35-54	1	8.0		8	8	8	8	8	8	8										
55-74																				
75 +																				
ALL AGES	2	24.5	545	8	8	24	41	41	41	41										
SUBTOTAL	**7**	**11.6**	**186**	**2**	**2**	**7**	**13**	**36**	**41**	**41**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	2	11.0	98	4	4	11	18	18	18	18										
21-24																				
25-34	1	4.0		4	4	4	4	4	4	4										
35-54	2	7.5	1	7	7	7	8	8	8	8										
55-74	2	7.0	18	4	4	7	10	10	10	10										
75 +																				
ALL AGES	7	7.9	25	4	4	7	9	16	18	18										
B. FEMALE																				
0-12 YRS.																				
13-17	1	21.0		21	21	21	21	21	21	21										
18-20																				
21-24																				
25-34	2	4.5	1	4	4	4	5	5	5	5										
35-54	1	11.0		11	11	11	11	11	11	11										
55-74	2	7.0	18	4	4	7	10	10	10	10	1	17.0		17	17	17	17	17	17	17
75 +																				
ALL AGES	6	9.2	42	4	4	7	11	20	21	21	1	17.0		17	17	17	17	17	17	17
SUBTOTAL	**13**	**8.5**	**30**	**4**	**4**	**7**	**10**	**19**	**21**	**21**	**1**	**17.0**		**17**	**17**	**17**	**17**	**17**	**17**	**17**
GRAND TOTAL	**20**	**9.6**	**80**	**3**	**4**	**7**	**11**	**19**	**31**	**41**	**1**	**17.0**		**17**	**17**	**17**	**17**	**17**	**17**	**17**

HISTRIONIC PERSONALITY (301.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	14.0		14	14	14	14	14	14	14	1	4.0		4	4	4	4	4	4	4
13-17																				
18-20																				
21-24	1	5.0		5	5	5	5	5	5	5										
25-34	1	5.0		5	5	5	5	5	5	5	1	6.0		6	6	6	6	6	6	6
35-54	1	4.0		4	4	4	4	4	4	4	2	1.0		1	1	1	1	1	1	1
55-74																				
75 +																				
ALL AGES	4	7.0	22	4	4	5	10	14	14	14	4	3.0	6	1	1	3	5	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17	1	9.0		9	9	9	9	9	9	9										
18-20																				
21-24	1	1.0		1	1	1	1	1	1	1	1	7.0		7	7	7	7	7	7	7
25-34	1	4.0		4	4	4	4	4	4	4	2	2.0	2	1	1	2	3	3	3	3
35-54	3	2.0	1	1	1	2	3	3	3	3	1	1.0		1	1	1	1	1	1	1
55-74	1	5.0		5	5	5	5	5	5	5										
75 +																				
ALL AGES	7	3.6	8	1	1	3	5	8	9	9	4	3.0	8	1	1	2	5	7	7	7
SUBTOTAL	**11**	**4.8**	**15**	**1**	**1**	**4**	**5**	**11**	**14**	**14**	**8**	**3.0**	**6**	**1**	**1**	**2**	**5**	**7**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24											1	3.0		3	3	3	3	3	3	3
25-34	3	4.3	18	1	1	3	7	9	9	9										
35-54											1	3.0		3	3	3	3	3	3	3
55-74																				
75 +																				
ALL AGES	3	4.3	18	1	1	3	7	9	9	9	2	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17	2	6.0	50	1	1	6	11	11	11	11										
18-20																				
21-24	1	10.0		10	10	10	10	10	10	10	1	1.0		1	1	1	1	1	1	1
25-34	6	6.8	100	1	1	3	5	25	27	27										
35-54	8	4.1	3	2	2	4	5	6	7	7	1	5.0		5	5	5	5	5	5	5
55-74	2	12.5	5	11	11	12	14	14	14	14	1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES	19	6.4	39	1	1	5	9	13	21	27	3	3.3	5	1	1	4	5	5	5	5
SUBTOTAL	**22**	**6.1**	**36**	**1**	**1**	**4**	**9**	**12**	**19**	**27**	**5**	**3.2**	**2**	**1**	**1**	**3**	**4**	**5**	**5**	**5**
GRAND TOTAL	**33**	**5.7**	**28**	**1**	**1**	**4**	**7**	**12**	**14**	**27**	**13**	**3.1**	**4**	**1**	**1**	**3**	**4**	**6**	**7**	**7**

DEPENDENT PERSONALITY (301.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54	3	1.3		1	1	1	2	2	2	2										
55-74																				
75 +																				
ALL AGES	4	1.3		1	1	1	1	2	2	2										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	2.0		2	2	2	2	2	2	2	1	12.0		12	12	12	12	12	12	12
35-54	3	5.3	6	4	4	4	7	8	8	8										
55-74																				
75 +																				
ALL AGES	4	4.5	6	2	2	4	6	8	8	8	1	12.0		12	12	12	12	12	12	12
SUBTOTAL	**8**	**2.9**	**6**	**1**	**1**	**2**	**4**	**7**	**8**	**8**	**1**	**12.0**		**12**	**12**	**12**	**12**	**12**	**12**	**12**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	2	4.5	1	4	4	4	5	5	5	5										
21-24	2	9.0		9	9	9	9	9	9	9	1	1.0		1	1	1	1	1	1	1
25-34	9	6.0	80	1	1	2	6	21	29	29										
35-54	6	8.3	109	1	1	5	7	27	29	29										
55-74	1	4.0		4	4	4	4	4	4	4										
75 +																				
ALL AGES	20	6.8	64	1	1	5	7	19	29	29	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	2	3.5	1	3	3	3	4	4	4	4										
21-24	2	11.0	32	7	7	11	15	15	15	15										
25-34	6	3.3	9	1	1	2	7	7	7	7	1	4.0		4	4	4	4	4	4	4
35-54	12	12.3	136	2	3	9	15	26	43	46	3	12.3	323	1	1	3	25	33	33	33
55-74											3	1.7		1	1	2	2	2	2	2
75 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	23	8.8	90	1	2	7	11	17	27	46	7	6.6	137	1	1	2	4	27	33	33
SUBTOTAL	**43**	**7.9**	**77**	**1**	**1**	**6**	**9**	**17**	**29**	**46**	**8**	**5.9**	**121**	**1**	**1**	**2**	**3**	**24**	**33**	**33**
GRAND TOTAL	**51**	**7.1**	**69**	**1**	**1**	**5**	**8**	**16**	**28**	**46**	**9**	**6.6**	**110**	**1**	**1**	**2**	**6**	**25**	**33**	**33**

ANTISOCIAL PERSONALITY (301.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17																				
18-20	2	3.0	8	1	1	3	5	5	5	5										
21-24	3	1.3		1	1	1	2	2	2	2	1	1.0		1	1	1	1	1	1	1
25-34	1	3.0		3	3	3	3	3	3	3	1	11.0		11	11	11	11	11	11	11
35-54	2	2.5	5	1	1	2	4	4	4	4	1	6.0		6	6	6	6	6	6	6
55-74																				
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	10	2.3	2	1	1	2	3	4	5	5	3	6.0	25	1	1	6	10	11	11	11
B. FEMALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-20	1	7.0		7	7	7	7	7	7	7										
21-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54	3	12.3	179	1	1	9	22	27	27	27										
55-74																				
75 +																				
ALL AGES	6	7.7	101	1	1	4	9	25	27	27										
SUBTOTAL	**16**	**4.3**	**42**	**1**	**1**	**2**	**4**	**9**	**22**	**27**	**3**	**6.0**	**25**	**1**	**1**	**6**	**10**	**11**	**11**	**11**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	4	12.3	129	1	1	10	20	28	28	28										
18-20	7	4.0	10	1	1	4	7	8	8	8	1	1.0		1	1	1	1	1	1	1
21-24	3	1.3		1	1	1	2	2	2	2	1	3.0		3	3	3	3	3	3	3
25-34	14	5.2	51	1	1	2	4	14	24	27	1	4.0		4	4	4	4	4	4	4
35-54	9	3.9	9	1	1	3	6	8	10	10										
55-74	1	3.0		3	3	3	3	3	3	3										
75 +																				
ALL AGES	38	5.1	39	1	1	3	6	11	21	28	3	2.7	2	1	1	3	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17	1	5.0		5	5	5	5	5	5	5										
18-20	1	9.0		9	9	9	9	9	9	9										
21-24											1	3.0		3	3	3	3	3	3	3
25-34	3	5.3	27	1	1	4	9	11	11	11										
35-54	1	1.0		1	1	1	1	1	1	1										
55-74																				
75 +																				
ALL AGES	6	5.2	17	1	1	4	9	11	11	11	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**44**	**5.1**	**36**	**1**	**1**	**3**	**7**	**11**	**17**	**28**	**4**	**2.8**	**1**	**1**	**1**	**3**	**4**	**4**	**4**	**4**
GRAND TOTAL	**60**	**4.9**	**37**	**1**	**1**	**3**	**6**	**10**	**20**	**28**	**7**	**4.1**	**13**	**1**	**1**	**3**	**5**	**10**	**11**	**11**

OTHER PERSONALITY DIS (301.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																					
A. MALE																					
0-12 YRS.																					
13-17	2	43.5	1405	17	17	43	70	70	70	70											
18-20	4	2.5	4	1	1	2	4	5	5	5											
21-24	10	3.2	5	1	1	3	4	6	8	8	2	4.0	2	3	3	4	5	5	5	5
25-34	18	5.0	16	1	1	4	8	11	13	14	2	1.5	1	1	1	1	2	2	2	2
35-54	13	6.9	58	1	1	4	7	20	26	27	4	1.8		1	1	2	2	2	2	2
55-74	2	9.0	18	6	6	9	12	12	12	12											
75 +																					
ALL AGES	49	6.7	112	1	1	4	7	13	18	70	8	2.3	1	1	1	2	3	4	5	5
B. FEMALE																					
0-12 YRS.																					
13-17	10	8.3	155	1	1	5	11	65	97	99 +	1	40.0		40	40	40	40	40	40	40
18-20	10	4.0	9	1	1	3	7	8	9	9	4	3.3	4	1	1	3	5	6	6	6
21-24	22	8.8	46	1	2	7	13	20	23	26	3	3.0	12	1	1	1	6	7	7	7
25-34	56	7.9	98	1	1	4	8	14	38	42	6	3.7	6	1	1	3	6	7	7	7
35-54	37	5.6	23	1	2	4	6	12	16	24	2	4.5	5	3	3	4	6	6	6	6
55-74																					
75 +	1	2.0		2	2	2	2	2	2	2											
ALL AGES	136	7.1	67	1	1	4	8	14	30	50	16	5.8	88	1	1	3	6	7	30	40
SUBTOTAL	**185**	**7.0**	**78**	**1**	**1**	**4**	**8**	**14**	**26**	**60**	**24**	**4.6**	**61**	**1**	**1**	**3**	**5**	**7**	**17**	**40**
2. PSYCH PRIN, 2ND PSYCH DX(S)																					
A. MALE																					
0-12 YRS.	1	82.0		82	82	82	82	82	82	82											
13-17	14	26.1	455	3	5	21	33	55	72	77											
18-20	12	8.4	128	1	1	4	9	30	34	35	1	26.0		26	26	26	26	26	26	26
21-24	23	6.0	29	1	2	5	7	11	17	26	2	26.0	1250	1	1	25	51	51	51	51
25-34	61	6.2	35	1	1	4	7	14	21	26	7	6.1	19	1	1	8	10	11	11	11
35-54	31	5.8	40	1	1	3	8	14	17	30	3	6.0	19	1	1	8	9	9	9	9
55-74	2	13.0	162	4	4	13	22	22	22	22											
75 +	1	6.0		6	6	6	6	6	6	6	1	6.0		6	6	6	6	6	6	6
ALL AGES	145	8.8	152	1	1	4	10	22	28	77	14	10.4	179	1	1	8	10	28	46	51
B. FEMALE																					
0-12 YRS.																					
13-17	9	20.8	903	1	1	7	24	75	87	87	2	4.0	2	3	3	4	5	5	5	5
18-20	10	13.1	310	1	2	7	16	39	61	61	1	6.0		6	6	6	6	6	6	6
21-24	41	10.9	147	1	2	7	14	27	30	65	3	3.3	5	1	1	4	5	5	5	5
25-34	99	9.7	153	1	1	5	12	22	32	70	12	6.2	36	1	1	4	7	18	20	20
35-54	51	11.1	109	1	1	7	14	24	35	79	8	6.9	7	2	3	7	8	10	11	11
55-74	2	7.0	2	6	6	7	8	8	8	8	1	1.0		1	1	1	1	1	1	1
75 +	1	7.0		7	7	7	7	7	7	7	1	8.0		8	8	8	8	8	8	8
ALL AGES	213	10.8	199	1	1	6	13	24	36	81	28	5.8	19	1	1	5	7	10	17	20
SUBTOTAL	**358**	**10.0**	**180**	**1**	**1**	**5**	**11**	**22**	**33**	**79**	**42**	**7.3**	**75**	**1**	**1**	**6**	**8**	**13**	**22**	**51**
GRAND TOTAL	**543**	**9.0**	**147**	**1**	**1**	**5**	**10**	**21**	**31**	**77**	**66**	**6.3**	**71**	**1**	**1**	**4**	**7**	**11**	**21**	**49**

PERSONALITY DISORDER NOS (301.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.																						
13-17	2	40.0	648	22	22	40	58	58	58	58	1	5.0		5	5	5	5	5	5	5
18-20	1	1.0		1	1	1	1	1	1	1										
21-24	5	4.4	29	1	1	2	6	14	14	14	1	2.0		2	2	2	2	2	2	2
25-34	10	3.7	4	1	1	3	5	7	8	8	1	2.0		2	2	2	2	2	2	2
35-54	8	4.0	11	1	1	3	5	9	11	11	1	1.0		1	1	1	1	1	1	1
55-74	2	7.0	18	4	4	7	10	10	10	10										
75 +	2	4.0	8	2	2	4	6	6	6	6										
ALL AGES	30	6.5	115	1	1	3	6	12	22	58	4	2.5	3	1	1	2	4	5	5	5
B. FEMALE																						
0-12 YRS.	1	6.0		6	6	6	6	6	6	6										
13-17	3	12.0	1	11	11	12	13	13	13	13										
18-20	2	3.5	1	3	3	3	4	4	4	4										
21-24	2	3.0	8	1	1	3	5	5	5	5	1	1.0		1	1	1	1	1	1	1
25-34	11	3.3	15	1	1	1	4	10	13	13										
35-54	10	12.3	690	1	1	3	5	51	86	86	2	3.5	5	2	2	3	5	5	5	5
55-74	2	14.5	313	2	2	14	27	27	27	27	1	9.0		9	9	9	9	9	9	9
75 +	1	1.0		1	1	1	1	1	1	1	1	6.0		6	6	6	6	6	6	6
ALL AGES	32	7.6	239	1	1	3	7	14	26	86	5	4.6	10	1	1	5	7	9	9	9
SUBTOTAL	**62**	**7.1**	**176**	**1**	**1**	**3**	**6**	**13**	**24**	**83**	**9**	**3.7**	**7**	**1**	**1**	**2**	**5**	**8**	**9**	**9**
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.	2	21.5	365	8	8	21	35	35	35	35										
13-17	4	5.0	24	1	1	4	9	11	11	11	1	3.0		3	3	3	3	3	3	3
18-20	3	3.3	11	1	1	2	6	7	7	7										
21-24	7	2.3	4	1	1	1	3	6	6	6	1	2.0		2	2	2	2	2	2	2
25-34	22	3.5	14	1	1	2	5	8	14	15	3	1.3		1	1	1	2	2	2	2
35-54	10	7.5	91	1	1	3	8	25	27	27	1	11.0		11	11	11	11	11	11	11
55-74	3	15.3	88	5	5	18	22	23	23	23	2	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES	51	5.6	56	1	1	3	6	16	23	35	8	2.8	11	1	1	1	3	9	11	11
B. FEMALE																						
0-12 YRS.																						
13-17	4	5.3	6	3	3	4	7	9	9	9										
18-20	2	9.0	32	5	5	9	13	13	13	13	1	3.0		3	3	3	3	3	3	3
21-24	3	2.7		2	2	3	3	3	3	3										
25-34	20	6.6	156	1	1	3	6	8	34	59	1	2.0		2	2	2	2	2	2	2
35-54	16	8.3	46	2	3	6	10	22	23	23	2	6.5	1	6	6	6	7	7	7	7
55-74	3	5.0	13	1	1	6	7	8	8	8	2	5.5	1	5	5	5	6	6	6	6
75 +	1	18.0		18	18	18	18	18	18	18	1	7.0		7	7	7	7	7	7	7
ALL AGES	49	7.0	83	1	2	5	7	15	23	59	7	5.1	4	2	2	6	7	7	7	7
SUBTOTAL	**100**	**6.3**	**69**	**1**	**1**	**4**	**7**	**16**	**23**	**47**	**15**	**3.9**	**9**	**1**	**1**	**3**	**6**	**7**	**10**	**11**
GRAND TOTAL	**162**	**6.6**	**109**	**1**	**1**	**3**	**6**	**14**	**23**	**59**	**24**	**3.8**	**8**	**1**	**1**	**3**	**6**	**7**	**10**	**11**

HOMOSEXUALITY (302.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	2.0		2	2	2	2	2	2	2										
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20											1	1.0		1	1	1	1	1	1	1
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL											**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
GRAND TOTAL	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**

PEDOPHILIA (302.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	2	14.0	98	7	7	14	21	21	21	21										
25-34											2	6.5	25	3	3	6	10	10	10	10
35-54																				
55-74											1	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES	2	14.0	98	7	7	14	21	21	21	21	3	4.7	22	1	1	3	8	10	10	10
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**2**	**14.0**	**98**	**7**	**7**	**14**	**21**	**21**	**21**	**21**	**3**	**4.7**	**22**	**1**	**1**	**3**	**8**	**10**	**10**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	14.0		14	14	14	14	14	14	14										
18-20																				
21-24																				
25-34											1	2.0		2	2	2	2	2	2	2
35-54																				
55-74											1	3.0		3	3	3	3	3	3	3
75 +											1	8.0		8	8	8	8	8	8	8
ALL AGES	1	14.0		14	14	14	14	14	14	14	3	4.3	11	2	2	3	7	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-17	1	6.0		6	6	6	6	6	6	6										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	6.0		6	6	6	6	6	6	6										
SUBTOTAL	**2**	**10.0**	**32**	**6**	**6**	**10**	**14**	**14**	**14**	**14**	**3**	**4.3**	**11**	**2**	**2**	**3**	**7**	**8**	**8**	**8**
GRAND TOTAL	**4**	**12.0**	**49**	**6**	**6**	**10**	**17**	**21**	**21**	**21**	**6**	**4.5**	**13**	**1**	**1**	**3**	**8**	**10**	**10**	**10**

TRANSVESTISM (302.3)

	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS										
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																					
A. MALE																					
0-12 YRS.																					
13-17																					
18-20																					
21-24																					
25-34																					
35-54																					
55-74																					
75 +																					
ALL AGES																					
B. FEMALE																					
0-12 YRS.																					
13-17																					
18-20																					
21-24																					
25-34																					
35-54																					
55-74																					
75 +																					
ALL AGES																					
SUBTOTAL																					
2. PSYCH PRIN, 2ND PSYCH DX(S)																					
A. MALE																					
0-12 YRS.																					
13-17																					
18-20																					
21-24																					
25-34	1	1.0		1	1	1	1	1	1	1											
35-54																					
55-74																					
75 +																					
ALL AGES	1	1.0		1	1	1	1	1	1	1											
B. FEMALE																					
0-12 YRS.																					
13-17																					
18-20																					
21-24																					
25-34																					
35-54																					
55-74																					
75 +																					
ALL AGES																					
SUBTOTAL	1	1.0		1	1	1	1	1	1	1											
GRAND TOTAL	1	1.0		1	1	1	1	1	1	1											

EXHIBITIONISM (302.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	1.0		1	1	1	1	1	1	1										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
SUBTOTAL	1	1.0		1	1	1	1	1	1	1										
GRAND TOTAL	1	1.0		1	1	1	1	1	1	1										

TRANS-SEXUALISM (302.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24											3	5.7	10	2	2	7	8	8	8	8
25-34											2	3.5	5	2	2	3	5	5	5	5
35-54	1	1.0		1	1	1	1	1	1	1	1	2.0		2	2	2	2	2	2	2
55-74											1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1	7	4.1	7	2	2	3	6	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20											1	9.0		9	9	9	9	9	9	9
21-24											10	7.5	7	2	2	9	9	9	9	9
25-34	1	5.0		5	5	5	5	5	5	5	69	8.3	5	2	3	9	9	10	10	11
35-54	2	6.5	5	5	5	6	8	8	8	8	49	8.2	7	2	3	9	9	9	10	14
55-74											4	9.0		9	9	9	9	9	9	9
75 +																				
ALL AGES	3	6.0	3	5	5	5	7	8	8	8	133	8.2	6	2	3	9	9	9	10	12
SUBTOTAL	**4**	**4.8**	**8**	**1**	**1**	**5**	**7**	**8**	**8**	**8**	**140**	**8.0**	**7**	**2**	**3**	**9**	**9**	**9**	**10**	**12**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	4	4.8	8	1	1	5	7	8	8	8	140	8.0	7	2	3	9	9	9	10	12

PSYCHOSEX IDENTITY DIS (302.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	33.0		33	33	33	33	33	33	33										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	33.0		33	33	33	33	33	33	33										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	33.0		33	33	33	33	33	33	33										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	1	33.0		33	33	33	33	33	33	33										

PSYCHOSEXUAL DYSFUNCTION (302.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	6	2.0	1	1	1	2	2	4	4	4	13	2.2	2	1	1	2	3	4	6	6
55-74	6	2.0	2	1	1	2	3	4	4	4	17	2.5	2	1	1	2	3	5	6	6
75 +																				
ALL AGES	12	2.0	1	1	1	2	3	4	4	4	30	2.4	2	1	1	2	3	4	6	6
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	2.0		2	2	2	2	2	2	2										
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
SUBTOTAL	13	2.0	1	1	1	2	3	4	4	4	30	2.4	2	1	1	2	3	4	6	6
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	13	2.0	1	1	1	2	3	4	4	4	30	2.4	2	1	1	2	3	4	6	6

PSYCHOSEXUAL DIS NEC (302.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.	1	50.0		50	50	50	50	50	50	50										
13-17																				
18-20																				
21-24																				
25-34	1	5.0		5	5	5	5	5	5	5										
35-54	1	14.0		14	14	14	14	14	14	14										
55-74																				
75 +																				
ALL AGES	3	23.0	567	5	5	14	41	50	50	50										
SUBTOTAL	**3**	**23.0**	**567**	**5**	**5**	**14**	**41**	**50**	**50**	**50**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20											1	24.0		24	24	24	24	24	24	24
21-24																				
25-34	2	8.5	13	6	6	8	11	11	11	11										
35-54																				
55-74											1	14.0		14	14	14	14	14	14	14
75 +																				
ALL AGES	2	8.5	13	6	6	8	11	11	11	11	2	19.0	50	14	14	19	24	24	24	24
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**2**	**8.5**	**13**	**6**	**6**	**8**	**11**	**11**	**11**	**11**	**2**	**19.0**	**50**	**14**	**14**	**19**	**24**	**24**	**24**	**24**
GRAND TOTAL	**5**	**17.2**	**350**	**5**	**5**	**11**	**23**	**50**	**50**	**50**	**2**	**19.0**	**50**	**14**	**14**	**19**	**24**	**24**	**24**	**24**

PSYCHOSEXUAL DIS NOS (302.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74											1	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES											1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL											1	1.0		1	1	1	1	1	1	1
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL											1	1.0		1	1	1	1	1	1	1

AC ALCOHOL INTOXICATION (303.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17	10	1.6	1	1	1	1	2	3	4	4	14	1.2		1	1	1	1	2	3	3
18-20	4	1.3		1	1	1	2	2	2	2	3	1.0		1	1	1	1	1	1	1
21-24	17	5.4	72	1	1	2	4	23	28	28	3	1.0		1	1	1	1	1	1	1
25-34	72	3.6	23	1	1	2	4	7	12	26	41	5.0	53	1	1	2	4	15	25	30
35-54	177	4.8	42	1	1	3	5	10	22	28	128	5.8	68	1	1	3	5	19	29	37
55-74	87	5.1	35	1	1	3	5	11	21	33	81	6.3	71	1	1	3	5	22	29	34
75 +	11	5.3	27	1	1	3	6	14	18	18	5	6.4	68	1	1	3	8	21	21	21
ALL AGES	379	4.6	36	1	1	3	4	9	21	28	275	5.5	62	1	1	3	4	20	28	34
B. FEMALE																						
0-12 YRS.																						
13-17	12	2.3	4	1	1	1	3	6	7	7	2	1.0		1	1	1	1	1	1	1
18-20	4	1.3		1	1	1	1	2	2	2	1	1.0		1	1	1	1	1	1	1
21-24	4	2.3	2	1	1	2	3	4	4	4	2	1.0		1	1	1	1	1	1	1
25-34	20	4.0	26	1	1	2	4	10	16	22	13	3.5	39	1	1	2	3	8	21	24
35-54	59	4.1	31	1	1	2	4	10	17	29	43	5.3	63	1	1	2	4	23	26	31
55-74	30	4.3	14	1	1	3	6	7	10	21	25	3.8	19	1	1	3	4	6	11	23
75 +	8	10.9	221	1	1	4	16	37	43	43										
ALL AGES	137	4.2	35	1	1	2	4	9	18	32	86	4.3	44	1	1	2	4	8	24	30
SUBTOTAL	**516**	**4.5**	**36**	**1**	**1**	**3**	**4**	**9**	**21**	**28**	**361**	**5.2**	**58**	**1**	**1**	**3**	**4**	**15**	**27**	**34**
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.																						
13-17	8	14.6	314	1	1	3	32	39	42	42	27	23.3	299	1	1	27	34	39	60	61
18-20	12	10.2	153	1	1	3	22	30	32	32	13	17.4	269	1	1	18	28	40	48	50
21-24	34	6.5	98	1	1	2	6	29	29	31	47	13.7	127	1	1	14	21	30	35	40
25-34	158	8.1	105	1	1	3	8	29	29	31	253	11.8	97	1	2	8	21	28	30	33
35-54	298	8.2	90	1	1	4	9	29	30	32	455	11.1	105	1	2	5	21	28	30	33
55-74	158	7.9	66	1	2	4	10	21	28	31	209	9.0	93	1	2	4	11	23	28	42
75 +	14	8.4	67	1	1	6	11	18	29	32	30	8.1	46	2	2	6	11	19	21	29
ALL AGES	682	8.1	91	1	1	4	9	28	30	32	1034	11.3	112	1	2	6	21	28	30	38
B. FEMALE																						
0-12 YRS.																						
13-17	14	15.6	757	1	1	3	7	69	80	83	13	42.0	397	5	23	43	49	75	77	77
18-20	12	7.7	126	1	1	2	9	29	33	34	10	16.4	116	1	1	20	24	28	29	29
21-24	14	5.5	51	1	1	4	6	11	25	29	21	14.8	133	1	2	14	23	31	32	33
25-34	73	10.1	139	1	1	4	15	30	30	53	114	12.5	109	1	1	9	21	28	30	36
35-54	146	6.2	57	1	1	3	6	15	28	30	137	12.1	140	1	2	6	21	30	32	46
55-74	65	9.1	87	2	2	5	11	26	30	34	105	9.9	142	1	2	5	14	25	29	61
75 +	9	8.4	18	4	4	8	11	15	16	16	5	9.8	25	5	5	9	12	18	18	18
ALL AGES	333	8.1	113	1	1	4	9	27	30	45	405	12.8	167	1	2	6	21	30	34	52
SUBTOTAL	**1015**	**8.1**	**98**	**1**	**1**	**4**	**9**	**28**	**30**	**33**	**1439**	**11.7**	**128**	**1**	**2**	**6**	**21**	**29**	**31**	**43**
GRAND TOTAL	**1531**	**6.9**	**80**	**1**	**1**	**3**	**7**	**23**	**29**	**32**	**1800**	**10.4**	**121**	**1**	**1**	**5**	**19**	**28**	**30**	**40**

ALCOHOL DEPEND NEC/NOS (303.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	11.5	181	2	2	11	21	21	21	21										
13-17	14	24.0	408	1	1	27	44	45	45	45	7	26.9	308	1	3	28	31	53	59	59
18-20	13	15.4	143	1	1	22	26	28	28	28	26	22.0	136	3	4	23	28	39	44	49
21-24	35	19.6	113	1	2	23	28	30	30	30	43	20.9	141	1	2	23	29	38	40	43
25-34	235	17.5	128	1	2	21	28	30	32	35	321	15.7	126	2	2	18	27	30	31	35
35-54	575	15.6	120	1	2	19	26	28	30	35	643	14.6	126	1	2	15	25	29	30	35
55-74	329	15.7	105	2	3	19	24	28	30	33	329	14.9	122	2	2	17	23	30	31	38
75 +	14	12.2	175	1	1	5	21	30	42	45	25	14.6	112	2	3	10	25	28	30	34
ALL AGES	1217	16.1	124	1	2	20	27	29	31	37	1394	15.3	129	2	2	17	25	29	31	39
B. FEMALE																				
0-12 YRS.											1	3.0		3	3	3	3	3	3	3
13-17	9	36.9	174	12	16	45	45	46	47	47	7	12.0	113	2	2	10	19	28	30	30
18-20	5	20.4	172	3	3	27	30	33	33	33	1	31.0		31	31	31	31	31	31	31
21-24	13	17.6	175	2	3	20	28	33	37	38	15	19.8	141	1	2	23	29	32	33	33
25-34	93	16.8	118	2	2	21	27	29	30	32	110	16.7	144	1	2	20	28	30	34	40
35-54	212	16.5	127	1	2	21	27	30	31	38	220	16.6	140	2	2	21	27	30	32	37
55-74	113	16.3	99	2	3	21	25	29	30	32	159	15.6	128	2	3	14	26	30	31	40
75 +	10	15.5	91	2	4	18	21	27	33	33	14	13.2	115	2	2	9	21	28	30	31
ALL AGES	455	17.0	126	2	2	21	27	30	31	45	527	16.2	138	2	2	20	27	30	32	38
SUBTOTAL	**1672**	**16.4**	**123**	**1**	**2**	**20**	**27**	**29**	**31**	**41**	**1921**	**15.6**	**130**	**2**	**2**	**18**	**26**	**30**	**31**	**39**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	29.0		29	29	29	29	29	29	29										
13-17	102	32.5	245	6	10	34	45	48	60	88	69	33.7	316	3	10	35	43	59	62	83
18-20	40	24.8	277	2	3	27	32	43	45	90	63	21.2	109	2	4	25	29	30	33	45
21-24	101	21.3	134	2	3	25	28	31	36	56	94	21.3	99	3	4	23	28	30	33	44
25-34	459	18.6	121	1	2	21	28	30	32	35	476	18.4	121	2	3	21	28	30	33	40
35-54	486	15.1	129	1	2	12	27	30	32	37	406	17.3	150	2	2	20	28	30	33	41
55-74	172	13.2	98	1	3	10	21	28	30	39	188	14.3	136	2	2	9	25	31	33	41
75 +	15	16.2	136	2	4	14	24	30	37	40	19	10.1	72	1	2	6	17	23	27	28
ALL AGES	1376	18.1	158	1	2	21	28	32	36	47	1315	18.5	156	2	3	21	28	31	36	50
B. FEMALE																				
0-12 YRS.	3	23.0	444	3	3	21	39	45	45	45										
13-17	62	32.4	205	6	13	34	44	48	57	97	49	33.0	334	3	5	32	42	49	60	95
18-20	23	17.1	295	1	1	7	29	46	50	55	22	20.2	192	1	2	21	29	37	49	51
21-24	33	20.8	131	1	1	25	28	33	35	35	26	25.6	58	6	18	27	29	33	36	39
25-34	140	16.3	135	1	2	19	28	30	32	35	148	18.5	144	1	2	23	28	30	32	43
35-54	184	15.4	137	1	2	12	27	31	33	42	155	17.6	137	2	3	20	28	30	33	40
55-74	96	18.0	124	3	3	21	28	32	36	39	90	16.0	137	2	3	18	25	30	35	44
75 +	3	5.7	6	3	3	6	7	8	8	8	8	16.0	162	4	4	13	24	35	38	38
ALL AGES	544	18.4	175	1	2	21	29	34	41	55	498	19.6	179	2	3	22	29	33	42	50
SUBTOTAL	**1920**	**18.2**	**162**	**1**	**2**	**21**	**28**	**32**	**37**	**50**	**1813**	**18.8**	**162**	**2**	**3**	**21**	**28**	**32**	**37**	**50**
GRAND TOTAL	**3592**	**17.3**	**147**	**1**	**2**	**21**	**28**	**30**	**34**	**46**	**3734**	**17.1**	**150**	**2**	**2**	**20**	**28**	**30**	**34**	**46**

OPIOID TYPE DEPENDENCE (304.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	HOSPITALS WITHOUT PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	8.0		8	8	8	8	8	8	8										
18-20	2	14.5	181	5	5	14	24	24	24	24	2	5.5	1	5	5	5	6	6	6	6
21-24	7	5.1	22	1	1	4	6	13	15	15	4	5.3	6	3	3	5	7	8	8	8
25-34	48	8.5	84	1	2	5	8	26	29	33	51	10.5	110	2	2	5	19	28	31	39
35-54	39	11.8	93	1	2	7	21	27	28	31	32	10.1	99	2	2	6	13	29	30	31
55-74	4	5.0	10	1	1	5	7	8	8	8	4	5.0	13	1	1	5	8	8	8	8
75 +																				
ALL AGES	101	9.5	84	1	2	6	12	26	28	32	93	9.8	96	2	2	5	11	29	30	37
B. FEMALE																				
0-12 YRS.																				
13-17	1	6.0		6	6	6	6	6	6	6										
18-20	1	5.0		5	5	5	5	5	5	5	1	31.0		31	31	31	31	31	31	31
21-24	8	12.1	176	2	2	6	21	34	35	35	3	4.3	2	3	3	5	5	5	5	5
25-34	35	9.7	95	1	2	6	10	28	28	41	37	13.3	150	1	2	6	26	30	36	41
35-54	14	11.6	120	3	4	7	15	28	39	42	13	15.2	118	1	3	13	26	28	31	32
55-74	1	4.0		4	4	4	4	4	4	4	6	19.3	206	6	6	15	31	40	41	41
75 +	1	4.0		4	4	4	4	4	4	4	2	15.5	61	10	10	15	21	21	21	21
ALL AGES	61	10.1	104	1	3	6	12	28	33	42	62	14.2	142	2	3	7	26	31	35	41
SUBTOTAL	**162**	**9.8**	**89**	**1**	**2**	**6**	**11**	**27**	**29**	**40**	**155**	**11.6**	**118**	**2**	**2**	**6**	**21**	**29**	**31**	**41**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2	3	16.3	116	4	4	22	23	23	23	23
18-20	5	15.2	140	5	5	8	27	30	30	30	4	10.5	138	3	3	5	17	28	28	28
21-24	10	9.4	95	1	1	5	16	26	27	27	11	10.3	120	1	2	5	19	29	31	31
25-34	95	12.2	135	2	3	7	21	29	34	46	86	13.6	142	2	2	7	25	31	33	46
35-54	67	11.7	110	2	3	7	18	29	30	45	73	13.1	167	1	3	7	21	29	31	69
55-74	3	9.3	58	4	4	6	15	18	18	18	5	10.8	184	4	4	5	13	35	35	35
75 +											1	5.0		5	5	5	5	5	5	5
ALL AGES	181	11.9	119	2	3	7	18	29	31	46	183	13.0	149	1	3	6	24	30	32	46
B. FEMALE																				
0-12 YRS.																				
13-17											1	68.0		68	68	68	68	68	68	68
18-20	5	6.2	12	2	2	5	9	11	11	11	7	13.3	188	3	3	7	20	37	40	40
21-24	15	7.7	56	1	3	6	8	21	27	29	9	14.7	155	1	1	10	27	29	30	30
25-34	94	9.4	77	2	2	6	11	28	29	38	45	16.2	179	1	2	11	28	33	36	45
35-54	42	8.7	88	2	3	6	7	23	30	47	24	16.2	124	2	2	17	26	29	32	38
55-74	9	12.9	86	3	3	12	21	26	28	28	8	11.9	67	3	3	10	18	24	26	26
75 +	2	13.0	128	5	5	13	21	21	21	21	3	6.3	6	5	5	5	8	9	9	9
ALL AGES	167	9.2	76	2	3	6	10	24	29	39	97	15.7	176	1	2	10	27	31	37	57
SUBTOTAL	**348**	**10.6**	**100**	**2**	**3**	**6**	**14**	**28**	**30**	**45**	**280**	**14.0**	**158**	**1**	**2**	**7**	**25**	**30**	**34**	**49**
GRAND TOTAL	**510**	**10.3**	**98**	**2**	**2**	**6**	**13**	**28**	**30**	**44**	**435**	**13.1**	**146**	**1**	**2**	**7**	**24**	**30**	**33**	**42**

BARBITURATE DEPENDENCE (304.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	21.0		21	21	21	21	21	21	21	3	26.0	108	14	14	32	32	32	32	32
35-54	3	13.0	193	4	4	6	23	29	29	29	3	3.7		3	3	4	4	4	4	4
55-74	1	1.0		1	1	1	1	1	1	1	3	32.3	8	30	30	33	34	34	34	34
75 +																				
ALL AGES	5	12.2	148	1	1	6	23	29	29	29	9	20.7	197	3	3	30	32	34	34	34
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24											1	5.0		5	5	5	5	5	5	5
25-34	4	11.8	83	2	2	12	19	21	21	21	6	17.5	192	1	2	17	28	34	35	35
35-54	6	19.7	121	5	5	21	24	35	36	36	7	13.6	73	3	4	12	17	28	30	30
55-74	7	20.1	127	1	4	21	24	35	38	38	3	16.3	18	14	14	14	19	21	21	21
75 +	2	5.5	5	4	4	5	7	7	7	7	2	22.0	162	13	13	22	31	31	31	31
ALL AGES	19	16.7	116	1	3	19	23	32	37	38	19	15.7	102	2	4	14	25	31	33	35
SUBTOTAL	**24**	**15.8**	**119**	**1**	**2**	**18**	**23**	**30**	**37**	**38**	**28**	**17.3**	**132**	**3**	**3**	**14**	**30**	**33**	**34**	**35**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	46.0		46	46	46	46	46	46	46										
13-17																				
18-20																				
21-24	1	7.0		7	7	7	7	7	7	7										
25-34	6	7.0	64	1	1	4	6	21	23	23	4	13.8	200	2	2	10	25	32	32	32
35-54	7	15.9	181	1	1	11	29	32	32	32	8	10.5	128	1	2	5	17	30	32	32
55-74	8	24.9	54	19	19	21	29	37	40	40	4	10.0	129	4	4	5	16	27	27	27
75 +	3	3.3	5	1	1	4	5	5	5	5	3	18.0	49	10	10	21	22	23	23	23
ALL AGES	26	16.0	174	1	1	15	27	32	41	46	19	12.3	118	1	2	5	22	30	32	32
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	23.0		23	23	23	23	23	23	23										
21-24	2	21.0	98	14	14	21	28	28	28	28										
25-34	8	12.4	81	1	2	10	20	24	26	26	9	9.8	56	3	3	7	14	22	23	23
35-54	17	16.6	122	2	3	16	27	30	35	38	29	17.8	122	4	5	21	28	30	32	34
55-74	18	22.5	94	4	9	22	28	33	41	45	15	25.9	114	3	8	27	32	39	42	43
75 +	1	7.0		7	7	7	7	7	7	7	2	14.0	128	6	6	14	22	22	22	22
ALL AGES	47	18.3	108	2	3	20	26	30	35	45	55	18.5	134	3	4	21	28	32	36	43
SUBTOTAL	**73**	**17.4**	**133**	**1**	**3**	**19**	**26**	**31**	**37**	**46**	**74**	**16.9**	**136**	**2**	**4**	**21**	**27**	**32**	**34**	**42**
GRAND TOTAL	**97**	**17.0**	**129**	**1**	**2**	**19**	**25**	**31**	**37**	**46**	**102**	**17.0**	**134**	**2**	**4**	**16**	**28**	**32**	**34**	**41**

COCAINE DEPENDENCE (304.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	44.0		44	44	44	44	44	44	44	3	17.7	607	1	1	6	36	46	46	46
18-20	9	22.2	129	2	3	28	29	31	31	31	17	15.4	103	1	2	18	22	29	30	31
21-24	18	20.4	106	2	4	24	28	31	34	36	44	15.9	108	1	2	19	25	28	29	33
25-34	69	18.3	108	1	2	21	28	29	29	30	95	17.5	126	2	2	21	28	30	32	40
35-54	29	16.1	120	1	2	20	26	29	30	35	28	19.5	118	1	2	24	28	29	30	31
55-74	1	29.0		29	29	29	29	29	29	29										
75 +																				
ALL AGES	127	18.7	114	1	2	21	28	29	30	38	187	17.2	124	1	2	21	27	29	31	41
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20											8	18.9	76	2	6	20	25	28	29	29
21-24	26	17.2	143	1	2	21	28	29	32	37	22	19.2	92	4	5	22	28	29	30	30
25-34	30	13.8	124	1	1	9	26	30	31	33	40	12.8	147	1	2	6	25	30	33	42
35-54	7	13.9	175	1	1	5	28	28	28	28	7	10.6	129	2	2	3	19	28	30	30
55-74																				
75 +																				
ALL AGES	63	15.2	136	1	2	14	28	29	31	36	77	15.1	128	2	2	14	26	29	30	40
SUBTOTAL	**190**	**17.5**	**125**	**1**	**2**	**21**	**28**	**29**	**31**	**37**	**264**	**16.6**	**125**	**1**	**2**	**20**	**27**	**29**	**31**	**41**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	5	43.2	657	22	22	39	52	87	87	87	19	33.4	258	10	15	31	37	54	70	79
18-20	22	23.3	127	5	6	25	30	36	39	44	36	22.6	116	2	3	25	29	30	36	48
21-24	51	19.7	106	1	3	22	27	31	33	39	72	20.9	81	3	5	22	28	31	34	34
25-34	154	20.1	109	2	3	22	29	30	33	37	212	17.7	111	2	3	21	27	30	31	36
35-54	60	20.6	94	2	4	24	29	30	31	35	45	18.5	126	2	3	20	28	30	33	43
55-74											2	16.0	288	4	4	16	28	28	28	28
75 +																				
ALL AGES	292	20.8	121	2	3	23	29	31	34	41	386	19.6	127	2	3	22	28	31	34	44
B. FEMALE																				
0-12 YRS.																				
13-17	7	20.9	256	1	3	16	36	43	44	44	6	30.5	133	12	14	30	34	47	48	48
18-20	11	26.1	130	5	13	27	36	62	95	99 +	16	22.9	130	2	3	27	30	34	38	39
21-24	15	19.1	192	1	2	26	32	34	34	34	33	19.2	103	1	2	23	28	28	28	29
25-34	55	14.3	107	2	2	14	23	28	30	32	66	16.8	121	2	3	19	26	30	33	37
35-54	13	19.1	75	2	6	21	27	28	30	30	6	16.8	194	3	3	16	28	32	33	33
55-74	1	30.0		30	30	30	30	30	30	30										
75 +																				
ALL AGES	102	17.5	137	2	3	21	28	32	37	71	127	18.8	130	2	3	22	28	31	34	41
SUBTOTAL	**394**	**19.9**	**129**	**2**	**3**	**22**	**28**	**31**	**34**	**44**	**513**	**19.4**	**127**	**2**	**3**	**22**	**28**	**31**	**34**	**44**
GRAND TOTAL	**584**	**19.2**	**126**	**2**	**3**	**21**	**28**	**30**	**33**	**43**	**777**	**18.5**	**126**	**2**	**3**	**21**	**28**	**30**	**33**	**43**

CANNABIS DEPENDENCE (304.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	9	37.6	68	24	27	36	45	49	51	51	11	19.7	276	1	2	18	29	41	57	58
18-20	3	15.3	82	5	5	20	21	21	21	21	5	8.8	124	1	1	2	16	27	27	27
21-24	6	14.3	97	3	3	16	22	25	25	25	7	24.6	98	4	8	28	30	34	35	35
25-34	11	23.3	62	3	13	23	29	30	31	31	7	21.6	173	3	3	28	30	35	36	36
35-54	4	27.3	9	22	22	28	29	30	30	30	1	20.0		20	20	20	20	20	20	20
55-74																				
75 +																				
ALL AGES	33	25.3	135	3	5	25	31	39	46	51	31	19.5	188	1	2	22	29	32	36	58
B. FEMALE																				
0-12 YRS.																				
13-17	4	42.5	81	35	35	41	50	53	53	53	1	23.0		23	23	23	23	23	23	23
18-20											1	24.0		24	24	24	24	24	24	24
21-24	2	9.0	18	6	6	9	12	12	12	12	1	2.0		2	2	2	2	2	2	2
25-34	1	3.0		3	3	3	3	3	3	3	2	18.5	421	4	4	18	33	33	33	33
35-54											2	30.0	128	22	22	30	38	38	38	38
55-74																				
75 +																				
ALL AGES	7	27.3	407	3	4	35	44	52	53	53	7	20.9	181	2	2	23	31	37	38	38
SUBTOTAL	**40**	**25.7**	**171**	**3**	**4**	**25**	**33**	**45**	**49**	**53**	**38**	**19.7**	**185**	**1**	**2**	**22**	**29**	**34**	**37**	**58**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	16.0	338	3	3	16	29	29	29	29										
13-17	105	32.8	237	5	12	35	44	49	56	72	77	35.8	245	12	18	36	44	59	73	99 +
18-20	14	29.1	596	3	8	27	31	56	89	99	13	19.5	144	2	3	21	26	50	89	99 +
21-24	8	25.1	64	7	12	27	30	32	32	32	13	25.2	138	3	5	28	33	37	43	44
25-34	28	17.8	138	1	2	21	27	31	34	35	20	20.5	59	3	5	21	26	29	29	29
35-54	8	18.5	92	3	4	21	25	29	29	29	10	21.6	152	1	3	25	31	35	38	38
55-74	1	35.0		35	35	35	35	35	35	35										
75 +																				
ALL AGES	166	28.7	267	2	5	28	40	46	54	74	133	29.8	237	4	11	29	40	50	65	99 +
B. FEMALE																				
0-12 YRS.	1	24.0		24	24	24	24	24	24	24										
13-17	35	31.0	312	2	5	38	45	47	50	57	34	34.7	429	7	9	33	45	68	76	81
18-20	1	3.0		3	3	3	3	3	3	3	3	24.7	80	18	18	21	31	35	35	35
21-24	2	18.5	265	7	7	18	30	30	30	30	4	19.5	283	1	1	20	33	37	37	37
25-34	5	2.8	7	1	1	1	5	7	7	7	10	22.9	126	4	5	25	27	36	44	44
35-54											2	17.0	288	5	5	17	29	29	29	29
55-74																				
75 +																				
ALL AGES	44	26.5	348	1	2	29	45	46	50	57	53	30.1	360	4	7	27	40	61	70	81
SUBTOTAL	**210**	**28.2**	**285**	**2**	**4**	**28**	**42**	**46**	**52**	**72**	**186**	**29.9**	**270**	**4**	**9**	**29**	**40**	**52**	**68**	**99 +**
GRAND TOTAL	**250**	**27.8**	**267**	**2**	**4**	**28**	**40**	**46**	**52**	**70**	**224**	**28.2**	**267**	**3**	**5**	**28**	**38**	**49**	**63**	**99 +**

AMPHETAMINE DEPENDENCE (304.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	27.0		27	27	27	27	27	27	27										
18-20	2	2.0	2	1	1	1	3	3	3	3	1	1.0		1	1	1	1	1	1	1
21-24	4	17.0	247	1	1	18	30	31	31	31	5	16.8	187	1	1	25	26	30	30	30
25-34	8	14.9	118	1	1	18	23	27	28	28	9	17.0	118	1	3	14	28	28	28	28
35-54											2	11.5	181	2	2	11	21	21	21	21
55-74																				
75 +																				
ALL AGES	15	14.5	149	1	1	14	26	30	31	31	17	15.4	132	1	1	14	27	28	29	30
B. FEMALE																				
0-12 YRS.																				
13-17											1	7.0		7	7	7	7	7	7	7
18-20	1	27.0		27	27	27	27	27	27	27	4	22.3	292	2	2	25	36	37	37	37
21-24	2	1.5	1	1	1	1	2	2	2	2	3	3.0	4	1	1	3	4	5	5	5
25-34	6	10.8	151	1	1	4	26	27	27	27	9	16.9	139	2	2	17	26	32	34	34
35-54	1	1.0		1	1	1	1	1	1	1	4	25.0	377	1	1	25	38	48	48	48
55-74																				
75 +																				
ALL AGES	10	9.6	141	1	1	3	26	27	27	27	21	17.0	210	1	1	14	29	36	42	48
SUBTOTAL	**25**	**12.6**	**144**	**1**	**1**	**6**	**26**	**28**	**30**	**31**	**38**	**16.3**	**171**	**1**	**1**	**14**	**28**	**33**	**37**	**48**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	2.0		2	2	2	2	2	2	2
13-17	1	26.0		26	26	26	26	26	26	26	3	27.7	895	3	3	19	50	61	61	61
18-20	1	10.0		10	10	10	10	10	10	10	8	21.6	84	1	7	22	28	29	30	30
21-24	2	5.5	5	4	4	5	7	7	7	7	12	23.6	105	3	3	27	29	32	35	35
25-34	14	16.5	159	2	2	23	28	29	30	30	32	19.9	138	2	3	25	29	31	36	38
35-54	5	14.2	122	3	3	10	26	26	26	26	13	16.2	156	2	2	21	27	31	33	34
55-74																				
75 +																				
ALL AGES	23	15.2	132	2	2	10	26	28	29	30	69	20.1	156	2	2	23	28	31	35	57
B. FEMALE																				
0-12 YRS.																				
13-17	3	26.0	507	4	4	25	43	49	49	49	4	27.0	17	22	22	27	30	32	32	32
18-20	2	16.5	265	5	5	16	28	28	28	28	8	16.4	64	5	5	18	23	26	26	26
21-24	3	15.3	116	3	3	21	22	22	22	22	7	20.3	120	4	4	25	29	30	30	30
25-34	10	11.1	99	2	3	6	21	27	28	28	14	21.6	97	3	6	27	29	30	31	31
35-54	3	9.7	20	7	7	7	13	15	15	15	5	26.2	27	19	19	27	29	33	33	33
55-74	1	22.0		22	22	22	22	22	22	22										
75 +																				
ALL AGES	22	14.5	147	3	3	9	22	28	37	49	38	21.4	84	4	6	25	28	30	32	33
SUBTOTAL	**45**	**14.8**	**138**	**2**	**2**	**10**	**26**	**28**	**29**	**49**	**107**	**20.6**	**128**	**2**	**3**	**25**	**28**	**31**	**33**	**48**
GRAND TOTAL	**70**	**14.0**	**140**	**1**	**2**	**9**	**26**	**28**	**30**	**45**	**145**	**19.4**	**145**	**2**	**2**	**23**	**28**	**31**	**34**	**49**

HALLUCINOGEN DEPENDENCE (304.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	21.0		21	21	21	21	21	21	21										
35-54																				
55-74																				
75 +																				
ALL AGES	1	21.0		21	21	21	21	21	21	21										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**21.0**		**21**	**21**	**21**	**21**	**21**	**21**	**21**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	4	24.8	1836	1	1	4	47	89	89	89										
18-20																				
21-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54																				
55-74																				
75 +																				
ALL AGES	5	20.0	1492	1	1	3	27	89	89	89										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	29.0		29	29	29	29	29	29	29	1	5.0		5	5	5	5	5	5	5
21-24																				
25-34																				
35-54											1	6.0		6	6	6	6	6	6	6
55-74																				
75 +																				
ALL AGES	1	29.0		29	29	29	29	29	29	29	2	5.5	1	5	5	5	6	6	6	6
SUBTOTAL	**6**	**21.5**	**1207**	**1**	**1**	**4**	**29**	**83**	**89**	**89**	**2**	**5.5**	**1**	**5**	**5**	**5**	**6**	**6**	**6**	**6**
GRAND TOTAL	**7**	**21.4**	**1007**	**1**	**1**	**6**	**27**	**77**	**89**	**89**	**2**	**5.5**	**1**	**5**	**5**	**5**	**6**	**6**	**6**	**6**

DRUG DEPENDENCE NEC (304.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-20																				
21-24	4	16.0	100	1	1	21	21	21	21	21	1	3.0		3	3	3	3	3	3	3
25-34	1	17.0		17	17	17	17	17	17	17	4	18.3	236	5	5	15	30	38	38	38
35-54	2	19.0	200	9	9	19	29	29	29	29										
55-74																				
75 +																				
ALL AGES	8	15.0	105	1	1	19	21	27	29	29	5	15.2	225	3	3	7	27	38	38	38
B. FEMALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-20																				
21-24																				
25-34	4	13.0	168	1	1	12	24	27	27	27	6	9.8	64	3	3	7	14	23	24	24
35-54	2	9.0	8	7	7	9	11	11	11	11	3	7.7	41	3	3	5	12	15	15	15
55-74											4	14.5	210	1	1	14	27	28	28	28
75 +																				
ALL AGES	6	11.7	106	1	1	9	21	26	27	27	14	10.1	92	1	1	5	15	26	28	28
SUBTOTAL	**14**	**13.6**	**100**	**1**	**1**	**14**	**21**	**27**	**29**	**29**	**19**	**11.4**	**123**	**1**	**2**	**5**	**21**	**27**	**33**	**38**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2	2	23.5	5	22	22	23	25	25	25	25
18-20	1	21.0		21	21	21	21	21	21	21	2	19.0	648	1	1	19	37	37	37	37
21-24											2	23.0	32	19	19	23	27	27	27	27
25-34	6	22.3	116	3	5	24	29	33	34	34	3	23.7	330	4	4	27	37	40	40	40
35-54	7	11.1	118	2	2	6	19	28	30	30	1	43.0		43	43	43	43	43	43	43
55-74	1	9.0		9	9	9	9	9	9	9	1	7.0		7	7	7	7	7	7	7
75 +																				
ALL AGES	16	15.3	128	2	2	17	24	30	33	34	11	22.9	204	1	3	25	35	41	43	43
B. FEMALE																				
0-12 YRS.																				
13-17											1	41.0		41	41	41	41	41	41	41
18-20	1	2.0		2	2	2	2	2	2	2										
21-24	1	4.0		4	4	4	4	4	4	4										
25-34	4	10.8	151	2	2	6	18	29	29	29	5	14.8	177	2	2	10	29	29	29	29
35-54	7	15.1	131	5	5	14	21	32	35	35	4	20.3	218	3	3	20	31	38	38	38
55-74	3	8.7	153	1	1	2	18	23	23	23										
75 +																				
ALL AGES	16	11.3	121	1	2	5	21	28	33	35	10	19.6	216	2	2	20	29	39	41	41
SUBTOTAL	**32**	**13.3**	**124**	**2**	**2**	**8**	**22**	**29**	**34**	**35**	**21**	**21.3**	**204**	**2**	**3**	**25**	**31**	**40**	**42**	**43**
GRAND TOTAL	**46**	**13.4**	**114**	**1**	**2**	**10**	**21**	**29**	**31**	**35**	**40**	**16.6**	**186**	**1**	**2**	**14**	**27**	**38**	**40**	**43**

OPIOID/OTHER DRUG DEPEND (304.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	8.0		8	8	8	8	8	8	8
18-20	3	12.0	244	2	2	4	23	30	30	30	2	36.5	13	34	34	36	39	39	39	39
21-24	2	8.5	61	3	3	8	14	14	14	14	3	20.3	254	2	2	29	30	30	30	30
25-34	12	13.3	101	2	2	10	21	28	29	29	24	14.5	139	1	2	10	27	29	33	40
35-54	8	14.4	147	2	2	14	25	29	30	30	8	9.1	83	2	2	5	13	24	26	26
55-74	1	4.0		4	4	4	4	4	4	4										
75 +																				
ALL AGES	26	12.7	115	2	2	9	22	29	30	30	38	14.8	152	2	2	8	27	30	37	40
B. FEMALE																				
0-12 YRS.																				
13-17											1	15.0		15	15	15	15	15	15	15
18-20	1	33.0		33	33	33	33	33	33	33										
21-24	1	7.0		7	7	7	7	7	7	7	5	11.8	111	1	1	7	20	27	27	27
25-34	7	22.3	236	1	1	23	33	40	42	42	13	14.8	159	1	2	9	27	34	36	36
35-54	1	21.0		21	21	21	21	21	21	21	4	5.8	21	1	1	5	9	12	12	12
55-74																				
75 +											1	14.0		14	14	14	14	14	14	14
ALL AGES	10	21.7	197	1	1	22	33	38	42	42	24	12.6	118	1	1	8	19	28	34	36
SUBTOTAL	**36**	**15.2**	**149**	**2**	**2**	**12**	**25**	**32**	**33**	**42**	**62**	**14.0**	**136**	**1**	**2**	**8**	**27**	**30**	**35**	**40**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	3	16.0	333	4	4	7	29	37	37	37	1	41.0		41	41	41	41	41	41	41
18-20	3	18.7	182	3	3	26	27	27	27	27	2	15.5	113	8	8	15	23	23	23	23
21-24	3	10.7	179	1	1	5	21	26	26	26	3	13.0	147	6	6	6	22	27	27	27
25-34	10	22.8	185	1	3	27	35	38	41	41	13	27.2	73	7	19	27	32	37	39	39
35-54	7	16.9	164	3	3	20	23	35	38	38	6	17.0	144	3	3	15	30	31	31	31
55-74	1	18.0		18	18	18	18	18	18	18	2	25.0	8	23	23	25	27	27	27	27
75 +	1	21.0		21	21	21	21	21	21	21										
ALL AGES	28	18.6	166	1	3	20	28	36	38	41	27	22.8	125	4	6	26	30	37	39	41
B. FEMALE																				
0-12 YRS.																				
13-17											1	32.0		32	32	32	32	32	32	32
18-20											1	31.0		31	31	31	31	31	31	31
21-24	2	9.0		9	9	9	9	9	9	9	1	4.0		4	4	4	4	4	4	4
25-34	5	22.8	141	5	5	28	30	35	35	35	8	18.4	152	1	2	19	31	32	32	32
35-54	3	12.0	217	3	3	4	23	29	29	29										
55-74	1	46.0		46	46	46	46	46	46	46										
75 +																				
ALL AGES	11	19.5	213	3	4	17	29	39	45	46	11	19.5	159	1	3	20	31	32	32	32
SUBTOTAL	**39**	**18.8**	**176**	**2**	**3**	**20**	**29**	**36**	**40**	**46**	**38**	**21.8**	**135**	**3**	**5**	**25**	**31**	**35**	**38**	**41**
GRAND TOTAL	**75**	**17.1**	**163**	**2**	**2**	**18**	**28**	**35**	**38**	**45**	**100**	**17.0**	**148**	**1**	**3**	**17**	**27**	**32**	**37**	**40**

COMB DRUG DEPENDENCE NEC (304.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	HOSPITALS WITHOUT PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	4	39.0	1171	4	4	33	60	86	86	86	3	19.7	210	3	3	26	29	30	30	30
18-20	2	12.5	113	5	5	12	20	20	20	20	7	23.4	109	2	6	25	30	32	33	33
21-24	4	24.5	182	5	5	29	33	34	34	34	7	29.4	47	23	23	29	30	40	43	43
25-34	11	20.9	233	1	2	28	33	39	43	43	20	17.2	130	1	1	21	26	30	32	33
35-54	3	34.7	179	21	21	35	45	48	48	48	10	12.6	106	4	4	7	22	29	30	30
55-74	1	21.0		21	21	21	21	21	21	21	1	30.0		30	30	30	30	30	30	30
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	25	25.4	350	2	4	28	34	43	57	86	49	19.0	137	2	3	23	29	30	33	43
B. FEMALE																				
0-12 YRS.											1	21.0		21	21	21	21	21	21	21
13-17	2	69.5	1105	46	46	69	93	93	93	93	1	2.0		2	2	2	2	2	2	2
18-20											4	21.8	168	5	5	24	32	34	34	34
21-24	2	2.5	1	2	2	2	3	3	3	3	3	13.3	96	5	5	11	21	24	24	24
25-34	7	16.3	201	1	1	10	28	35	37	37	3	20.0	169	5	5	27	28	28	28	28
35-54	4	21.0	178	1	1	27	28	28	28	28	3	17.7	145	4	4	22	26	27	27	27
55-74																				
75 +											1	21.0		21	21	21	21	21	21	21
ALL AGES	15	22.8	596	1	1	27	28	46	81	93	16	17.8	114	3	4	21	27	30	33	34
SUBTOTAL	**40**	**24.4**	**432**	**1**	**2**	**27**	**34**	**44**	**67**	**93**	**65**	**18.7**	**130**	**2**	**3**	**22**	**28**	**30**	**33**	**42**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	3	33.0	13	29	29	34	35	36	36	36	6	13.5	136	3	3	9	27	29	29	29
18-20	4	23.3	490	4	4	20	42	48	48	48	12	19.5	148	1	2	25	29	31	34	35
21-24	10	23.7	146	1	6	25	29	40	43	43	4	30.3	56	20	20	31	36	38	38	38
25-34	15	19.3	107	2	2	22	28	29	31	32	13	23.2	139	2	2	29	29	31	34	35
35-54	5	21.6	268	4	4	28	33	41	41	41	4	21.8	101	8	8	24	29	30	30	30
55-74	1	5.0		5	5	5	5	5	5	5	1	27.0		27	27	27	27	27	27	27
75 +																				
ALL AGES	38	21.9	166	2	4	25	29	37	42	48	40	21.3	135	2	2	28	29	32	35	38
B. FEMALE																				
0-12 YRS.																				
13-17	3	21.7	54	14	14	22	27	29	29	29	2	21.5	265	10	10	21	33	33	33	33
18-20	2	14.0	338	1	1	14	27	27	27	27	2	13.0	72	7	7	13	19	19	19	19
21-24	6	18.2	96	4	5	18	25	31	32	32	5	22.4	211	6	6	22	32	43	43	43
25-34	12	24.9	80	8	12	25	29	38	38	38	6	19.3	160	3	3	25	29	30	30	30
35-54	9	9.4	87	2	2	6	13	26	28	28	3	19.0	217	2	2	27	28	28	28	28
55-74	1	12.0		12	12	12	12	12	12	12										
75 +																				
ALL AGES	33	18.1	121	2	3	20	27	30	37	38	18	19.7	148	2	3	22	29	32	39	43
SUBTOTAL	**71**	**20.1**	**148**	**2**	**4**	**22**	**29**	**36**	**38**	**47**	**58**	**20.8**	**137**	**2**	**3**	**27**	**29**	**32**	**35**	**43**
GRAND TOTAL	**111**	**21.7**	**250**	**2**	**2**	**22**	**29**	**37**	**43**	**89**	**123**	**19.7**	**133**	**2**	**3**	**23**	**29**	**30**	**34**	**43**

DRUG DEPENDENCE NOS (304.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES								TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)					5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.																						
13-17	3	19.3	162	5	5	24	28	29	29	29		1	25.0		25	25	25	25	25	25	25	
18-20												5	14.4	297	1	1	3	31	37	37	37	
21-24	3	29.7	1	28	28	30	31	31	31	31		1	38.0		38	38	38	38	38	38	38	
25-34	3	10.7	251	1	1	2	22	29	29	29		3	13.7	148	3	3	11	23	27	27	27	
35-54	7	15.9	171	1	1	23	27	29	29	29		7	12.9	126	3	3	6	24	27	28	28	
55-74																						
75 +																						
ALL AGES	16	18.1	166	1	1	24	29	30	31	31		17	15.6	183	1	2	11	27	35	38	38	
B. FEMALE																						
0-12 YRS.																						
13-17	1	47.0		47	47	47	47	47	47	47												
18-20												2	15.5	313	3	3	15	28	28	28	28	
21-24	1	3.0		3	3	3	3	3	3	3		2	17.0	162	8	8	17	26	26	26	26	
25-34	5	15.0	184	1	1	9	29	30	30	30		2	10.0	98	3	3	10	17	17	17	17	
35-54	2	17.5	313	5	5	17	30	30	30	30		2	19.5	685	1	1	19	38	38	38	38	
55-74	1	24.0		24	24	24	24	24	24	24												
75 +																						
ALL AGES	10	18.4	244	1	2	16	30	39	47	47		8	15.5	193	1	2	12	27	35	38	38	
SUBTOTAL	**26**	**18.2**	**188**	**1**	**1**	**24**	**29**	**30**	**34**	**47**		**25**	**15.6**	**178**	**1**	**2**	**11**	**27**	**37**	**38**	**38**	
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.																						
13-17												1	31.0		31	31	31	31	31	31	31	
18-20	2	18.5	221	8	8	18	29	29	29	29		1	2.0		2	2	2	2	2	2	2	
21-24	2	10.5	145	2	2	10	19	19	19	19		1	6.0		6	6	6	6	6	6	6	
25-34	5	5.0	80	1	1	1	6	21	21	21		6	12.2	109	2	2	9	21	27	28	28	
35-54	2	11.0	200	1	1	11	21	21	21	21		5	23.0	167	1	1	26	30	35	35	35	
55-74																						
75 +																						
ALL AGES	11	9.5	116	1	1	2	20	24	29	29		14	16.2	160	1	2	17	28	31	34	35	
B. FEMALE																						
0-12 YRS.																						
13-17	1	4.0		4	4	4	4	4	4	4		1	7.0		7	7	7	7	7	7	7	
18-20																						
21-24	2	5.5	25	2	2	5	9	9	9	9												
25-34	6	11.8	137	1	1	7	21	30	31	31		6	23.0	263	3	3	27	35	41	42	42	
35-54	3	3.7	4	2	2	3	5	6	6	6		9	6.1	77	1	1	4	5	20	29	29	
55-74	1	2.0		2	2	2	2	2	2	2		2	2.5	1	2	2	2	3	3	3	3	
75 +																						
ALL AGES	13	7.6	77	1	2	4	8	23	29	31		18	11.4	186	1	1	4	24	33	39	42	
SUBTOTAL	**24**	**8.5**	**91**	**1**	**1**	**4**	**14**	**22**	**30**	**31**		**32**	**13.5**	**175**	**1**	**2**	**5**	**27**	**32**	**35**	**42**	
GRAND TOTAL	**50**	**13.6**	**161**	**1**	**1**	**7**	**28**	**30**	**31**	**47**		**57**	**14.4**	**175**	**1**	**2**	**6**	**27**	**34**	**37**	**42**	

ALCOHOL ABUSE (305.0)

	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	1.3		1	1	1	2	2	2	2	6	1.2		1	1	1	1	2	2	2
13-17	67	2.7	46	1	1	1	1	2	9	36	55	1.1		1	1	1	1	2	2	3
18-20	19	3.7	64	1	1	1	1	14	26	30	17	2.8	49	1	1	1	1	2	20	30
21-24	19	1.4	2	1	1	1	1	2	5	7	12	3.4	70	1	1	1	1	10	27	30
25-34	44	2.1	15	1	1	1	2	3	4	27	32	8.5	137	1	1	1	19	29	29	30
35-54	46	3.8	27	1	1	2	3	9	21	22	32	4.5	58	1	1	2	4	10	30	32
55-74	20	3.8	23	1	1	1	4	12	16	17	23	5.0	70	1	1	2	4	17	30	31
75 +	5	5.6	30	1	1	3	11	12	12	12	5	1.6	1	1	1	1	2	3	3	3
ALL AGES	224	2.9	31	1	1	1	2	4	14	31	182	3.8	58	1	1	1	2	7	29	32
B. FEMALE																				
0-12 YRS.	7	1.1		1	1	1	1	2	2	2	2	1.0		1	1	1	1	1	1	1
13-17	51	2.5	76	1	1	1	1	2	2	61	43	5.9	139	1	1	1	2	31	39	43
18-20	12	1.3	1	1	1	1	1	3	3	3	13	1.6	1	1	1	1	2	3	5	5
21-24	11	1.1		1	1	1	1	2	2	2	9	1.1		1	1	1	1	2	2	2
25-34	23	1.7	3	1	1	1	2	3	5	9	22	5.3	97	1	1	1	3	29	30	30
35-54	20	3.5	16	1	1	2	4	10	13	16	11	1.7	2	1	1	1	2	4	4	4
55-74	13	2.3	2	1	1	2	3	4	6	6	10	4.8	99	1	1	2	2	18	33	33
75 +	3	6.0	21	2	2	5	9	11	11	11	5	4.2	37	1	1	2	5	15	15	15
ALL AGES	140	2.3	31	1	1	1	2	3	7	21	115	4.3	82	1	1	1	2	9	31	42
SUBTOTAL	**364**	**2.7**	**31**	**1**	**1**	**1**	**2**	**4**	**10**	**30**	**297**	**4.0**	**67**	**1**	**1**	**1**	**2**	**8**	**29**	**36**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	9.5	145	1	1	9	18	18	18	18	1	1.0		1	1	1	1	1	1	1
13-17	50	24.4	535	1	1	19	45	54	59	92	23	14.0	277	1	1	6	26	44	47	49
18-20	10	5.6	68	1	1	1	6	21	21	21	12	12.7	191	1	1	7	20	35	42	43
21-24	35	3.8	27	1	1	2	3	9	19	21	3	26.3	25	21	21	28	29	30	30	30
25-34	68	6.3	69	1	1	2	6	22	25	30	30	14.1	174	1	1	8	28	31	32	43
35-54	47	5.4	31	1	1	3	7	13	20	24	33	13.2	166	1	1	5	27	32	33	33
55-74	8	4.0	7	1	1	4	6	8	8	8	19	9.3	108	1	1	5	10	31	33	33
75 +	1	1.0		1	1	1	1	1	1	1	2	11.5	181	2	2	11	21	21	21	21
ALL AGES	221	9.7	219	1	1	3	10	29	45	61	123	13.1	178	1	1	7	27	32	35	47
B. FEMALE																				
0-12 YRS.																				
13-17	39	22.9	626	1	1	15	37	55	77	95	20	12.3	273	1	1	3	22	41	46	48
18-20	5	2.6	9	1	1	1	3	8	8	8	2	15.5	421	1	1	15	30	30	30	30
21-24	13	6.3	77	1	1	1	11	21	22	22	4	2.0	4	1	1	1	3	5	5	5
25-34	29	2.6	12	1	1	1	3	5	8	19	24	7.7	118	1	1	2	7	28	30	34
35-54	30	2.3	4	1	1	1	3	5	7	10	15	14.2	155	1	1	10	27	29	31	32
55-74	10	5.9	33	1	1	4	6	14	21	21	7	7.0	85	1	1	4	7	23	27	27
75 +											1	9.0		9	9	9	9	9	9	9
ALL AGES	126	9.4	289	1	1	2	7	32	43	86	73	10.1	166	1	1	3	21	30	34	47
SUBTOTAL	**347**	**9.6**	**244**	**1**	**1**	**3**	**8**	**30**	**45**	**70**	**196**	**12.0**	**174**	**1**	**1**	**5**	**25**	**32**	**34**	**47**
GRAND TOTAL	**711**	**6.1**	**146**	**1**	**1**	**1**	**4**	**20**	**31**	**59**	**493**	**7.2**	**124**	**1**	**1**	**1**	**6**	**29**	**32**	**43**

TOBACCO USE DISORDER (305.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																					
A. MALE																					
0-12 YRS.																					
13-17																					
18-20																					
21-24																					
25-34																					
35-54																					
55-74																					
75 +																					
ALL AGES																					
B. FEMALE																					
0-12 YRS.																					
13-17																					
18-20																					
21-24																					
25-34											1	2.0		2	2	2	2	2	2	2
35-54																					
55-74																					
75 +																					
ALL AGES											1	2.0		2	2	2	2	2	2	2
SUBTOTAL											**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
2. PSYCH PRIN, 2ND PSYCH DX(S)																					
A. MALE																					
0-12 YRS.																					
13-17																					
18-20																					
21-24																					
25-34																					
35-54																					
55-74																					
75 +																					
ALL AGES																					
B. FEMALE																					
0-12 YRS.																					
13-17																					
18-20																					
21-24																					
25-34																					
35-54	1	2.0		2	2	2	2	2	2	2											
55-74																					
75 +																					
ALL AGES	1	2.0		2	2	2	2	2	2	2											
SUBTOTAL	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**											
GRAND TOTAL	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**

CANNABIS ABUSE (305.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES								TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)					5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																					
A. MALE																					
0-12 YRS.																					
13-17	5	27.2	217	1	1	34	35	35	35	35	3	27.7	350	11	11	24	42	48	48	48
18-20											3	9.7	224	1	1	1	20	27	27	27
21-24	2	18.5	545	2	2	18	35	35	35	35	1	30.0		30	30	30	30	30	30	30
25-34	1	23.0		23	23	23	23	23	23	23	6	22.5	108	2	4	26	29	29	29	29
35-54																				
55-74																				
75 +																				
ALL AGES	8	24.5	218	1	1	32	35	35	35	35	13	21.3	192	1	1	26	29	34	45	48
B. FEMALE																					
0-12 YRS.																					
13-17	3	6.0	75	1	1	1	12	16	16	16	2	24.0	882	3	3	24	45	45	45	45
18-20																				
21-24																				
25-34											1	28.0		28	28	28	28	28	28	28
35-54																				
55-74																				
75 +																				
ALL AGES	3	6.0	75	1	1	1	12	16	16	16	3	25.3	449	3	3	28	41	45	45	45
SUBTOTAL	**11**	**19.5**	**240**	**1**	**1**	**23**	**34**	**35**	**35**	**35**	**16**	**22.1**	**214**	**1**	**1**	**26**	**29**	**43**	**47**	**48**
2. PSYCH PRIN, 2ND PSYCH DX(S)																					
A. MALE																					
0-12 YRS.	1	24.0		24	24	24	24	24	24	24										
13-17	22	30.5	336	2	3	34	42	50	60	69	11	31.9	245	6	7	40	44	47	49	49
18-20	1	3.0		3	3	3	3	3	3	3										
21-24											1	27.0		27	27	27	27	27	27	27
25-34	6	9.3	86	1	1	5	21	21	21	21	3	31.0	27	25	25	34	34	34	34	34
35-54											1	4.0		4	4	4	4	4	4	4
55-74																				
75 +																				
ALL AGES	30	25.1	350	1	2	23	38	48	54	69	16	29.7	214	5	6	34	42	46	48	49
B. FEMALE																					
0-12 YRS.																				
13-17	6	33.8	199	16	18	36	53	92	99 +	99 +	3	31.0	592	3	3	43	46	47	47	47
18-20																				
21-24	2	8.0	98	1	1	7	15	15	15	15										
25-34	1	1.0		1	1	1	1	1	1	1	2	25.0	32	21	21	25	29	29	29	29
35-54											2	22.5	5	21	21	22	24	24	24	24
55-74																				
75 +																				
ALL AGES	9	24.4	340	1	1	28	36	79	99 +	99 +	7	26.9	217	3	7	24	39	46	47	47
SUBTOTAL	**39**	**24.9**	**341**	**1**	**2**	**25**	**37**	**51**	**63**	**99 +**	**23**	**28.8**	**210**	**4**	**6**	**29**	**42**	**46**	**48**	**49**
GRAND TOTAL	**50**	**23.7**	**319**	**1**	**1**	**24**	**36**	**48**	**58**	**99 +**	**39**	**26.1**	**214**	**1**	**3**	**27**	**39**	**46**	**48**	**49**

HALLUCINOGEN ABUSE (305.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	7	1.9	1	1	1	2	2	4	4	4	2	1.0		1	1	1	1	1	1	1
18-20	1	1.0		1	1	1	1	1	1	1										
21-24	1	1.0		1	1	1	1	1	1	1										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	9	1.7	1	1	1	1	2	3	4	4	2	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17	2	1.0		1	1	1	1	1	1	1										
18-20																				
21-24	1	2.0		2	2	2	2	2	2	2										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	3	1.3		1	1	1	2	2	2	2										
SUBTOTAL	**12**	**1.6**	**1**	**1**	**1**	**1**	**2**	**3**	**4**	**4**	**2**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	12.5	265	1	1	12	24	24	24	24	4	9.8	109	1	1	8	18	22	22	22
18-20	2	3.5	13	1	1	3	6	6	6	6	1	1.0		1	1	1	1	1	1	1
21-24	1	25.0		25	25	25	25	25	25	25	1	1.0		1	1	1	1	1	1	1
25-34	2	8.5	41	4	4	8	13	13	13	13	4	7.3	99	1	1	3	13	22	22	22
35-54																				
55-74																				
75 +																				
ALL AGES	7	10.6	106	1	1	6	21	25	25	25	10	7.0	82	1	1	1	15	22	22	22
B. FEMALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**7**	**10.6**	**106**	**1**	**1**	**6**	**21**	**25**	**25**	**25**	**11**	**6.5**	**76**	**1**	**1**	**1**	**12**	**22**	**22**	**22**
GRAND TOTAL	**19**	**4.9**	**56**	**1**	**1**	**2**	**4**	**20**	**25**	**25**	**13**	**5.6**	**68**	**1**	**1**	**1**	**7**	**22**	**22**	**22**

BARBITURATE ABUSE (305.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20											1	1.0		1	1	1	1	1	1	1
21-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54	1	1.0		1	1	1	1	1	1	1	1	11.0		11	11	11	11	11	11	11
55-74	1	4.0		4	4	4	4	4	4	4										
75 +																				
ALL AGES	3	2.0	3	1	1	1	3	4	4	4	2	6.0	50	1	1	5	11	11	11	11
B. FEMALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-20																				
21-24	1	3.0		3	3	3	3	3	3	3										
25-34	1	1.0		1	1	1	1	1	1	1	2	12.5	145	4	4	12	21	21	21	21
35-54	1	2.0		2	2	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1
55-74	2	9.0	72	3	3	9	15	15	15	15	1	26.0		26	26	26	26	26	26	26
75 +	1	1.0		1	1	1	1	1	1	1										
ALL AGES	7	3.7	26	1	1	2	3	13	15	15	4	13.0	153	1	1	12	23	26	26	26
SUBTOTAL	**10**	**3.2**	**18**	**1**	**1**	**2**	**3**	**9**	**15**	**15**	**6**	**10.7**	**114**	**1**	**1**	**7**	**21**	**25**	**26**	**26**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	3.0		3	3	3	3	3	3	3										
18-20																				
21-24																				
25-34	2	8.0	50	3	3	8	13	13	13	13	1	3.0		3	3	3	3	3	3	3
35-54	2	7.0	50	2	2	7	12	12	12	12	4	9.3	118	1	1	5	16	25	25	25
55-74	1	9.0		9	9	9	9	9	9	9										
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	6	7.0	24	2	2	6	12	13	13	13	6	7.2	81	1	1	3	8	23	25	25
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	2	5.0	32	1	1	5	9	9	9	9	2	4.0	18	1	1	4	7	7	7	7
35-54	4	7.0	67	1	1	4	12	19	19	19	1	20.0		20	20	20	20	20	20	20
55-74	1	13.0		13	13	13	13	13	13	13										
75 +											1	14.0		14	14	14	14	14	14	14
ALL AGES	7	7.3	46	1	1	5	12	18	19	19	4	10.5	68	1	1	10	17	20	20	20
SUBTOTAL	**13**	**7.2**	**32**	**1**	**1**	**5**	**12**	**14**	**18**	**19**	**10**	**8.5**	**71**	**1**	**1**	**5**	**14**	**22**	**25**	**25**
GRAND TOTAL	**23**	**5.4**	**30**	**1**	**1**	**3**	**9**	**14**	**16**	**19**	**16**	**9.3**	**82**	**1**	**1**	**5**	**17**	**25**	**26**	**26**

OPIOID ABUSE (305.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	2.0		2	2	2	2	2	2	2
18-20	1	1.0		1	1	1	1	1	1	1										
21-24																				
25-34	5	6.2	37	1	1	4	10	16	16	16	3	1.3		1	1	1	2	2	2	2
35-54	3	3.0	1	2	2	3	4	4	4	4	2	12.5	265	1	1	12	24	24	24	24
55-74																				
75 +																				
ALL AGES	9	4.6	23	1	1	3	5	13	16	16	6	5.2	85	1	1	1	2	22	24	24
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	2	4.5	1	4	4	4	5	5	5	5	2	3.5	1	3	3	3	4	4	4	4
35-54																				
55-74											2	5.5	25	2	2	5	9	9	9	9
75 +																				
ALL AGES	2	4.5	1	4	4	4	5	5	5	5	4	4.5	10	2	2	3	6	9	9	9
SUBTOTAL	**11**	**4.5**	**19**	**1**	**1**	**4**	**5**	**11**	**16**	**16**	**10**	**4.9**	**51**	**1**	**1**	**2**	**4**	**16**	**24**	**24**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2										
18-20	1	49.0		49	49	49	49	49	49	49										
21-24	1	1.0		1	1	1	1	1	1	1	1	20.0		20	20	20	20	20	20	20
25-34	6	10.3	107	2	2	5	23	24	24	24	8	16.9	122	1	1	20	25	29	30	30
35-54	4	12.3	83	4	4	10	19	24	24	24	3	13.7	120	1	1	19	20	21	21	21
55-74	1	4.0		4	4	4	4	4	4	4	1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES	14	11.9	190	1	2	5	23	27	44	49	13	15.4	106	1	1	20	21	28	30	30
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	2	4.5	1	4	4	4	5	5	5	5										
21-24	1	8.0		8	8	8	8	8	8	8	2	2.0	2	1	1	2	3	3	3	3
25-34	5	4.2	3	2	2	4	5	7	7	7	7	6.9	55	2	2	4	8	20	23	23
35-54	8	5.3	2	3	3	5	7	8	8	8	2	4.5	5	3	3	4	6	6	6	6
55-74	1	11.0		11	11	11	11	11	11	11	1	2.0		2	2	2	2	2	2	2
75 +											2	13.5	1	13	13	13	14	14	14	14
ALL AGES	17	5.4	5	2	3	4	7	8	10	11	14	6.4	40	1	2	4	9	15	21	23
SUBTOTAL	**31**	**8.3**	**96**	**2**	**2**	**5**	**8**	**23**	**24**	**49**	**27**	**10.7**	**91**	**1**	**1**	**6**	**20**	**23**	**28**	**30**
GRAND TOTAL	**42**	**7.3**	**78**	**1**	**2**	**4**	**7**	**18**	**24**	**49**	**37**	**9.2**	**84**	**1**	**1**	**4**	**19**	**23**	**27**	**30**

COCAINE ABUSE (305.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	15.5	421	1	1	15	30	30	30	30	1	3.0		3	3	3	3	3	3	3
18-20	1	35.0		35	35	35	35	35	35	35	4	13.0	181	1	1	12	24	27	27	27
21-24	5	5.6	36	1	1	3	10	15	15	15	8	12.3	118	1	1	9	22	27	28	28
25-34	16	18.3	208	1	1	25	30	30	39	43	32	17.9	90	2	3	21	21	29	36	39
35-54	4	8.3	209	1	1	1	16	30	30	30	14	21.1	57	4	11	21	21	31	33	34
55-74											2	17.5	5	16	16	17	19	19	19	19
75 +																				
ALL AGES	28	15.0	204	1	1	8	29	30	36	43	61	17.3	94	1	2	21	21	29	32	39
B. FEMALE																				
0-12 YRS.																				
13-17											1	41.0		41	41	41	41	41	41	41
18-20	1	1.0		1	1	1	1	1	1	1	1	7.0		7	7	7	7	7	7	7
21-24	1	19.0		19	19	19	19	19	19	19	6	23.5	25	20	20	21	25	32	33	33
25-34	13	13.4	187	1	1	7	23	32	40	42	10	19.4	51	5	9	21	21	27	33	33
35-54	3	4.7	6	2	2	5	6	7	7	7	1	28.0		28	28	28	28	28	28	28
55-74																				
75 +																				
ALL AGES	18	11.6	152	1	1	6	21	29	37	42	19	21.6	73	6	9	21	24	33	38	41
SUBTOTAL	**46**	**13.7**	**182**	**1**	**1**	**7**	**29**	**30**	**36**	**43**	**80**	**18.3**	**92**	**2**	**3**	**21**	**22**	**29**	**34**	**40**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	6	32.2	28	27	27	30	37	41	41	41	4	13.5	146	1	1	13	23	27	27	27
18-20	3	25.7	323	7	7	27	39	43	43	43	8	11.9	125	1	1	7	22	28	30	30
21-24	6	12.5	118	2	2	12	21	25	25	25	12	20.8	92	2	3	22	27	31	32	32
25-34	14	15.2	133	1	2	18	28	29	30	30	47	18.5	105	2	3	21	27	29	31	39
35-54	8	9.1	121	1	1	4	16	27	28	28	8	13.5	115	1	1	14	23	27	27	27
55-74											1	9.0		9	9	9	9	9	9	9
75 +																				
ALL AGES	37	17.1	172	1	2	21	28	30	40	43	80	17.3	110	1	2	21	26	29	31	37
B. FEMALE																				
0-12 YRS.																				
13-17	7	22.3	359	1	1	23	41	45	45	45	6	18.2	412	1	1	12	38	45	46	46
18-20	1	27.0		27	27	27	27	27	27	27	5	25.8	11	21	21	27	28	29	29	29
21-24	5	17.6	104	2	2	21	24	29	29	29	8	6.3	85	1	1	2	9	23	26	26
25-34	11	14.2	146	1	2	11	25	33	35	35	15	18.3	191	1	1	21	29	33	40	42
35-54	3	10.7	251	1	1	2	22	29	29	29	3	10.7	132	4	4	4	19	24	24	24
55-74																				
75 +																				
ALL AGES	27	17.0	195	1	1	14	29	35	44	45	37	16.1	196	1	1	21	27	32	41	46
SUBTOTAL	**64**	**17.0**	**180**	**1**	**2**	**18**	**28**	**33**	**42**	**45**	**117**	**16.9**	**137**	**1**	**1**	**21**	**27**	**30**	**32**	**43**
GRAND TOTAL	**110**	**15.6**	**183**	**1**	**1**	**13**	**29**	**31**	**41**	**44**	**197**	**17.5**	**117**	**1**	**2**	**21**	**24**	**30**	**33**	**42**

AMPHETAMINE ABUSE (305.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	7.0		7	7	7	7	7	7	7										
18-20	1	1.0		1	1	1	1	1	1	1	1	23.0		23	23	23	23	23	23	23
21-24											2	1.5	1	1	1	1	2	2	2	2
25-34	3	5.7	52	1	1	2	11	14	14	14	2	9.0	50	4	4	9	14	14	14	14
35-54	1	1.0		1	1	1	1	1	1	1	2	3.0	8	1	1	3	5	5	5	5
55-74																				
75 +																				
ALL AGES	6	4.3	28	1	1	2	7	13	14	14	7	7.1	70	1	1	4	12	21	23	23
B. FEMALE																				
0-12 YRS.																				
13-17	1	3.0		3	3	3	3	3	3	3										
18-20	2	1.0		1	1	1	1	1	1	1	1	3.0		3	3	3	3	3	3	3
21-24	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
25-34	2	12.5	5	11	11	12	14	14	14	14	4	2.0	4	1	1	1	3	5	5	5
35-54																				
55-74																				
75 +																				
ALL AGES	6	5.2	33	1	1	2	11	14	14	14	6	2.0	3	1	1	1	3	5	5	5
SUBTOTAL	**12**	**4.8**	**28**	**1**	**1**	**2**	**9**	**14**	**14**	**14**	**13**	**4.8**	**43**	**1**	**1**	**2**	**5**	**16**	**22**	**23**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	40.0		40	40	40	40	40	40	40	1	1.0		1	1	1	1	1	1	1
18-20											3	11.3	209	3	3	3	22	28	28	28
21-24	3	5.3	21	1	1	5	9	10	10	10	1	3.0		3	3	3	3	3	3	3
25-34	6	4.0	5	1	1	4	6	6	6	6	4	5.8	37	1	1	4	10	14	14	14
35-54											1	1.0		1	1	1	1	1	1	1
55-74																				
75 +																				
ALL AGES	10	8.0	134	1	1	5	6	25	40	40	10	6.2	75	1	1	3	7	21	28	28
B. FEMALE																				
0-12 YRS.																				
13-17	2	33.5	545	17	17	33	50	50	50	50										
18-20	2	1.0		1	1	1	1	1	1	1	1	5.0		5	5	5	5	5	5	5
21-24	5	4.0	5	1	1	4	5	7	7	7	2	20.0	288	8	8	20	32	32	32	32
25-34	4	5.5	1	5	5	5	6	7	7	7	4	9.8	132	3	3	4	16	27	27	27
35-54	2	6.5	1	6	6	6	7	7	7	7	1	1.0		1	1	1	1	1	1	1
55-74																				
75 +																				
ALL AGES	15	8.3	148	1	1	5	7	17	42	50	8	10.6	142	1	2	5	17	30	32	32
SUBTOTAL	**25**	**8.2**	**136**	**1**	**1**	**5**	**7**	**17**	**42**	**50**	**18**	**8.2**	**103**	**1**	**1**	**4**	**8**	**28**	**30**	**32**
GRAND TOTAL	**37**	**7.1**	**102**	**1**	**1**	**5**	**7**	**14**	**32**	**50**	**31**	**6.7**	**79**	**1**	**1**	**3**	**7**	**25**	**28**	**32**

ANTIDEPRESSANT ABUSE (305.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54											1	2.0		2	2	2	2	2	2	2
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	3.0		3	3	3	3	3	3	3	1	1.0		1	1	1	1	1	1	1
55-74																				
75 +																				
ALL AGES	1	3.0		3	3	3	3	3	3	3	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**2**	**2.0**	**2**	**1**	**1**	**2**	**3**	**3**	**3**	**3**	**2**	**1.5**	**1**	**1**	**1**	**1**	**2**	**2**	**2**	**2**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54	2	8.5	61	3	3	8	14	14	14	14	1	12.0		12	12	12	12	12	12	12
55-74																				
75 +																				
ALL AGES	3	6.3	45	2	2	3	11	14	14	14	1	12.0		12	12	12	12	12	12	12
SUBTOTAL	**3**	**6.3**	**45**	**2**	**2**	**3**	**11**	**14**	**14**	**14**	**1**	**12.0**		**12**	**12**	**12**	**12**	**12**	**12**	**12**
GRAND TOTAL	**5**	**4.6**	**28**	**1**	**1**	**3**	**6**	**14**	**14**	**14**	**3**	**5.0**	**37**	**1**	**1**	**2**	**9**	**12**	**12**	**12**

DRUG ABUSE NEC/NOS (305.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	63.0		63	63	63	63	63	63	63										
13-17	23	24.6	238	1	1	30	37	40	43	47	3	13.7	184	3	3	9	24	29	29	29
18-20	11	7.6	115	1	1	1	11	28	28	28	2	5.5	41	1	1	5	10	10	10	10
21-24	10	11.4	152	1	1	5	21	28	35	35	2	3.0		3	3	3	3	3	3	3
25-34	8	13.9	75	2	2	18	21	21	21	21	23	9.7	89	1	1	5	15	27	28	28
35-54	14	9.6	140	1	1	2	21	29	33	34	7	7.1	76	1	1	3	11	22	24	24
55-74	1	3.0		3	3	3	3	3	3	3	1	30.0		30	30	30	30	30	30	30
75 +																				
ALL AGES	68	15.8	236	1	1	12	28	37	40	60	38	9.5	93	1	1	4	14	28	29	30
B. FEMALE																				
0-12 YRS.																				
13-17	16	28.3	247	2	4	28	38	49	52	53	7	9.6	278	1	1	3	7	39	47	47
18-20	4	15.8	255	1	1	13	28	36	36	36										
21-24	11	9.5	104	1	1	5	18	25	30	30	4	8.3	112	1	1	4	14	24	24	24
25-34	9	10.7	126	1	1	7	22	28	30	30	10	13.0	75	2	3	11	21	25	28	28
35-54	6	15.0	124	1	1	15	21	31	32	32	7	13.6	202	1	1	5	29	32	32	32
55-74	2	8.0	8	6	6	8	10	10	10	10	5	6.2	3	4	4	7	7	8	8	8
75 +	3	9.0	37	5	5	6	13	16	16	16	1	2.0		2	2	2	2	2	2	2
ALL AGES	51	16.7	211	1	1	12	28	35	48	53	34	10.5	129	1	1	6	15	28	32	47
SUBTOTAL	**119**	**16.2**	**223**	**1**	**1**	**12**	**28**	**36**	**42**	**56**	**72**	**10.0**	**108**	**1**	**1**	**5**	**15**	**28**	**30**	**44**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	18.0		18	18	18	18	18	18	18										
13-17	68	33.2	256	9	12	30	46	58	65	95	12	16.2	182	1	2	14	31	54	91	99 +
18-20	4	8.8	70	2	2	6	14	21	21	21	4	20.5	329	3	3	18	35	43	43	43
21-24	8	10.0	148	1	1	4	28	72	99 +	99 +	2	9.0	50	4	4	9	14	14	14	14
25-34	25	9.0	70	1	1	5	16	21	24	29	13	10.2	70	1	1	7	18	21	22	22
35-54	14	10.2	104	1	1	7	21	27	29	30	9	7.0	46	1	1	6	12	17	19	19
55-74											4	16.8	41	7	7	19	20	21	21	21
75 +																				
ALL AGES	120	23.0	318	1	1	21	35	50	59	99 +	44	12.7	121	1	1	11	20	29	42	99 +
B. FEMALE																				
0-12 YRS.																				
13-17	27	33.2	357	1	2	30	43	62	64	67	14	16.4	324	1	2	11	21	34	62	70
18-20	2	19.5	5	18	18	19	21	21	21	21	6	7.0	109	1	1	3	6	26	28	28
21-24	8	8.4	38	1	2	7	15	16	16	16	3	6.0	49	1	1	3	11	14	14	14
25-34	25	9.0	56	1	3	6	13	20	27	29	15	7.7	68	1	1	5	10	21	26	28
35-54	7	8.0	47	3	3	6	10	20	22	22	5	13.0	246	2	2	3	25	37	37	37
55-74	6	9.8	143	1	1	3	22	27	28	28	1	21.0		21	21	21	21	21	21	21
75 +																				
ALL AGES	75	17.9	298	1	2	13	29	41	59	66	44	11.2	177	1	1	5	20	28	32	70
SUBTOTAL	**195**	**21.0**	**316**	**1**	**2**	**18**	**30**	**49**	**59**	**88**	**88**	**11.9**	**149**	**1**	**1**	**7**	**20**	**28**	**37**	**88**
GRAND TOTAL	**314**	**19.2**	**285**	**1**	**1**	**16**	**30**	**44**	**54**	**69**	**160**	**11.0**	**132**	**1**	**1**	**6**	**19**	**28**	**31**	**67**

PSYCHOGEN MUSCULSKEL DIS (306.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34											1	2.0		2	2	2	2	2	2	2
35-54																				
55-74	1	5.0		5	5	5	5	5	5	5	1	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5	2	1.5	1	1	1	1	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	4.0		4	4	4	4	4	4	4	1	4.0		4	4	4	4	4	4	4
25-34	3	1.7	1	1	1	1	3	3	3	3	1	2.0		2	2	2	2	2	2	2
35-54	1	2.0		2	2	2	2	2	2	2	3	5.3	25	2	2	3	9	11	11	11
55-74											1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	5	2.2	2	1	1	2	3	4	4	4	6	4.0	12	2	2	3	4	10	11	11
SUBTOTAL	**6**	**2.7**	**2**	**1**	**1**	**2**	**4**	**5**	**5**	**5**	**8**	**3.4**	**10**	**1**	**1**	**2**	**3**	**9**	**11**	**11**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	2	5.0	32	1	1	5	9	9	9	9	2	6.0	18	3	3	6	9	9	9	9
55-74	1	5.0		5	5	5	5	5	5	5										
75 +																				
ALL AGES	3	5.0	16	1	1	5	8	9	9	9	2	6.0	18	3	3	6	9	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54	1	1.0		1	1	1	1	1	1	1										
55-74											1	15.0		15	15	15	15	15	15	15
75 +																				
ALL AGES	2	1.0		1	1	1	1	1	1	1	1	15.0		15	15	15	15	15	15	15
SUBTOTAL	**5**	**3.4**	**13**	**1**	**1**	**1**	**6**	**9**	**9**	**9**	**3**	**9.0**	**36**	**3**	**3**	**9**	**13**	**15**	**15**	**15**
GRAND TOTAL	**11**	**3.0**	**7**	**1**	**1**	**2**	**5**	**7**	**9**	**9**	**11**	**4.9**	**21**	**1**	**1**	**3**	**8**	**13**	**15**	**15**

PSYCHOGENIC RESPIR DIS (306.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2										
18-20	2	1.5	1	1	1	1	2	2	2	2	1	1.0		1	1	1	1	1	1	1
21-24											1	10.0		10	10	10	10	10	10	10
25-34	6	1.0		1	1	1	1	1	1	1	2	1.0		1	1	1	1	1	1	1
35-54	5	1.8	2	1	1	1	2	4	4	4	7	1.4		1	1	1	2	2	2	2
55-74	5	2.4	1	1	1	3	3	3	3	3	6	3.0	7	1	1	2	4	8	8	8
75 +											3	2.7	1	2	2	2	4	4	4	4
ALL AGES	19	1.7	1	1	1	1	2	3	4	4	20	2.5	6	1	1	2	2	6	9	10
B. FEMALE																				
0-12 YRS.											1	5.0		5	5	5	5	5	5	5
13-17											5	2.8	5	1	1	2	4	6	6	6
18-20	2	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
21-24	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
25-34	4	1.0		1	1	1	1	1	1	1	4	2.3	3	1	1	2	3	5	5	5
35-54	4	2.0	2	1	1	2	3	4	4	4	8	2.5	1	1	1	2	3	4	5	5
55-74	10	3.0	5	1	1	2	4	6	8	8	13	2.3	1	1	1	2	3	4	4	4
75 +	2	2.0		2	2	2	2	2	2	2	6	3.5	1	2	2	4	4	4	4	4
ALL AGES	23	2.1	3	1	1	1	3	4	6	8	39	2.6	2	1	1	2	4	5	5	6
SUBTOTAL	**42**	**1.9**	**2**	**1**	**1**	**1**	**2**	**4**	**5**	**8**	**59**	**2.5**	**3**	**1**	**1**	**2**	**4**	**5**	**6**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	3.0	8	1	1	3	5	5	5	5	1	1.0		1	1	1	1	1	1	1
18-20	2	2.5	5	1	1	2	4	4	4	4										
21-24	2	2.0	2	1	1	2	3	3	3	3	2	1.5	1	1	1	1	2	2	2	2
25-34	1	3.0		3	3	3	3	3	3	3	2	2.5	1	2	2	2	3	3	3	3
35-54											2	1.5	1	1	1	1	2	2	2	2
55-74	2	2.0		2	2	2	2	2	2	2	2	2.0	2	1	1	2	3	3	3	3
75 +											2	6.5	13	4	4	6	9	9	9	9
ALL AGES	9	2.4	2	1	1	2	3	5	5	5	11	2.6	6	1	1	2	3	6	9	9
B. FEMALE																				
0-12 YRS.																				
13-17	2	1.5	1	1	1	1	2	2	2	2	3	1.7		1	1	2	2	2	2	2
18-20	1	2.0		2	2	2	2	2	2	2										
21-24											3	3.3	3	2	2	3	4	5	5	5
25-34	3	2.0	1	1	1	2	3	3	3	3	4	1.8		1	1	2	2	2	2	2
35-54	6	2.5	1	1	1	2	3	4	4	4	6	4.0	4	1	1	4	6	6	6	6
55-74	2	3.5	5	2	2	3	5	5	5	5	7	2.9	1	1	1	3	3	5	5	5
75 +	2	2.5	5	1	1	2	4	4	4	4	6	3.7	3	1	1	4	5	6	6	6
ALL AGES	16	2.4	1	1	1	2	3	4	5	5	29	3.0	3	1	1	3	4	6	6	6
SUBTOTAL	**25**	**2.4**	**2**	**1**	**1**	**2**	**3**	**4**	**5**	**5**	**40**	**2.9**	**3**	**1**	**1**	**3**	**4**	**5**	**6**	**9**
GRAND TOTAL	**67**	**2.1**	**2**	**1**	**1**	**2**	**3**	**4**	**5**	**8**	**99**	**2.7**	**3**	**1**	**1**	**2**	**4**	**5**	**6**	**10**

PSYCHOGEN CARDIOVASC DIS (306.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.																						
13-17																						
18-20																						
21-24																						
25-34	1	2.0		2	2	2	2	2	2	2												
35-54											1	1.0		1	1	1	1	1	1	1
55-74	2	2.0	2	1	1	2	3	3	3	3	4	2.5	2	1	1	2	3	4	4	4
75 +	3	1.7		1	1	2	2	2	2	2										
ALL AGES	6	1.8	1	1	1	2	2	3	3	3	5	2.2	2	1	1	2	3	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	6	2.3	2	1	1	2	3	4	4	4	5	2.2	1	1	1	2	3	3	3	3
75 +	3	2.3	1	2	2	2	3	3	3	3										
ALL AGES	9	2.3	1	1	1	2	3	4	4	4	5	2.2	1	1	1	2	3	3	3	3
SUBTOTAL	**15**	**2.1**	**1**	**1**	**1**	**2**	**3**	**3**	**4**	**4**	**10**	**2.2**	**1**	**1**	**1**	**2**	**3**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	2	2.0	2	1	1	2	3	3	3	3	3	1.0		1	1	1	1	1	1	1
55-74	2	2.0		2	2	2	2	2	2	2	3	2.3	1	2	2	2	3	3	3	3
75 +																				
ALL AGES	4	2.0	1	1	1	2	3	3	3	3	6	1.7	1	1	1	2	2	3	3	3
B. FEMALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17																				
18-20																				
21-24																				
25-34																				
35-54	2	1.5	1	1	1	1	2	2	2	2	1	2.0		2	2	2	2	2	2	2
55-74	2	3.0	8	1	1	3	5	5	5	5	2	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES	5	2.6	3	1	1	2	4	5	5	5	3	2.7		2	2	3	3	3	3	3
SUBTOTAL	**9**	**2.3**	**2**	**1**	**1**	**2**	**3**	**5**	**5**	**5**	**9**	**2.0**	**1**	**1**	**1**	**2**	**3**	**3**	**3**	**3**
GRAND TOTAL	**24**	**2.2**	**1**	**1**	**1**	**2**	**3**	**4**	**4**	**5**	**19**	**2.1**	**1**	**1**	**1**	**2**	**3**	**3**	**4**	**4**

PSYCHOGENIC SKIN DISEASE (306.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +											1	13.0		13	13	13	13	13	13	13
ALL AGES											1	13.0		13	13	13	13	13	13	13
SUBTOTAL											**1**	**13.0**		**13**	**13**	**13**	**13**	**13**	**13**	**13**
GRAND TOTAL											**1**	**13.0**		**13**	**13**	**13**	**13**	**13**	**13**	**13**

PSYCHOGENIC GI DISEASE (306.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	1.0		1	1	1	1	1	1	1										
13-17											1	4.0		4	4	4	4	4	4	4
18-20																				
21-24	1	10.0		10	10	10	10	10	10	10										
25-34											1	3.0		3	3	3	3	3	3	3
35-54	3	3.0	4	1	1	3	4	5	5	5	1	3.0		3	3	3	3	3	3	3
55-74	2	5.5	13	3	3	5	8	8	8	8	2	5.5	1	5	5	5	6	6	6	6
75 +											1	4.0		4	4	4	4	4	4	4
ALL AGES	8	4.0	12	1	1	3	6	9	10	10	6	4.2	1	3	3	4	5	6	6	6
B. FEMALE																				
0-12 YRS.	2	1.5	1	1	1	1	2	2	2	2	2	1.0		1	1	1	1	1	1	1
13-17											1	9.0		9	9	9	9	9	9	9
18-20	1	4.0		4	4	4	4	4	4	4										
21-24	1	7.0		7	7	7	7	7	7	7	1	2.0		2	2	2	2	2	2	2
25-34	2	7.0		7	7	7	7	7	7	7										
35-54	9	3.6	9	1	1	3	4	8	11	11	7	4.4	15	1	1	4	6	11	12	12
55-74	1	13.0		13	13	13	13	13	13	13	6	4.0	7	1	1	3	4	9	9	9
75 +	1	3.0		3	3	3	3	3	3	3	2	2.0		2	2	2	2	2	2	2
ALL AGES	17	4.5	12	1	1	4	7	10	12	13	19	3.8	10	1	1	3	4	9	11	12
SUBTOTAL	**25**	**4.3**	**12**	**1**	**1**	**3**	**7**	**10**	**11**	**13**	**25**	**3.9**	**8**	**1**	**1**	**3**	**5**	**9**	**10**	**12**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	6.0		6	6	6	6	6	6	6										
18-20																				
21-24																				
25-34	3	3.7	2	2	2	4	5	5	5	5	1	2.0		2	2	2	2	2	2	2
35-54	4	3.0	3	1	1	3	4	5	5	5	1	6.0		6	6	6	6	6	6	6
55-74	2	9.0	2	8	8	9	10	10	10	10	3	5.3	25	2	2	3	9	11	11	11
75 +	2	9.0	72	3	3	9	15	15	15	15	2	19.5	5	18	18	19	21	21	21	21
ALL AGES	12	5.4	16	1	2	4	7	11	14	15	7	9.0	62	2	2	6	16	20	21	21
B. FEMALE																				
0-12 YRS.																				
13-17	1	9.0		9	9	9	9	9	9	9										
18-20																				
21-24	2	3.5	1	3	3	3	4	4	4	4										
25-34	5	10.0	90	3	3	6	15	26	26	26	4	3.3	2	2	2	3	4	5	5	5
35-54	3	6.3	3	5	5	6	7	8	8	8	4	4.0	10	1	1	3	6	8	8	8
55-74	5	3.6	7	1	1	3	5	8	8	8	1	3.0		3	3	3	3	3	3	3
75 +	1	6.0		6	6	6	6	6	6	6	1	2.0		2	2	2	2	2	2	2
ALL AGES	17	6.4	33	1	2	5	8	11	21	26	10	3.4	4	1	1	3	5	7	8	8
SUBTOTAL	**29**	**6.0**	**25**	**1**	**2**	**5**	**8**	**11**	**16**	**26**	**17**	**5.7**	**34**	**1**	**2**	**3**	**6**	**17**	**20**	**21**
GRAND TOTAL	**54**	**5.2**	**19**	**1**	**1**	**4**	**7**	**10**	**13**	**26**	**42**	**4.6**	**19**	**1**	**1**	**3**	**5**	**10**	**14**	**21**

PSYCHOGENIC GU DISEASE (306.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																					
A. MALE																					
0-12 YRS.																					
13-17																					
18-20																					
21-24																					
25-34																					
35-54																					
55-74																					
75 +																					
ALL AGES																					
B. FEMALE																					
0-12 YRS.																					
13-17																					
18-20																					
21-24																					
25-34																					
35-54											1	1.0		1	1	1	1	1	1	1
55-74																					
75 +																					
ALL AGES											1	1.0		1	1	1	1	1	1	1
SUBTOTAL											**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
2. PSYCH PRIN, 2ND PSYCH DX(S)																					
A. MALE																					
0-12 YRS.																					
13-17																					
18-20																					
21-24																					
25-34																					
35-54																					
55-74																					
75 +																					
ALL AGES																					
B. FEMALE																					
0-12 YRS.																					
13-17																					
18-20																					
21-24																					
25-34																					
35-54																					
55-74																					
75 +	2	4.5	25	1	1	4	8	8	8	8											
ALL AGES	2	4.5	25	1	1	4	8	8	8	8											
SUBTOTAL	**2**	**4.5**	**25**	**1**	**1**	**4**	**8**	**8**	**8**	**8**											
GRAND TOTAL	**2**	**4.5**	**25**	**1**	**1**	**4**	**8**	**8**	**8**	**8**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**

PSYCHOGENIC DISORDER NEC (306.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24											2	2.0		2	2	2	2	2	2	2
25-34	1	4.0		4	4	4	4	4	4	4										
35-54	2	3.5	1	3	3	3	4	4	4	4										
55-74	1	14.0		14	14	14	14	14	14	14										
75 +																				
ALL AGES	4	6.3	26	3	3	4	9	14	14	14	2	2.0		2	2	2	2	2	2	2
SUBTOTAL	**4**	**6.3**	**26**	**3**	**3**	**4**	**9**	**14**	**14**	**14**	**2**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	1.0		1	1	1	1	1	1	1	1	4.0		4	4	4	4	4	4	4
35-54																				
55-74	1	5.0		5	5	5	5	5	5	5										
75 +																				
ALL AGES	2	3.0	8	1	1	3	5	5	5	5	1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.	1	9.0		9	9	9	9	9	9	9										
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	4.0		4	4	4	4	4	4	4	1	12.0		12	12	12	12	12	12	12
55-74																				
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	3	5.3	11	3	3	4	8	9	9	9	1	12.0		12	12	12	12	12	12	12
SUBTOTAL	**5**	**4.4**	**9**	**1**	**1**	**4**	**6**	**9**	**9**	**9**	**2**	**8.0**	**32**	**4**	**4**	**8**	**12**	**12**	**12**	**12**
GRAND TOTAL	**9**	**5.2**	**16**	**1**	**2**	**4**	**6**	**12**	**14**	**14**	**4**	**5.0**	**23**	**2**	**2**	**3**	**8**	**12**	**12**	**12**

PSYCHOGENIC DISORDER NOS (306.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54	1	6.0		6	6	6	6	6	6	6										
55-74																				
75 +	1	2.0		2	2	2	2	2	2	2										
ALL AGES	3	3.3	6	2	2	2	5	6	6	6										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	3	3.7	4	2	2	3	5	6	6	6	1	8.0		8	8	8	8	8	8	8
35-54	1	2.0		2	2	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1
55-74	1	1.0		1	1	1	1	1	1	1										
75 +											1	4.0		4	4	4	4	4	4	4
ALL AGES	5	2.8	4	1	1	2	4	6	6	6	3	4.3	13	1	1	4	7	8	8	8
SUBTOTAL	**8**	**3.0**	**4**	**1**	**1**	**2**	**4**	**6**	**6**	**6**	**3**	**4.3**	**13**	**1**	**1**	**4**	**7**	**8**	**8**	**8**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	2	25.0	512	9	9	25	41	41	41	41	1	5.0		5	5	5	5	5	5	5
35-54																				
55-74																				
75 +																				
ALL AGES	2	25.0	512	9	9	25	41	41	41	41	1	5.0		5	5	5	5	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17	1	5.0		5	5	5	5	5	5	5	1	3.0		3	3	3	3	3	3	3
18-20																				
21-24											1	14.0		14	14	14	14	14	14	14
25-34	2	5.0	8	3	3	5	7	7	7	7										
35-54											3	13.7	225	4	4	6	25	31	31	31
55-74	2	4.0	8	2	2	4	6	6	6	6	1	9.0		9	9	9	9	9	9	9
75 +																				
ALL AGES	5	4.6	4	2	2	5	6	7	7	7	6	11.2	109	3	3	7	14	29	31	31
SUBTOTAL	**7**	**10.4**	**188**	**2**	**2**	**6**	**8**	**35**	**41**	**41**	**7**	**10.3**	**97**	**3**	**3**	**6**	**13**	**28**	**31**	**31**
GRAND TOTAL	**15**	**6.5**	**96**	**1**	**2**	**3**	**6**	**9**	**33**	**41**	**10**	**8.5**	**76**	**1**	**2**	**5**	**9**	**22**	**31**	**31**

STAMMERING & STUTTERING (307.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	7.0		7	7	7	7	7	7	7										
21-24																				
25-34																				
35-54	1	3.0		3	3	3	3	3	3	3										
55-74																				
75 +																				
ALL AGES	2	5.0	8	3	3	5	7	7	7	7										
SUBTOTAL	2	5.0	8	3	3	5	7	7	7	7										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	2	5.0	8	3	3	5	7	7	7	7										

ANOREXIA NERVOSA (307.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17	2	13.5	181	4	4	13	23	23	23	23										
18-20																				
21-24											1	1.0		1	1	1	1	1	1	1
25-34																				
35-54	1	5.0		5	5	5	5	5	5	5										
55-74											1	6.0		6	6	6	6	6	6	6
75 +																				
ALL AGES	3	10.7	113	4	4	5	18	23	23	23	3	2.7	8	1	1	1	5	6	6	6
B. FEMALE																				
0-12 YRS.	5	21.0	196	7	7	15	35	37	37	37	3	25.3	1369	3	3	5	52	68	68	68
13-17	28	27.5	317	3	4	28	39	60	64	99 +	10	38.0	844	1	3	43	62	74	80	80
18-20	17	31.1	724	1	3	25	48	77	85	86	7	16.7	176	3	3	18	28	35	36	36
21-24	5	5.0	9	3	3	4	6	10	10	10	17	8.6	171	1	1	4	9	25	44	52
25-34	20	21.7	371	1	3	11	40	51	54	56	11	13.9	297	2	3	4	15	44	56	57
35-54	6	9.5	183	3	3	4	6	34	37	37	7	13.9	203	2	2	12	21	38	41	41
55-74																				
75 +																				
ALL AGES	81	23.7	416	2	3	16	37	53	61	96	55	17.6	450	1	2	8	28	56	66	79
SUBTOTAL	**84**	**23.2**	**412**	**2**	**3**	**16**	**37**	**52**	**60**	**95**	**58**	**16.9**	**436**	**1**	**1**	**6**	**24**	**55**	**65**	**79**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	15.7	288	3	3	9	28	35	35	35										
13-17	2	36.5	221	26	26	36	47	47	47	47										
18-20	2	34.5	221	24	24	34	45	45	45	45										
21-24																				
25-34	2	5.0	2	4	4	5	6	6	6	6										
35-54																				
55-74																				
75 +																				
ALL AGES	9	22.1	307	3	3	24	37	46	47	47										
B. FEMALE																				
0-12 YRS.	2	56.0	578	39	39	56	73	73	73	73	2	10.0	32	6	6	10	14	14	14	14
13-17	24	25.3	296	3	5	22	35	49	63	64	7	56.3	348	33	38	54	75	98	99 +	99 +
18-20	16	25.9	262	3	7	20	41	50	52	53	6	29.2	543	1	1	34	48	53	54	54
21-24	22	19.4	459	1	2	13	31	50	67	86	4	40.0	1125	4	4	35	61	85	85	85
25-34	38	23.4	454	1	2	15	38	56	63	86	18	29.2	365	1	2	30	45	48	61	69
35-54	17	25.2	516	5	6	16	31	63	78	84	5	6.4	14	3	3	4	10	11	11	11
55-74	3	7.0	21	3	3	6	10	12	12	12	7	10.9	150	1	1	5	23	29	29	29
75 +																				
ALL AGES	122	23.8	408	2	3	18	35	53	64	86	49	28.2	556	1	2	29	46	55	85	99 +
SUBTOTAL	**131**	**23.7**	**398**	**2**	**3**	**19**	**35**	**52**	**64**	**86**	**49**	**28.2**	**556**	**1**	**2**	**29**	**46**	**55**	**85**	**99 +**
GRAND TOTAL	**215**	**23.5**	**402**	**2**	**3**	**18**	**36**	**52**	**62**	**86**	**107**	**22.1**	**517**	**1**	**2**	**11**	**39**	**55**	**68**	**97**

TICS (307.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17																				
18-20																				
21-24																				
25-34	1	37.0		37	37	37	37	37	37	37										
35-54																				
55-74																				
75 +																				
ALL AGES	2	19.5	613	2	2	19	37	37	37	37										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**2**	**19.5**	**613**	**2**	**2**	**19**	**37**	**37**	**37**	**37**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	20.0		20	20	20	20	20	20	20										
13-17	1	41.0		41	41	41	41	41	41	41										
18-20											1	2.0		2	2	2	2	2	2	2
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	30.5	221	20	20	30	41	41	41	41	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.	2	30.0	722	11	11	30	49	49	49	49										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	42.0		42	42	42	42	42	42	42	1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	3	34.0	409	11	11	42	47	49	49	49	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**5**	**32.6**	**263**	**11**	**11**	**41**	**44**	**49**	**49**	**49**	**2**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
GRAND TOTAL	**7**	**28.9**	**316**	**2**	**4**	**37**	**42**	**48**	**49**	**49**	**2**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**

NONORGANIC SLEEP DISORD (307.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-20																				
21-24																				
25-34											3	7.7	133	1	1	1	16	21	21	21
35-54																				
55-74											1	6.0		6	6	6	6	6	6	6
75 +	1	6.0		6	6	6	6	6	6	6	1	1.0		1	1	1	1	1	1	1
ALL AGES	1	6.0		6	6	6	6	6	6	6	6	5.2	64	1	1	1	6	19	21	21
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	3.0		3	3	3	3	3	3	3										
55-74																				
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	3	2.7	2	1	1	3	4	4	4	4										
SUBTOTAL	**4**	**3.5**	**4**	**1**	**1**	**3**	**5**	**6**	**6**	**6**	**6**	**5.2**	**64**	**1**	**1**	**1**	**6**	**19**	**21**	**21**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34											1	4.0		4	4	4	4	4	4	4
35-54																				
55-74																				
75 +																				
ALL AGES											1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.											1	6.0		6	6	6	6	6	6	6
13-17																				
18-20											1	5.0		5	5	5	5	5	5	5
21-24																				
25-34	1	8.0		8	8	8	8	8	8	8										
35-54																				
55-74	1	3.0		3	3	3	3	3	3	3										
75 +											1	4.0		4	4	4	4	4	4	4
ALL AGES	2	5.5	13	3	3	5	8	8	8	8	3	5.0	1	4	4	5	6	6	6	6
SUBTOTAL	**2**	**5.5**	**13**	**3**	**3**	**5**	**8**	**8**	**8**	**8**	**4**	**4.8**		**4**	**4**	**5**	**5**	**6**	**6**	**6**
GRAND TOTAL	**6**	**4.2**	**6**	**1**	**1**	**4**	**6**	**8**	**8**	**8**	**10**	**5.0**	**36**	**1**	**1**	**4**	**6**	**14**	**21**	**21**

EATING DISORDERS NEC/NOS (307.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	6.5	1	6	6	6	7	7	7	7	1	1.0		1	1	1	1	1	1	1
13-17	2	34.0	882	13	13	34	55	55	55	55	1	3.0		3	3	3	3	3	3	3
18-20											1	1.0		1	1	1	1	1	1	1
21-24											3	5.0	7	3	3	4	7	8	8	8
25-34	4	11.5	362	1	1	2	21	40	40	40	1	2.0		2	2	2	2	2	2	2
35-54	3	1.7	1	1	1	1	3	3	3	3	1	31.0		31	31	31	31	31	31	31
55-74											1	3.0		3	3	3	3	3	3	3
75 +											1	4.0		4	4	4	4	4	4	4
ALL AGES	11	12.0	332	1	1	3	11	46	54	55	10	6.0	81	1	1	3	4	19	31	31
B. FEMALE																				
0-12 YRS.	4	15.0	317	3	3	12	56	99 +	99 +	99 +	2	2.0	2	1	1	2	3	3	3	3
13-17	27	29.1	357	1	5	26	40	52	60	83	11	35.2	238	3	14	40	46	68	95	99 +
18-20	21	27.8	327	4	5	26	40	52	64	65	12	30.1	308	1	2	36	43	47	48	48
21-24	26	28.2	256	2	3	32	35	43	60	63	12	29.9	419	3	3	35	46	55	56	56
25-34	30	27.1	133	2	10	30	32	37	43	55	17	31.1	346	1	2	32	39	51	67	74
35-54	10	26.3	104	11	12	27	33	38	42	42	12	19.9	467	2	2	5	37	55	56	56
55-74	1	2.0		2	2	2	2	2	2	2	1	2.0		2	2	2	2	2	2	2
75 +	2	24.5	145	16	16	24	33	33	33	33	1	2.0		2	2	2	2	2	2	2
ALL AGES	121	27.2	245	2	4	29	35	45	57	88	68	27.7	378	1	2	32	41	54	56	95
SUBTOTAL	**132**	**25.9**	**269**	**1**	**3**	**29**	**35**	**45**	**56**	**86**	**78**	**24.9**	**392**	**1**	**2**	**30**	**40**	**51**	**55**	**92**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	37.0		37	37	37	37	37	37	37	1	53.0		53	53	53	53	53	53	53
18-20	1	11.0		11	11	11	11	11	11	11										
21-24	3	17.7	51	13	13	14	23	26	26	26	2	34.0	128	26	26	34	42	42	42	42
25-34	3	10.0	21	5	5	11	13	14	14	14	3	4.3	1	4	4	4	5	5	5	5
35-54	5	18.4	134	4	4	15	28	33	33	33	3	11.3	109	3	3	8	19	23	23	23
55-74											2	3.5	1	3	3	3	4	4	4	4
75 +																				
ALL AGES	13	17.2	105	4	5	14	26	34	36	37	11	15.9	315	3	3	5	25	46	52	53
B. FEMALE																				
0-12 YRS.	2	29.0	450	14	14	29	44	44	44	44										
13-17	40	26.0	375	4	6	18	39	52	70	73	5	30.2	137	17	17	28	39	47	47	47
18-20	34	23.3	229	10	13	17	30	46	49	80	21	37.5	504	1	3	39	54	61	75	89
21-24	30	22.5	218	3	3	24	33	40	42	54	20	39.0	318	3	14	38	49	63	67	69
25-34	69	20.8	233	2	2	17	31	42	45	59	34	28.6	341	4	8	29	40	48	53	85
35-54	34	28.5	191	5	12	33	40	42	44	60	18	31.6	555	3	4	29	42	60	77	88
55-74	4	32.3	279	7	7	40	41	41	41	41	5	25.0	1008	1	1	3	57	65	65	65
75 +											2	7.0	8	5	5	7	9	9	9	9
ALL AGES	213	23.9	256	3	4	20	35	42	51	73	105	32.4	430	2	4	32	46	60	65	88
SUBTOTAL	**226**	**23.5**	**250**	**3**	**4**	**19**	**35**	**42**	**50**	**73**	**116**	**30.8**	**442**	**2**	**3**	**31**	**45**	**59**	**64**	**88**
GRAND TOTAL	**358**	**24.4**	**257**	**2**	**4**	**25**	**35**	**43**	**54**	**73**	**194**	**28.4**	**430**	**2**	**3**	**30**	**42**	**54**	**61**	**89**

ENCOPRESIS (307.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	8.0		8	8	8	8	8	8	8										
13-17	1	80.0		80	80	80	80	80	80	80										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	44.0	2592	8	8	44	80	80	80	80										
B. FEMALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	3.0		3	3	3	3	3	3	3										
SUBTOTAL	**3**	**30.3**	**1859**	**3**	**3**	**8**	**62**	**80**	**80**	**80**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	51.0		51	51	51	51	51	51	51										
13-17	1	25.0		25	25	25	25	25	25	25	1	30.0		30	30	30	30	30	30	30
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	38.0	338	25	25	38	51	51	51	51	1	30.0		30	30	30	30	30	30	30
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**2**	**38.0**	**338**	**25**	**25**	**38**	**51**	**51**	**51**	**51**	**1**	**30.0**		**30**	**30**	**30**	**30**	**30**	**30**	**30**
GRAND TOTAL	**5**	**33.4**	**1030**	**3**	**3**	**25**	**58**	**80**	**80**	**80**	**1**	**30.0**		**30**	**30**	**30**	**30**	**30**	**30**	**30**

PSYCHALGIA (307.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)		TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.												1	3.0		3	3	3	3	3	3	3
13-17	1	1.0		1	1	1	1	1	1	1											
18-20												1	5.0		5	5	5	5	5	5	5
21-24	2	8.5	61	3	3	8	14	14	14	14											
25-34	5	4.6	3	2	2	5	6	6	6	6		9	3.3	9	1	1	2	5	8	9	9
35-54	3	3.0	3	2	2	2	4	5	5	5		9	4.3	25	1	1	3	4	12	17	17
55-74	3	2.7		2	2	3	3	3	3	3		5	2.6	9	1	1	1	3	8	8	8
75 +	2	6.5	1	6	6	6	7	7	7	7		1	3.0		3	3	3	3	3	3	3
ALL AGES	16	4.4	10	1	2	4	6	7	12	14		26	3.6	13	1	1	2	5	8	11	17
B. FEMALE																						
0-12 YRS.	2	18.0	512	2	2	18	34	34	34	34											
13-17	5	2.4	1	1	1	2	3	4	4	4		2	2.0		2	2	2	2	2	2	2
18-20	3	4.0	27	1	1	1	8	10	10	10		1	2.0		2	2	2	2	2	2	2
21-24	4	2.3		2	2	2	3	3	3	3		5	4.0	6	2	2	3	5	8	8	8
25-34	23	4.1	32	1	1	2	4	7	17	28		19	3.0	12	1	1	2	4	5	11	16
35-54	25	4.2	8	1	1	3	6	9	10	11		29	3.9	9	1	1	3	5	8	9	15
55-74	4	3.3	2	1	1	3	4	5	5	5		12	2.9	2	1	1	3	4	5	6	6
75 +	2	13.5	221	3	3	13	24	24	24	24		4	4.5	6	2	2	4	6	7	7	7
ALL AGES	68	4.5	34	1	1	3	5	9	13	33		72	3.4	8	1	1	3	4	6	8	16
SUBTOTAL	**84**	**4.5**	**29**	**1**	**1**	**3**	**5**	**9**	**12**	**32**		**98**	**3.5**	**9**	**1**	**1**	**3**	**4**	**7**	**9**	**17**
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.	1	2.0		2	2	2	2	2	2	2											
13-17												1	13.0		13	13	13	13	13	13	13
18-20																					
21-24	2	4.0	8	2	2	4	6	6	6	6											
25-34	4	3.8	8	2	2	3	5	8	8	8		3	5.7	22	2	2	4	9	11	11	11
35-54	10	5.4	70	1	1	3	4	17	29	29		3	8.0	9	5	5	8	10	11	11	11
55-74	3	10.3	45	6	6	7	15	18	18	18		2	1.5	1	1	1	1	2	2	2	2
75 +												1	5.0		5	5	5	5	5	5	5
ALL AGES	20	5.5	45	1	1	3	6	13	23	29		10	6.2	18	1	1	5	11	12	13	13
B. FEMALE																						
0-12 YRS.	1	4.0		4	4	4	4	4	4	4		1	3.0		3	3	3	3	3	3	3
13-17	2	2.0		2	2	2	2	2	2	2		2	1.5	1	1	1	1	2	2	2	2
18-20	2	10.5	145	2	2	10	19	19	19	19		4	3.8	6	1	1	4	6	6	6	6
21-24	2	1.5	1	1	1	1	2	2	2	2		4	9.5	114	2	2	5	16	25	25	25
25-34	12	4.2	5	2	2	4	5	7	10	10		11	5.5	15	1	2	4	8	11	14	14
35-54	20	4.5	10	1	2	4	5	10	11	11		18	7.0	59	1	2	4	6	22	25	25
55-74	9	6.6	18	2	2	5	7	14	16	16		8	4.5	9	1	1	4	5	9	11	11
75 +	2	11.5	181	2	2	11	21	21	21	21		1	3.0		3	3	3	3	3	3	3
ALL AGES	50	5.1	19	2	2	4	6	11	16	21		49	5.8	36	1	1	4	6	13	24	25
SUBTOTAL	**70**	**5.2**	**26**	**1**	**2**	**4**	**6**	**11**	**18**	**27**		**59**	**5.9**	**33**	**1**	**1**	**4**	**7**	**13**	**22**	**25**
GRAND TOTAL	**154**	**4.8**	**28**	**1**	**1**	**3**	**5**	**10**	**16**	**29**		**157**	**4.4**	**19**	**1**	**1**	**3**	**5**	**9**	**14**	**25**

SPECIAL SYMPTOM NEC/NOS (307.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17																				
18-20											1	1.0		1	1	1	1	1	1	1
21-24																				
25-34	1	3.0		3	3	3	3	3	3	3	1	1.0		1	1	1	1	1	1	1
35-54	1	9.0		9	9	9	9	9	9	9	1	6.0		6	6	6	6	6	6	6
55-74																				
75 +											2	6.5	13	4	4	6	9	9	9	9
ALL AGES	3	4.7	14	2	2	3	7	9	9	9	5	4.2	12	1	1	4	7	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	7.0		7	7	7	7	7	7	7										
21-24																				
25-34	5	3.8	9	1	1	4	6	8	8	8										
35-54	1	1.0		1	1	1	1	1	1	1										
55-74	1	7.0		7	7	7	7	7	7	7	2	3.0	2	2	2	3	4	4	4	4
75 +	3	5.0	7	3	3	4	7	8	8	8	1	3.0		3	3	3	3	3	3	3
ALL AGES	11	4.5	7	1	1	4	7	8	8	8	3	3.0	1	2	2	3	4	4	4	4
SUBTOTAL	**14**	**4.5**	**8**	**1**	**1**	**4**	**7**	**8**	**9**	**9**	**8**	**3.8**	**7**	**1**	**1**	**3**	**5**	**8**	**9**	**9**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	21.0		21	21	21	21	21	21	21										
21-24											1	26.0		26	26	26	26	26	26	26
25-34	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
35-54	2	13.0	2	12	12	13	14	14	14	14	1	1.0		1	1	1	1	1	1	1
55-74	1	27.0		27	27	27	27	27	27	27	1	6.0		6	6	6	6	6	6	6
75 +	1	5.0		5	5	5	5	5	5	5										
ALL AGES	6	13.3	95	1	1	13	21	26	27	27	4	8.5	142	1	1	3	16	26	26	26
B. FEMALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-20																				
21-24	1	2.0		2	2	2	2	2	2	2										
25-34																				
35-54	1	1.0		1	1	1	1	1	1	1										
55-74	1	5.0		5	5	5	5	5	5	5	3	1.7		1	1	2	2	2	2	2
75 +											2	4.5	13	2	2	4	7	7	7	7
ALL AGES	4	2.3	3	1	1	1	3	5	5	5	5	2.8	6	1	1	2	3	7	7	7
SUBTOTAL	**10**	**8.9**	**86**	**1**	**1**	**5**	**14**	**24**	**27**	**27**	**9**	**5.3**	**65**	**1**	**1**	**2**	**6**	**18**	**26**	**26**
GRAND TOTAL	**24**	**6.3**	**44**	**1**	**1**	**4**	**8**	**15**	**23**	**27**	**17**	**4.6**	**36**	**1**	**1**	**2**	**6**	**9**	**20**	**26**

STRESS REACT, EMOTIONAL (308.0)

	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	11.0		11	11	11	11	11	11	11
13-17											4	2.5	1	1	1	3	3	3	3	3
18-20																				
21-24	1	6.0		6	6	6	6	6	6	6										
25-34	2	2.0	2	1	1	2	3	3	3	3	1	11.0		11	11	11	11	11	11	11
35-54	9	2.3	2	1	1	2	3	5	5	5	5	2.4	5	1	1	1	4	6	6	6
55-74	5	2.0	2	1	1	1	3	4	4	4	4	2.0	1	1	1	2	3	3	3	3
75 +																				
ALL AGES	17	2.4	2	1	1	2	3	5	6	6	15	3.5	11	1	1	3	3	11	11	11
B. FEMALE																				
0-12 YRS.																				
13-17	3	28.3	579	1	1	38	44	46	46	46										
18-20	1	1.0		1	1	1	1	1	1	1										
21-24	3	2.3	1	2	2	2	3	3	3	3										
25-34	6	2.3	1	1	1	2	3	4	4	4	6	1.8	3	1	1	1	2	5	5	5
35-54	11	4.2	26	1	1	2	5	11	18	19	15	2.1	1	1	1	2	3	3	5	5
55-74	9	2.4	3	1	1	2	3	5	6	6	11	2.6	2	1	1	2	4	5	5	5
75 +	2	3.0		3	3	3	3	3	3	3										
ALL AGES	35	5.2	95	1	1	2	3	6	33	46	32	2.2	2	1	1	2	3	4	5	5
SUBTOTAL	**52**	**4.3**	**66**	**1**	**1**	**2**	**3**	**6**	**18**	**46**	**47**	**2.6**	**5**	**1**	**1**	**2**	**3**	**5**	**7**	**11**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	3	1.3		1	1	1	2	2	2	2	4	2.3	2	1	1	2	3	4	4	4
35-54	1	6.0		6	6	6	6	6	6	6	3	3.3	5	1	1	4	5	5	5	5
55-74	4	2.5	4	1	1	2	4	5	5	5										
75 +											1	1.0		1	1	1	1	1	1	1
ALL AGES	8	2.5	4	1	1	2	4	6	6	6	8	2.5	3	1	1	2	4	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17	2	4.0	18	1	1	4	7	7	7	7										
18-20											1	1.0		1	1	1	1	1	1	1
21-24	1	1.0		1	1	1	1	1	1	1	1	24.0		24	24	24	24	24	24	24
25-34	7	5.0	14	1	1	3	7	11	12	12	7	10.7	105	1	1	8	20	25	26	26
35-54	9	5.4	15	1	1	5	9	11	11	11	7	2.1	2	1	1	2	3	4	4	4
55-74	5	5.2	13	1	1	5	7	11	11	11	5	2.4		2	2	2	3	3	3	3
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	25	4.9	12	1	1	4	7	11	11	12	21	6.0	66	1	1	3	5	23	25	26
SUBTOTAL	**33**	**4.3**	**11**	**1**	**1**	**3**	**6**	**10**	**11**	**12**	**29**	**5.1**	**50**	**1**	**1**	**3**	**4**	**19**	**24**	**26**
GRAND TOTAL	**85**	**4.3**	**44**	**1**	**1**	**2**	**5**	**8**	**11**	**43**	**76**	**3.6**	**23**	**1**	**1**	**2**	**3**	**6**	**13**	**25**

STRESS REACTION, FUGUE (308.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54											1	7.0		7	7	7	7	7	7	7
55-74																				
75 +																				
ALL AGES											1	7.0		7	7	7	7	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54											1	1.0		1	1	1	1	1	1	1
55-74											1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES											2	2.0	2	1	1	1	3	3	3	3
SUBTOTAL											**3**	**3.7**	**9**	**1**	**1**	**3**	**6**	**7**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	3.0		3	3	3	3	3	3	3										
21-24																				
25-34																				
35-54	2	12.5	221	2	2	12	23	23	23	23	1	3.0		3	3	3	3	3	3	3
55-74																				
75 +																				
ALL AGES	3	9.3	141	2	2	3	18	23	23	23	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**3**	**9.3**	**141**	**2**	**2**	**3**	**18**	**23**	**23**	**23**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
GRAND TOTAL	**3**	**9.3**	**141**	**2**	**2**	**3**	**18**	**23**	**23**	**23**	**4**	**3.5**	**6**	**1**	**1**	**3**	**5**	**7**	**7**	**7**

STRESS REACT, PSYCHOMOT (308.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34											1	1.0		1	1	1	1	1	1	1
35-54																				
55-74																				
75 +																				
ALL AGES											1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL											**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34											1	4.0		4	4	4	4	4	4	4
35-54	1	5.0		5	5	5	5	5	5	5										
55-74											1	8.0		8	8	8	8	8	8	8
75 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5	2	6.0	8	4	4	6	8	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	41.0		41	41	41	41	41	41	41										
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	1	41.0		41	41	41	41	41	41	41	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**2**	**23.0**	**648**	**5**	**5**	**23**	**41**	**41**	**41**	**41**	**3**	**5.0**	**7**	**3**	**3**	**4**	**7**	**8**	**8**	**8**
GRAND TOTAL	**2**	**23.0**	**648**	**5**	**5**	**23**	**41**	**41**	**41**	**41**	**4**	**4.0**	**9**	**1**	**1**	**3**	**6**	**8**	**8**	**8**

ACUTE STRESS REACT NEC (308.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-20	2	1.5	1	1	1	1	2	2	2	2										
21-24	4	3.8	14	1	1	2	6	9	9	9	1	6.0		6	6	6	6	6	6	6
25-34	6	3.0	6	1	1	2	3	7	8	8	4	4.8	12	1	1	4	7	9	9	9
35-54	7	7.9	148	1	1	2	12	29	33	33	3	1.0		1	1	1	1	1	1	1
55-74	2	8.0	2	7	7	8	9	9	9	9	1	9.0		9	9	9	9	9	9	9
75 +	2	1.5	1	1	1	1	2	2	2	2										
ALL AGES	24	4.6	50	1	1	2	5	10	20	33	9	4.1	12	1	1	3	7	9	9	9
B. FEMALE																				
0-12 YRS.	1	25.0		25	25	25	25	25	25	25										
13-17	5	20.4	340	3	3	10	37	45	45	45										
18-20	3	1.3		1	1	1	2	2	2	2	2	6.0	32	2	2	6	10	10	10	10
21-24	3	2.0	1	1	1	2	3	3	3	3	2	2.5	5	1	1	2	4	4	4	4
25-34	15	4.9	29	1	1	2	7	12	17	19	9	2.4	4	1	1	1	4	6	6	6
35-54	9	2.6	2	1	1	3	3	5	5	5	8	4.4	13	1	1	4	6	10	12	12
55-74	5	2.4	1	1	1	2	3	4	4	4	2	9.5	113	2	2	9	17	17	17	17
75 +																				
ALL AGES	41	6.0	87	1	1	3	5	15	29	45	23	4.0	17	1	1	2	5	10	14	17
SUBTOTAL	**65**	**5.5**	**73**	**1**	**1**	**2**	**5**	**12**	**27**	**43**	**32**	**4.1**	**15**	**1**	**1**	**2**	**6**	**9**	**12**	**17**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	43.0	12	41	41	41	46	47	47	47										
13-17	4	18.5	394	1	1	17	35	39	39	39	1	5.0		5	5	5	5	5	5	5
18-20	1	1.0		1	1	1	1	1	1	1										
21-24																				
25-34	5	5.8	64	1	1	2	8	20	20	20										
35-54	17	8.9	121	1	1	4	8	31	34	35	1	5.0		5	5	5	5	5	5	5
55-74																				
75 +	1	2.0		2	2	2	2	2	2	2										
ALL AGES	31	12.5	233	1	1	4	24	40	41	47	2	5.0		5	5	5	5	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17	11	16.6	299	1	1	8	34	41	47	48	1	1.0		1	1	1	1	1	1	1
18-20	6	12.5	264	1	1	4	23	39	41	41										
21-24	7	9.6	42	1	1	9	14	19	20	20	1	2.0		2	2	2	2	2	2	2
25-34	18	8.8	82	1	1	5	16	18	27	33	1	3.0		3	3	3	3	3	3	3
35-54	14	7.5	57	1	1	4	13	20	25	26	4	2.8	2	2	2	2	4	5	5	5
55-74	2	1.0		1	1	1	1	1	1	1	3	3.0	1	2	2	3	4	4	4	4
75 +											4	4.3	6	2	2	4	6	7	7	7
ALL AGES	58	10.2	131	1	1	5	15	29	36	47	14	3.1	3	1	2	2	4	6	7	7
SUBTOTAL	**89**	**11.0**	**165**	**1**	**1**	**4**	**16**	**34**	**41**	**48**	**16**	**3.3**	**3**	**1**	**2**	**3**	**5**	**6**	**7**	**7**
GRAND TOTAL	**154**	**8.7**	**133**	**1**	**1**	**3**	**11**	**30**	**36**	**47**	**48**	**3.8**	**11**	**1**	**1**	**2**	**5**	**8**	**10**	**17**

STRESS REACT, MIXED DIS (308.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-20																				
21-24																				
25-34																				
35-54											1	3.0		3	3	3	3	3	3	3
55-74											1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES											3	2.0	1	1	1	2	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54											1	1.0		1	1	1	1	1	1	1
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**	**4**	**1.8**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	14.0		14	14	14	14	14	14	14										
55-74																				
75 +																				
ALL AGES	1	14.0		14	14	14	14	14	14	14										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24											1	1.0		1	1	1	1	1	1	1
25-34	1	2.0		2	2	2	2	2	2	2										
35-54	1	21.0		21	21	21	21	21	21	21	1	10.0		10	10	10	10	10	10	10
55-74	1	6.0		6	6	6	6	6	6	6										
75 +																				
ALL AGES	3	9.7	99	2	2	6	17	21	21	21	2	5.5	41	1	1	5	10	10	10	10
SUBTOTAL	**4**	**10.8**	**70**	**2**	**2**	**10**	**17**	**21**	**21**	**21**	**2**	**5.5**	**41**	**1**	**1**	**5**	**10**	**10**	**10**	**10**
GRAND TOTAL	**5**	**9.0**	**69**	**2**	**2**	**6**	**16**	**21**	**21**	**21**	**6**	**3.0**	**12**	**1**	**1**	**2**	**3**	**9**	**10**	**10**

ACUTE STRESS REACT NOS (308.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
25-34	4	12.0	455	1	1	2	23	44	44	44	1	2.0		2	2	2	2	2	2	2
35-54	1	2.0		2	2	2	2	2	2	2	3	3.3	6	2	2	2	5	6	6	6
55-74	1	3.0		3	3	3	3	3	3	3	4	2.0	1	1	1	2	3	3	3	3
75 +	2	3.0		3	3	3	3	3	3	3	2	8.0	2	7	7	8	9	9	9	9
ALL AGES	9	6.7	196	1	1	2	3	28	44	44	11	3.4	7	1	1	2	5	8	9	9
B. FEMALE																				
0-12 YRS.																				
13-17	2	3.0		3	3	3	3	3	3	3										
18-20	2	3.5	13	1	1	3	6	6	6	6										
21-24											1	7.0		7	7	7	7	7	7	7
25-34	2	2.0	2	1	1	2	3	3	3	3	1	3.0		3	3	3	3	3	3	3
35-54	3	2.3	3	1	1	2	3	4	4	4	4	2.0	2	1	1	2	3	4	4	4
55-74	2	2.0	2	1	1	2	3	3	3	3	3	2.7	1	2	2	2	4	4	4	4
75 +																				
ALL AGES	11	2.5	3	1	1	3	3	5	6	6	9	2.9	4	1	1	2	4	6	7	7
SUBTOTAL	**20**	**4.4**	**89**	**1**	**1**	**2**	**3**	**5**	**25**	**44**	**20**	**3.2**	**5**	**1**	**1**	**2**	**4**	**7**	**8**	**9**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	2	1.0		1	1	1	1	1	1	1										
25-34	3	4.7	16	1	1	4	8	9	9	9	1	9.0		9	9	9	9	9	9	9
35-54	3	7.0	27	4	4	4	11	13	13	13										
55-74	1	1.0		1	1	1	1	1	1	1										
75 +																				
ALL AGES	9	4.2	18	1	1	4	5	11	13	13	1	9.0		9	9	9	9	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24											1	2.0		2	2	2	2	2	2	2
25-34	4	10.0	120	2	2	6	17	26	26	26	2	5.5	1	5	5	5	6	6	6	6
35-54	3	21.0	592	5	5	9	39	49	49	49	2	2.0	2	1	1	2	3	3	3	3
55-74	2	7.0	72	1	1	6	13	13	13	13	1	3.0		3	3	3	3	3	3	3
75 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	9	13.0	240	1	1	8	16	40	49	49	7	3.1	3	1	1	3	5	6	6	6
SUBTOTAL	**18**	**8.6**	**142**	**1**	**1**	**4**	**9**	**22**	**40**	**49**	**8**	**3.9**	**7**	**1**	**1**	**3**	**5**	**8**	**9**	**9**
GRAND TOTAL	**38**	**6.4**	**115**	**1**	**1**	**3**	**5**	**13**	**37**	**49**	**28**	**3.4**	**5**	**1**	**1**	**2**	**5**	**7**	**9**	**9**

BRIEF DEPRESSIVE REACT (309.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.	4	14.5	38	6	6	16	19	20	20	20											
13-17	43	5.6	41	1	1	3	7	14	22	27	6	10.8	184	2	2	4	14	35	37	37
18-20	22	2.4	3	1	1	2	3	5	7	7	7	5.3	78	1	1	1	4	21	25	25
21-24	26	1.9	2	1	1	2	2	3	6	8	6	2.2	2	1	1	2	3	5	5	5
25-34	78	3.7	15	1	1	2	4	9	13	20	16	3.4	3	1	1	3	5	6	6	6
35-54	66	4.7	47	1	1	2	5	10	16	41	18	2.2	3	1	1	2	2	4	6	8
55-74	30	8.8	194	1	1	4	8	19	45	67	5	2.6	9	1	1	1	3	8	8	8
75 +	7	5.9	13	3	3	4	10	11	11	11	6	6.5	33	2	2	5	10	15	16	16
ALL AGES	276	4.7	48	1	1	2	5	11	15	39	64	4.1	33	1	1	2	4	8	15	35
B. FEMALE																						
0-12 YRS.	6	15.7	454	1	1	7	24	52	55	55	1	3.0		3	3	3	3	3	3	3
13-17	80	6.6	58	1	1	4	8	18	22	36	12	3.8	16	1	1	2	4	12	13	13
18-20	45	2.6	8	1	1	2	3	5	9	14	9	4.9	38	1	1	2	6	15	20	20
21-24	46	4.7	24	1	1	3	6	13	15	21	11	3.5	7	1	1	2	6	8	8	8
25-34	130	3.6	14	1	1	2	4	7	10	21	23	3.0	10	1	1	2	3	6	11	15
35-54	153	6.6	87	1	1	4	7	14	23	50	25	3.9	18	1	1	3	4	11	14	16
55-74	29	5.7	18	1	1	5	8	12	13	18	14	3.7	8	1	1	3	6	7	10	11
75 +	15	7.0	65	1	1	3	9	21	27	29	6	7.3	19	1	1	9	11	11	11	11
ALL AGES	504	5.3	53	1	1	3	6	12	20	30	101	3.9	15	1	1	3	5	10	12	18
SUBTOTAL	**780**	**5.1**	**52**	**1**	**1**	**3**	**6**	**12**	**19**	**30**	**165**	**4.0**	**22**	**1**	**1**	**2**	**5**	**10**	**13**	**24**
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.	2	32.0	200	22	22	32	42	42	42	42											
13-17	36	7.9	53	1	2	5	11	17	27	28	2	7.0	72	1	1	7	13	13	13	13
18-20	30	4.3	25	1	1	2	4	12	13	23	11	2.9	4	1	1	2	5	6	6	6
21-24	38	5.4	34	1	1	3	7	13	19	26	11	1.7	1	1	1	1	2	3	4	4
25-34	152	4.8	18	1	1	3	7	11	14	18	38	4.4	33	1	1	3	5	8	17	30
35-54	128	5.4	40	1	1	3	6	10	16	33	20	3.6	9	1	1	3	5	7	10	13
55-74	18	10.4	127	1	1	8	13	21	39	49	5	5.0	17	2	2	4	7	12	12	12
75 +	3	7.3	35	3	3	5	12	14	14	14	2	9.0	98	2	2	9	16	16	16	16
ALL AGES	407	5.7	40	1	1	3	7	13	17	32	89	3.9	21	1	1	2	5	8	13	27
B. FEMALE																						
0-12 YRS.	1	9.0		9	9	9	9	9	9	9											
13-17	65	10.8	202	1	2	5	11	29	39	76	6	2.7	1	1	1	3	4	4	4	4
18-20	49	7.2	118	1	1	4	7	14	25	59	4	1.5	1	1	1	1	2	3	3	3
21-24	46	8.5	117	1	1	4	10	20	37	52	9	4.8	54	1	1	2	5	16	24	24
25-34	183	6.0	64	1	1	3	7	15	20	35	26	4.3	30	1	1	3	5	8	12	29
35-54	144	5.9	46	1	1	3	8	12	19	35	31	5.4	46	1	1	3	5	15	25	25
55-74	33	5.5	32	1	1	3	8	12	18	26	11	5.0	9	1	1	5	7	9	10	10
75 +	12	6.5	14	2	2	7	10	11	11	11	3	3.0	7	1	1	2	5	6	6	6
ALL AGES	533	6.9	84	1	1	4	8	15	26	50	90	4.5	31	1	1	3	5	8	24	27
SUBTOTAL	**940**	**6.4**	**65**	**1**	**1**	**4**	**8**	**14**	**22**	**42**	**179**	**4.2**	**26**	**1**	**1**	**3**	**5**	**8**	**13**	**28**
GRAND TOTAL	**1720**	**5.8**	**59**	**1**	**1**	**3**	**7**	**13**	**20**	**38**	**344**	**4.1**	**24**	**1**	**1**	**3**	**5**	**9**	**13**	**26**

PROLONG DEPRESSIVE REACT (309.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	3	5.7	17	1	1	7	8	9	9	9										
18-20	5	5.8	13	1	1	7	9	9	9	9										
21-24	3	2.7	2	1	1	3	4	4	4	4										
25-34	7	3.9	6	1	1	3	6	8	8	8	5	2.8	4	1	1	2	4	6	6	6
35-54	12	5.6	16	1	1	5	9	12	13	13	2	5.5	1	5	5	5	6	6	6	6
55-74	3	12.0	76	6	6	8	18	22	22	22										
75 +	1	9.0		9	9	9	9	9	9	9	1	5.0		5	5	5	5	5	5	5
ALL AGES	34	5.7	19	1	1	5	8	10	13	22	8	3.8	3	1	1	4	5	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17	7	11.6	81	1	2	9	18	25	26	26	2	19.5	181	10	10	19	29	29	29	29
18-20	1	1.0		1	1	1	1	1	1	1	1	3.0		3	3	3	3	3	3	3
21-24	3	10.0	27	7	7	7	14	16	16	16										
25-34	7	7.1	24	2	2	6	10	15	16	16	2	1.5	1	1	1	1	2	2	2	2
35-54	11	8.0	52	1	1	6	13	19	22	22	5	4.8	23	1	1	3	7	13	13	13
55-74	8	8.4	27	2	3	7	12	16	17	17	1	28.0		28	28	28	28	28	28	28
75 +	2	3.0		3	3	3	3	3	3	3	1	3.0		3	3	3	3	3	3	3
ALL AGES	39	8.3	42	1	1	7	13	17	21	26	12	8.3	103	1	1	3	[illegible]1	28	29	29
SUBTOTAL	**73**	**7.1**	**32**	**1**	**1**	**6**	**9**	**16**	**19**	**25**	**20**	**6.5**	**66**	**1**	**1**	**3**	**6**	**20**	**28**	**29**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	37.0		37	37	37	37	37	37	37										
13-17	6	13.5	105	2	2	11	24	27	27	27	1	1.0		1	1	1	1	1	1	1
18-20	2	32.0	1682	3	3	32	61	61	61	61										
21-24	3	3.0	12	1	1	1	5	7	7	7										
25-34	9	6.6	26	1	2	5	8	15	18	18	1	3.0		3	3	3	3	3	3	3
35-54	19	9.2	160	1	2	4	9	19	40	56										
55-74											1	3.0		3	3	3	3	3	3	3
75 +	2	2.0		2	2	2	2	2	2	2										
ALL AGES	42	10.2	183	1	1	5	10	25	45	61	3	2.3	2	1	1	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17	8	6.8	28	1	2	5	10	15	16	16										
18-20	3	6.3	3	5	5	6	7	8	8	8	1	4.0		4	4	4	4	4	4	4
21-24	2	3.5	5	2	2	3	5	5	5	5	2	19.0	392	5	5	19	33	33	33	33
25-34	23	9.5	45	1	2	9	14	19	22	23										
35-54	24	10.8	254	2	2	7	9	21	40	81	3	11.3	61	5	5	9	17	20	20	20
55-74	4	15.3	70	3	3	18	21	21	21	21	4	5.5	3	3	3	6	7	7	7	7
75 +	2	4.0		4	4	4	4	4	4	4	1	28.0		28	28	28	28	28	28	28
ALL AGES	66	9.5	118	2	2	7	13	20	21	72	11	11.5	110	3	4	6	17	30	33	33
SUBTOTAL	**108**	**9.8**	**141**	**1**	**2**	**6**	**12**	**21**	**24**	**69**	**14**	**9.5**	**100**	**1**	**2**	**5**	**9**	**28**	**32**	**33**
GRAND TOTAL	**181**	**8.7**	**99**	**1**	**1**	**6**	**10**	**18**	**22**	**59**	**34**	**7.7**	**80**	**1**	**1**	**5**	**7**	**28**	**29**	**33**

ADJUST REACT/OTH EMOTION (309.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	12.0	332	1	1	4	23	39	39	39										
13-17	25	7.5	111	1	1	3	8	19	38	42	1	1.0		1	1	1	1	1	1	1
18-20	10	3.4	10	1	1	2	4	9	10	10										
21-24	9	3.2	9	1	1	3	4	8	10	10	2	6.0	18	3	3	6	9	9	9	9
25-34	21	3.9	20	1	1	2	4	8	14	21	3	2.0	3	1	1	1	3	4	4	4
35-54	25	5.4	34	1	1	3	8	14	19	23	6	3.3	4	1	1	3	5	6	6	6
55-74	11	6.2	29	1	1	6	8	15	19	19	1	6.0		6	6	6	6	6	6	6
75 +											1	4.0		4	4	4	4	4	4	4
ALL AGES	105	5.6	55	1	1	3	7	11	20	40	14	3.5	6	1	1	3	5	7	8	9
B. FEMALE																				
0-12 YRS.	3	7.3	51	1	1	6	13	15	15	15	3	37.7	1298	3	3	35	65	75	75	75
13-17	33	5.6	58	1	1	3	6	12	28	34	7	7.1	72	1	1	3	11	22	24	24
18-20	17	4.5	17	1	1	3	7	10	14	16	5	3.8	18	1	1	2	6	11	11	11
21-24	22	3.9	30	1	1	2	4	9	16	26	1	4.0		4	4	4	4	4	4	4
25-34	45	4.4	19	1	1	3	6	9	15	19	7	1.7	1	1	1	2	2	3	3	3
35-54	78	5.7	36	1	1	3	8	12	19	29	9	5.3	9	2	2	4	8	10	10	10
55-74	21	6.5	34	1	2	5	7	14	21	27	4	2.5		2	2	2	3	3	3	3
75 +	6	3.5	5	1	1	3	6	6	6	6	1	5.0		5	5	5	5	5	5	5
ALL AGES	225	5.2	33	1	1	3	7	12	16	29	37	7.1	176	1	1	3	5	13	31	75
SUBTOTAL	**330**	**5.3**	**40**	**1**	**1**	**3**	**7**	**11**	**18**	**35**	**51**	**6.1**	**131**	**1**	**1**	**3**	**5**	**10**	**23**	**75**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	8	29.4	272	4	5	34	42	46	47	47	1	2.0		2	2	2	2	2	2	2
13-17	24	11.2	89	2	3	8	15	24	33	37	1	21.0		21	21	21	21	21	21	21
18-20	8	9.1	116	1	1	4	14	28	31	31	2	6.5	61	1	1	6	12	12	12	12
21-24	14	6.6	55	1	1	4	8	15	25	28	1	9.0		9	9	9	9	9	9	9
25-34	50	6.2	38	1	1	4	8	13	20	30	15	2.8	5	1	1	2	4	5	8	9
35-54	41	4.8	24	1	1	3	6	11	17	22	10	3.5	11	1	1	3	4	8	12	12
55-74	11	8.6	32	3	3	7	11	17	22	22	2	1.0		1	1	1	1	1	1	1
75 +	1	7.0		7	7	7	7	7	7	7										
ALL AGES	157	8.1	85	1	1	5	10	21	31	43	32	3.9	19	1	1	2	4	10	12	21
B. FEMALE																				
0-12 YRS.	1	91.0		91	91	91	91	91	91	91	1	1.0		1	1	1	1	1	1	1
13-17	35	8.4	58	1	2	5	14	21	24	29	1	4.0		4	4	52	99 +	99 +	99 +	99 +
18-20	19	6.7	67	1	1	3	9	17	28	33	4	2.8	4	1	1	3	4	5	5	5
21-24	22	4.8	14	1	1	4	6	11	13	14	4	2.8	1	2	2	3	3	4	4	4
25-34	78	6.9	41	1	1	4	9	18	22	27	7	2.4	11	1	1	1	2	8	10	10
35-54	83	7.0	54	1	1	5	10	15	19	39	17	5.6	35	1	1	4	6	14	20	23
55-74	13	4.7	23	1	1	3	5	10	17	19	3	2.0	1	1	1	2	3	3	3	3
75 +	3	7.7	2	6	6	8	9	9	9	9	1	1.0		1	1	1	1	1	1	1
ALL AGES	254	7.2	73	1	1	4	9	16	22	36	38	3.8	21	1	1	2	5	11	19	99 +
SUBTOTAL	**411**	**7.5**	**78**	**1**	**1**	**5**	**9**	**18**	**24**	**41**	**70**	**3.9**	**19**	**1**	**1**	**2**	**5**	**11**	**15**	**84**
GRAND TOTAL	**741**	**6.6**	**61**	**1**	**1**	**4**	**8**	**15**	**22**	**37**	**121**	**4.8**	**67**	**1**	**1**	**3**	**5**	**10**	**17**	**82**

ADJUST REACT-CONDUCT DIS (309.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX										
A. MALE										
0-12 YRS.	4	31.8	588	6	6	30	51	60	60	60
13-17	10	23.3	832	2	3	12	36	67	98	98
18-20	3	1.7		1	1	2	2	2	2	2
21-24	1	1.0		1	1	1	1	1	1	1
25-34	4	1.8	1	1	1	2	2	3	3	3
35-54	3	5.7	41	1	1	3	10	13	13	13
55-74										
75 +	1	18.0		18	18	18	18	18	18	18
ALL AGES	26	15.7	514	1	1	7	18	42	68	98
B. FEMALE										
0-12 YRS.										
13-17	9	19.3	388	1	1	10	29	51	59	59
18-20										
21-24										
25-34	2	2.0	2	1	1	2	3	3	3	3
35-54										
55-74	1	5.0		5	5	5	5	5	5	5
75 +										
ALL AGES	12	15.3	335	1	1	7	24	46	57	59
SUBTOTAL	**38**	**15.6**	**446**	**1**	**1**	**7**	**18**	**42**	**60**	**98**
2. PSYCH PRIN, 2ND PSYCH DX(S)										
A. MALE										
0-12 YRS.	3	30.7	78	22	22	30	37	40	40	40
13-17	10	14.0	212	1	1	8	18	39	42	42
18-20	1	24.0		24	24	24	24	24	24	24
21-24	1	1.0		1	1	1	1	1	1	1
25-34	2	3.0		3	3	3	3	3	3	3
35-54	5	9.6	85	2	2	8	14	25	25	25
55-74										
75 +	1	4.0		4	4	4	4	4	4	4
ALL AGES	23	13.7	180	1	1	8	23	38	41	42
B. FEMALE										
0-12 YRS.										
13-17	8	12.6	160	3	3	8	19	34	36	36
18-20										
21-24										
25-34	2	5.0	18	2	2	5	8	8	8	8
35-54	2	2.0		2	2	2	2	2	2	2
55-74	2	11.5	145	3	3	11	20	20	20	20
75 +										
ALL AGES	14	9.9	116	2	2	6	9	30	35	36
SUBTOTAL	**37**	**12.2**	**156**	**1**	**2**	**8**	**20**	**35**	**39**	**42**
GRAND TOTAL	**75**	**13.9**	**303**	**1**	**1**	**8**	**20**	**37**	**43**	**88**

TYPE OF PATIENT (1)	HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX										
A. MALE										
0-12 YRS.										
13-17	1	1.0		1	1	1	1	1	1	1
18-20	1	1.0		1	1	1	1	1	1	1
21-24	2	1.5	1	1	1	1	2	2	2	2
25-34	4	4.5	40	1	1	1	8	14	14	14
35-54										
55-74	4	5.8	55	2	2	2	10	17	17	17
75 +										
ALL AGES	12	3.8	31	1	1	2	5	34	87	99 +
B. FEMALE										
0-12 YRS.	1	11.0		11	11	11	11	11	11	11
13-17										
18-20	1	6.0		6	6	6	6	6	6	6
21-24	1	2.0		2	2	2	2	2	2	2
25-34	1	1.0		1	1	1	1	1	1	1
35-54										
55-74										
75 +										
ALL AGES	4	5.0	21	1	1	4	8	11	11	11
SUBTOTAL	**16**	**4.1**	**27**	**1**	**1**	**2**	**7**	**16**	**71**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)										
A. MALE										
0-12 YRS.										
13-17	2	3.5	13	1	1	3	6	6	6	6
18-20										
21-24	4	5.0	54	1	1	1	9	16	16	16
25-34	4	2.0	2	1	1	2	3	4	4	4
35-54	1	2.0		2	2	2	2	2	2	2
55-74	2	2.0		2	2	2	2	2	2	2
75 +	1	4.0		4	4	4	4	4	4	4
ALL AGES	14	3.2	16	1	1	2	4	7	14	16
B. FEMALE										
0-12 YRS.	1	5.0		5	5	5	5	5	5	5
13-17										
18-20	1	2.0		2	2	2	2	2	2	2
21-24										
25-34	1	2.0		2	2	2	2	2	2	2
35-54										
55-74										
75 +										
ALL AGES	3	3.0	3	2	2	2	4	5	5	5
SUBTOTAL	**17**	**3.2**	**13**	**1**	**1**	**2**	**4**	**6**	**12**	**16**
GRAND TOTAL	**33**	**3.6**	**20**	**1**	**1**	**2**	**4**	**14**	**17**	**99 +**

ADJ REACT-EMOTION/CONDUC (309.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.	7	30.1	191	13	14	27	35	52	56	56										
13-17	20	13.4	195	1	1	8	22	32	45	53	5	10.0	44	4	4	15	79	99 +	99 +	99 +
18-20	4	3.3	2	1	1	3	4	5	5	5										
21-24	4	6.8	34	1	1	5	10	15	15	15	1	2.0		2	2	2	2	2	2	2
25-34	12	5.3	42	1	1	3	6	18	19	19	8	5.4	8	3	3	5	6	10	12	12
35-54	9	2.7	3	1	1	2	3	6	6	6	6	4.8	7	2	2	5	6	9	9	9
55-74	3	3.7	4	2	2	3	5	6	6	6	1	6.0		6	6	6	6	6	6	6
75 +	1	5.0		5	5	5	5	5	5	5										
ALL AGES	60	10.4	163	1	1	5	15	27	36	56	21	6.2	19	2	2	5	8	35	99 +	99 +
B. FEMALE																						
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17	35	12.9	152	1	2	8	18	35	39	47	8	14.4	575	1	1	2	23	56	63	63
18-20	6	9.8	233	1	1	3	11	37	40	40										
21-24	7	6.9	58	1	1	4	8	20	23	23	3	1.0		1	1	1	1	1	1	1
25-34	13	6.0	41	1	1	3	11	16	18	18	7	1.9	3	1	1	1	2	5	6	6
35-54	26	6.6	31	1	1	5	8	15	20	23	5	7.2	16	3	3	9	10	12	12	12
55-74	6	2.3	3	1	1	2	3	5	5	5	2	6.0		6	6	6	6	6	6	6
75 +	1	5.0		5	5	5	5	5	5	5										
ALL AGES	95	8.7	98	1	1	5	10	23	34	44	25	7.2	201	1	1	2	6	12	46	63
SUBTOTAL	**155**	**9.4**	**122**	**1**	**1**	**5**	**11**	**26**	**35**	**53**	**46**	**6.7**	**117**	**1**	**1**	**4**	**7**	**18**	**67**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.	3	19.3	308	2	2	19	32	37	37	37										
13-17	26	13.0	247	1	2	7	17	35	45	71	3	22.0	876	2	2	8	44	56	56	56
18-20	5	4.2	10	1	1	4	6	9	9	9										
21-24	12	5.1	35	1	1	3	6	12	21	23	4	2.5	3	1	1	2	4	5	5	5
25-34	23	5.0	30	1	1	3	7	10	17	26	14	4.8	9	1	1	4	6	9	11	11
35-54	9	2.9	3	1	1	2	4	6	6	6	10	3.6	6	1	1	3	5	7	8	8
55-74	4	7.5	30	1	1	7	11	14	14	14	1	3.0		3	3	3	3	3	3	3
75 +	3	4.7	8	3	3	3	7	8	8	8										
ALL AGES	85	7.8	116	1	1	4	8	19	32	60	32	5.7	91	1	1	4	6	9	11	56
B. FEMALE																						
0-12 YRS.	1	23.0		23	23	23	23	23	23	23	1	1.0		1	1	1	1	1	1	1
13-17	25	13.4	189	1	2	8	25	41	56	99 +	4	8.5	12	5	5	8	11	13	13	13
18-20	6	6.7	29	1	1	6	10	14	15	15										
21-24	14	6.5	32	1	1	5	8	13	20	22	3	8.0	37	4	4	5	12	15	15	15
25-34	34	6.0	61	1	1	4	6	14	25	37	4	4.5	32	1	1	2	8	13	13	13
35-54	22	7.2	147	1	2	4	6	11	32	60	2	4.5	1	4	4	4	5	5	5	5
55-74	9	3.9	6	1	1	4	6	7	8	8	3	3.0		3	3	3	3	3	3	3
75 +	5	14.8	101	4	4	14	21	30	30	30										
ALL AGES	116	8.3	106	1	1	4	9	23	36	73	17	5.6	19	1	1	4	7	13	14	15
SUBTOTAL	**201**	**8.1**	**109**	**1**	**1**	**4**	**9**	**22**	**34**	**65**	**49**	**5.7**	**65**	**1**	**1**	**4**	**6**	**10**	**13**	**56**
GRAND TOTAL	356	8.6	116	1	1	5	10	23	35	56	95	6.2	89	1	1	4	6	13	33	99 +

OTHER ADJUST REACTION (309.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	2	6.0	8	4	4	6	8	8	8	8										
21-24	3	4.0	9	1	1	4	6	7	7	7										
25-34	4	5.5	9	4	4	4	7	10	10	10	1	2.0		2	2	2	2	2	2	2
35-54	7	2.0	1	1	1	2	3	4	4	4	2	1.5	1	1	1	1	2	2	2	2
55-74																				
75 +											1	6.0		6	6	6	6	6	6	6
ALL AGES	16	3.8	7	1	1	4	4	8	9	10	4	2.8	5	1	1	2	4	6	6	6
B. FEMALE																				
0-12 YRS.	1	14.0		14	14	14	14	14	14	14	1	3.0		3	3	3	3	3	3	3
13-17	8	6.6	14	2	2	6	10	11	11	11	1	3.0		3	3	3	3	3	3	3
18-20	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
21-24	3	1.3		1	1	1	2	2	2	2										
25-34	6	14.2	137	1	1	12	22	32	33	33										
35-54	7	17.9	563	1	1	7	28	59	65	65										
55-74																				
75 +																				
ALL AGES	26	10.8	205	1	1	6	11	32	41	65	3	2.3	2	1	1	3	3	3	3	3
SUBTOTAL	**42**	**8.1**	**140**	**1**	**1**	**4**	**10**	**17**	**34**	**65**	**7**	**2.6**	**3**	**1**	**1**	**2**	**3**	**5**	**6**	**6**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	5.0		5	5	5	5	5	5	5	2	7.5	1	7	7	7	8	8	8	8
13-17	8	27.4	962	1	1	14	46	79	88	88										
18-20	1	3.0		3	3	3	3	3	3	3	2	2.0	2	1	1	2	3	3	3	3
21-24																				
25-34	11	8.0	40	1	1	7	12	18	20	20	4	2.5	3	1	1	2	4	5	5	5
35-54	27	6.4	67	1	1	4	8	12	24	40	1	1.0		1	1	1	1	1	1	1
55-74	1	19.0		19	19	19	19	19	19	19										
75 +	1	7.0		7	7	7	7	7	7	7										
ALL AGES	50	10.3	241	1	1	5	11	20	40	88	9	3.3	7	1	1	2	5	8	8	8
B. FEMALE																				
0-12 YRS.	2	58.5	1985	27	27	90	97	99 +	99 +	99 +										
13-17	9	26.4	659	3	3	25	31	69	84	84	1	8.0		8	8	8	8	8	8	8
18-20	3	10.0	48	2	2	14	14	14	14	14	1	15.0		15	15	15	15	15	15	15
21-24	4	10.5	83	5	5	7	16	24	24	24										
25-34	13	19.5	574	3	3	7	28	66	67	67	1	7.0		7	7	7	7	7	7	7
35-54	4	8.5	129	1	1	4	16	25	25	25	1	3.0		3	3	3	3	3	3	3
55-74	1	5.0		5	5	5	5	5	5	5										
75 +	1	7.0		7	7	7	7	7	7	7	1	5.0		5	5	5	5	5	5	5
ALL AGES	37	19.6	551	2	3	9	26	67	88	99 +	5	7.6	21	3	3	7	10	15	15	15
SUBTOTAL	**87**	**14.3**	**388**	**1**	**1**	**7**	**15**	**44**	**69**	**96**	**14**	**4.9**	**15**	**1**	**1**	**4**	**7**	**9**	**14**	**15**
GRAND TOTAL	**129**	**12.3**	**314**	**1**	**1**	**6**	**14**	**33**	**65**	**92**	**21**	**4.1**	**12**	**1**	**1**	**3**	**6**	**8**	**11**	**15**

ADJUSTMENT REACTION NOS (309.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	19.0		19	19	19	19	19	19	19	1	1.0		1	1	1	1	1	1	1
13-17	12	3.8	17	1	1	3	4	9	15	16										
18-20	2	1.5	1	1	1	1	2	2	2	2	1	4.0		4	4	4	4	4	4	4
21-24	6	1.7	1	1	1	2	2	3	3	3										
25-34	11	2.0	1	1	1	2	3	3	3	3										
35-54	10	2.4	4	1	1	2	3	5	7	7	1	2.0		2	2	2	2	2	2	2
55-74											1	9.0		9	9	9	9	9	9	9
75 +																				
ALL AGES	42	3.0	12	1	1	2	3	5	11	19	4	4.0	13	1	1	3	6	9	9	9
B. FEMALE																				
0-12 YRS.	3	21.7	280	7	7	18	34	40	40	40										
13-17	29	6.0	69	1	1	3	6	18	23	37	2	6.0	50	1	1	6	11	11	11	11
18-20	11	6.5	141	1	1	1	6	23	39	41	2	3.0	8	1	1	3	5	5	5	5
21-24	8	1.9		1	1	2	2	3	3	3	1	2.0		2	2	2	2	2	2	2
25-34	23	3.1	4	1	1	2	5	6	7	8	2	1.5	1	1	1	1	2	2	2	2
35-54	10	2.7	7	1	1	2	3	7	10	10	2	4.0	18	1	1	4	7	7	7	7
55-74	3	6.0	16	2	2	6	9	10	10	10	3	4.7	10	1	1	6	7	7	7	7
75 +	1	19.0		19	19	19	19	19	19	19										
ALL AGES	88	5.2	62	1	1	2	5	12	19	41	12	3.8	11	1	1	2	7	29	87	99 +
SUBTOTAL	**130**	**4.5**	**47**	**1**	**1**	**2**	**4**	**11**	**18**	**40**	**16**	**3.8**	**11**	**1**	**1**	**2**	**7**	**11**	**69**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	4	29.8	466	10	10	30	48	49	49	49										
13-17	13	5.6	48	1	1	3	7	12	24	27	2	3.0	8	1	1	3	5	5	5	5
18-20	14	3.3	6	1	1	2	6	6	8	8										
21-24	19	2.1	3	1	1	2	2	4	7	8	1	2.0		2	2	2	2	2	2	2
25-34	32	3.8	15	1	1	2	4	9	13	17	6	6.8	37	1	1	7	12	13	13	13
35-54	18	3.4	6	1	1	2	5	8	9	9	4	7.0	23	2	2	7	11	12	12	12
55-74	4	3.5	14	1	1	2	6	9	9	9	2	10.0	50	5	5	10	15	15	15	15
75 +											1	1.0		1	1	1	1	1	1	1
ALL AGES	104	4.5	54	1	1	2	5	8	13	48	16	6.1	28	1	1	4	12	13	14	15
B. FEMALE																				
0-12 YRS.	1	39.0		39	39	39	39	39	39	39										
13-17	24	8.0	122	1	1	3	9	27	59	99 +	1	1.0		1	1	1	1	1	1	1
18-20	14	3.2	12	1	1	2	3	8	12	13	2	1.0		1	1	1	1	1	1	1
21-24	23	5.1	16	1	1	4	7	11	13	16	3	3.3	1	3	3	3	4	4	4	4
25-34	29	4.9	29	1	1	2	7	13	15	24	2	3.0	8	1	1	3	5	5	5	5
35-54	32	4.7	37	1	1	2	4	15	20	26	3	4.7	9	2	2	4	7	8	8	8
55-74	6	7.0	20	1	1	7	9	13	14	14	1	4.0		4	4	4	4	4	4	4
75 +	3	3.7	1	3	3	3	5	5	5	5										
ALL AGES	132	5.6	52	1	1	3	7	14	24	54	12	3.1	4	1	1	3	4	6	8	8
SUBTOTAL	**236**	**5.1**	**53**	**1**	**1**	**3**	**6**	**12**	**19**	**48**	**28**	**4.8**	**19**	**1**	**1**	**3**	**7**	**12**	**13**	**15**
GRAND TOTAL	**366**	**4.9**	**50**	**1**	**1**	**2**	**5**	**11**	**18**	**44**	**44**	**4.5**	**16**	**1**	**1**	**3**	**7**	**12**	**13**	**99 +**

FRONTAL LOBE SYNDROME (310.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																					
A. MALE																					
0-12 YRS.																					
13-17																					
18-20											1	4.0		4	4	4	4	4	4	4
21-24																					
25-34																					
35-54																					
55-74	1	13.0		13	13	13	13	13	13	13	1	7.0		7	7	7	7	7	7	7
75 +											1	18.0		18	18	18	18	18	18	18
ALL AGES	1	13.0		13	13	13	13	13	13	13	3	9.7	53	4	4	7	15	18	18	18
B. FEMALE																					
0-12 YRS.																					
13-17																					
18-20																					
21-24																					
25-34																					
35-54																					
55-74											1	14.0		14	14	14	14	14	14	14
75 +											1	10.0		10	10	10	10	10	10	10
ALL AGES											2	12.0	8	10	10	12	14	14	14	14
SUBTOTAL	**1**	**13.0**		**13**	**13**	**13**	**13**	**13**	**13**	**13**	**5**	**10.6**	**31**	**4**	**4**	**10**	**15**	**18**	**18**	**18**
2. PSYCH PRIN, 2ND PSYCH DX(S)																					
A. MALE																					
0-12 YRS.																					
13-17																					
18-20																					
21-24																					
25-34																					
35-54																					
55-74																					
75 +																					
ALL AGES																					
B. FEMALE																					
0-12 YRS.																					
13-17																					
18-20																					
21-24																					
25-34	1	32.0		32	32	32	32	32	32	32										
35-54																					
55-74																					
75 +																					
ALL AGES	1	32.0		32	32	32	32	32	32	32										
SUBTOTAL	**1**	**32.0**		**32**	**32**	**32**	**32**	**32**	**32**	**32**										
GRAND TOTAL	**2**	**22.5**	**181**	**13**	**13**	**22**	**32**	**32**	**32**	**32**	**5**	**10.6**	**31**	**4**	**4**	**10**	**15**	**18**	**18**	**18**

ORGANIC PERSONALITY SYND (310.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	5	42.8	61	36	36	39	48	55	55	55										
13-17											1	52.0		52	52	52	52	52	52	52
18-20											1	8.0		8	8	8	8	8	8	8
21-24																				
25-34	1	7.0		7	7	7	7	7	7	7	1	1.0		1	1	1	1	1	1	1
35-54	5	3.8	10	1	1	3	5	9	9	9	2	53.0	450	38	38	53	68	68	68	68
55-74	4	6.0	18	2	2	5	9	11	11	11	2	5.5	1	5	5	5	6	6	6	6
75 +	7	6.0	27	1	1	5	8	14	16	16	3	4.7	2	3	3	5	6	6	6	6
ALL AGES	22	13.9	282	1	1	7	16	41	50	55	10	19.2	587	1	2	6	38	60	68	68
B. FEMALE																				
0-12 YRS.																				
13-17	1	53.0		53	53	53	53	53	53	53										
18-20																				
21-24																				
25-34	2	13.5	113	6	6	13	21	21	21	21	2	13.5	265	2	2	13	25	25	25	25
35-54											2	7.0	32	3	3	7	11	11	11	11
55-74	7	8.6	35	4	4	7	10	19	21	21	5	7.0	32	1	1	6	10	16	16	16
75 +	7	8.9	90	1	1	7	10	25	29	29	13	5.9	14	2	2	5	8	11	14	15
ALL AGES	17	11.9	169	1	2	7	13	27	45	53	22	7.0	32	1	2	5	9	15	20	25
SUBTOTAL	**39**	**13.0**	**229**	**1**	**1**	**7**	**15**	**39**	**50**	**55**	**32**	**10.8**	**226**	**1**	**2**	**6**	**9**	**29**	**51**	**68**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	8.0		8	8	8	8	8	8	8										
13-17	1	45.0		45	45	45	45	45	45	45										
18-20																				
21-24	1	3.0		3	3	3	3	3	3	3	2	6.5	1	6	6	6	7	7	7	7
25-34	6	9.3	93	2	2	4	16	25	26	26	3	4.3	3	3	3	4	5	6	6	6
35-54	11	13.3	158	1	1	7	19	31	43	44	3	4.0	1	3	3	4	5	5	5	5
55-74	7	10.7	112	3	3	8	10	29	34	34	2	6.5	1	6	6	6	7	7	7	7
75 +	4	4.8	9	2	2	4	7	9	9	9	1	12.0		12	12	12	12	12	12	12
ALL AGES	31	11.4	139	1	2	7	16	29	43	45	11	5.7	7	3	3	6	7	9	12	12
B. FEMALE																				
0-12 YRS.	1	41.0		41	41	41	41	41	41	41										
13-17																				
18-20																				
21-24											1	25.0		25	25	25	25	25	25	25
25-34											1	6.0		6	6	6	6	6	6	6
35-54	1	11.0		11	11	11	11	11	11	11										
55-74	4	6.8	34	2	2	5	11	15	15	15	3	2.3	3	1	1	2	3	4	4	4
75 +	6	10.2	34	4	4	10	12	19	20	20										
ALL AGES	12	11.7	113	2	3	9	14	26	39	41	5	7.6	98	1	1	4	11	25	25	25
SUBTOTAL	**43**	**11.4**	**131**	**2**	**2**	**7**	**16**	**28**	**42**	**45**	**16**	**6.3**	**31**	**1**	**2**	**5**	**7**	**12**	**21**	**25**
GRAND TOTAL	**82**	**12.2**	**175**	**1**	**2**	**7**	**16**	**37**	**44**	**54**	**48**	**9.3**	**163**	**1**	**2**	**6**	**8**	**22**	**39**	**68**

POSTCONCUSSION SYNDROME (310.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	16	1.1		1	1	1	1	2	2	2	42	1.3		1	1	1	1	2	3	3
13-17	11	2.1	3	1	1	2	3	35	91	99 +	21	3.4	68	1	1	1	2	5	21	39
18-20	9	16.6	1066	1	1	2	12	74	98	98	10	9.2	190	1	1	2	12	34	37	37
21-24	12	1.2		1	1	1	1	2	3	3	20	5.7	68	1	1	2	7	14	26	36
25-34	20	11.7	352	1	1	3	12	43	60	69	22	5.5	56	1	1	3	4	15	24	31
35-54	12	13.8	591	1	1	3	21	75	95	99 +	22	5.8	51	1	1	3	7	14	22	32
55-74	9	4.6	5	2	2	4	6	8	8	8	9	5.3	81	1	1	2	4	19	29	29
75 +	3	3.7	5	1	1	5	5	5	5	5	4	7.8	66	3	3	4	12	20	20	20
ALL AGES	92	7.1	275	1	1	2	4	21	67	99 +	150	4.4	56	1	1	1	4	11	20	37
B. FEMALE																				
0-12 YRS.	8	1.8	1	1	1	2	2	3	3	3	25	1.2		1	1	1	1	2	3	3
13-17	9	13.9	613	1	1	2	15	58	60	60	9	1.8	1	1	1	1	2	4	4	4
18-20											4	3.3	20	1	1	1	6	10	10	10
21-24	7	12.3	653	1	1	1	6	57	70	70	10	5.3	77	1	1	2	4	17	30	30
25-34	18	9.8	436	1	1	3	7	24	65	89	18	8.1	500	1	1	2	3	10	63	97
35-54	13	5.3	51	1	1	2	6	16	23	25	21	3.7	19	1	1	2	4	8	14	20
55-74	14	3.6	5	2	2	3	5	7	9	9	6	6.3	13	2	2	5	10	11	11	11
75 +	5	6.6	34	1	1	5	10	16	16	16	17	5.3	12	1	2	4	7	12	13	13
ALL AGES	74	7.5	250	1	1	2	6	14	50	84	110	4.2	97	1	1	2	4	8	11	57
SUBTOTAL	**166**	**7.3**	**262**	**1**	**1**	**2**	**5**	**15**	**60**	**99 +**	**260**	**4.3**	**73**	**1**	**1**	**2**	**4**	**10**	**16**	**37**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	8.0		8	8	8	8	8	8	8
13-17																				
18-20	2	8.5	113	1	1	8	16	16	16	16	1	30.0		30	30	30	30	30	30	30
21-24	2	1.5	1	1	1	1	2	2	2	2	1	1.0		1	1	1	1	1	1	1
25-34	10	5.0	10	2	2	4	6	10	12	12	2	5.0	2	4	4	5	6	6	6	6
35-54	6	12.7	212	1	1	6	24	36	37	37	5	9.6	47	3	3	9	14	20	20	20
55-74	4	5.0	8	1	1	6	7	7	7	7	1	4.0		4	4	4	4	4	4	4
75 +	1	10.0		10	10	10	10	10	10	10										
ALL AGES	25	7.0	68	1	1	4	8	16	27	37	11	9.2	75	1	2	6	11	24	29	30
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	2	8.0	32	4	4	8	12	12	12	12	1	2.0		2	2	2	2	2	2	2
21-24	1	8.0		8	8	8	8	8	8	8	2	7.0	50	2	2	7	12	12	12	12
25-34	5	17.2	408	2	2	5	35	46	46	46										
35-54	2	17.5	41	13	13	17	22	22	22	22	3	1.0		1	1	1	1	1	1	1
55-74	2	4.0	8	2	2	4	6	6	6	6	3	11.3	263	1	1	3	23	30	30	30
75 +											2	5.5	5	4	4	5	7	7	7	7
ALL AGES	12	12.8	187	2	2	7	17	35	44	46	11	5.8	76	1	1	2	6	19	29	30
SUBTOTAL	**37**	**8.9**	**110**	**1**	**1**	**5**	**10**	**24**	**35**	**46**	**22**	**7.5**	**75**	**1**	**1**	**4**	**9**	**23**	**30**	**30**
GRAND TOTAL	**203**	**7.6**	**233**	**1**	**1**	**2**	**6**	**19**	**52**	**99**	**282**	**4.6**	**73**	**1**	**1**	**2**	**4**	**11**	**19**	**37**

NONPSYCHOT BRAIN SYN NEC (310.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	12.0		12	12	12	12	12	12	12										
35-54											1	22.0		22	22	22	22	22	22	22
55-74	4	9.5	26	6	6	7	12	17	17	17										
75 +	2	11.0		11	11	11	11	11	11	11	4	12.0	63	4	4	10	17	23	23	23
ALL AGES	7	10.3	14	6	6	11	12	16	17	17	5	14.0	68	4	4	11	22	23	23	23
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	2.0		2	2	2	2	2	2	2										
75 +											3	8.7	21	5	5	7	12	14	14	14
ALL AGES	1	2.0		2	2	2	2	2	2	2	3	8.7	21	5	5	7	12	14	14	14
SUBTOTAL	**8**	**9.3**	**19**	**2**	**3**	**9**	**12**	**15**	**17**	**17**	**8**	**12.0**	**53**	**4**	**4**	**10**	**18**	**23**	**23**	**23**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	11.0		11	11	11	11	11	11	11	1	16.0		16	16	16	16	16	16	16
75 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	1	11.0		11	11	11	11	11	11	11	2	9.0	98	2	2	9	16	16	16	16
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	2.0		2	2	2	2	2	2	2										
25-34																				
35-54	1	8.0		8	8	8	8	8	8	8										
55-74	3	10.3	51	4	4	9	16	18	18	18										
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	5	8.2	38	2	2	8	11	18	18	18	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**6**	**8.7**	**31**	**2**	**2**	**8**	**11**	**17**	**18**	**18**	**3**	**7.0**	**61**	**2**	**2**	**3**	**13**	**16**	**16**	**16**
GRAND TOTAL	**14**	**9.0**	**23**	**2**	**2**	**9**	**11**	**17**	**18**	**18**	**11**	**10.6**	**55**	**2**	**3**	**10**	**15**	**22**	**23**	**23**

NONPSYCHOT BRAIN SYN NOS (310.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	5.0	32	1	1	5	9	9	9	9										
13-17											1	1.0		1	1	1	1	1	1	1
18-20											1	40.0		40	40	40	40	40	40	40
21-24																				
25-34	1	6.0		6	6	6	6	6	6	6	1	20.0		20	20	20	20	20	20	20
35-54	7	9.4	137	1	1	4	18	28	30	30	6	7.5	18	2	2	7	8	14	15	15
55-74	28	10.2	187	1	2	5	16	23	73	99+	19	5.5	11	1	2	5	6	10	13	15
75 +	38	7.2	68	1	1	4	8	13	27	41	41	7.3	37	1	2	6	8	16	20	28
ALL AGES	76	8.4	115	1	1	5	11	20	31	92	69	7.4	45	1	2	6	8	16	20	38
B. FEMALE																				
0-12 YRS.											1	6.0		6	6	6	6	6	6	6
13-17																				
18-20																				
21-24	1	6.0		6	6	53	99+	99+	99+	99+	1	7.0		7	7	7	7	7	7	7
25-34																				
35-54	6	5.7	11	2	2	6	7	11	11	11	7	14.4	262	2	2	10	22	42	46	46
55-74	27	8.5	42	1	2	6	12	18	24	27	13	4.1	6	2	2	4	5	8	10	10
75 +	64	7.0	27	1	2	5	9	14	19	26	59	6.2	28	1	1	5	9	13	19	93
ALL AGES	98	7.3	30	1	2	6	10	15	21	64	81	6.6	47	1	2	5	8	12	22	83
SUBTOTAL	**174**	**7.8**	**67**	**1**	**2**	**5**	**10**	**17**	**25**	**93**	**150**	**7.0**	**45**	**1**	**2**	**5**	**8**	**15**	**20**	**46**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	3	15.3	160	2	2	17	24	27	27	27										
18-20																				
21-24	2	14.5	1	14	14	14	15	15	15	15	1	62.0		62	62	62	62	62	62	62
25-34	12	14.3	200	1	2	8	23	35	44	46	2	3.0	2	2	2	3	4	4	4	4
35-54	18	8.1	54	1	1	5	15	19	21	22	4	8.3	111	2	2	4	14	24	24	24
55-74	24	11.0	60	2	3	11	15	20	27	35	9	6.2	20	2	2	5	8	13	15	15
75 +	20	9.4	38	1	2	8	12	19	24	24	11	8.4	137	2	2	4	8	22	41	43
ALL AGES	79	10.7	76	1	2	9	15	23	26	43	27	9.2	186	2	2	4	8	22	46	62
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20											1	5.0		5	5	5	5	5	5	5
21-24	2	1.0		1	1	1	1	1	1	1										
25-34	5	4.8	6	3	3	4	6	9	9	9										
35-54	6	13.7	173	5	5	9	13	37	40	40	1	2.0		2	2	2	2	2	2	2
55-74	20	8.1	19	4	4	7	11	17	56	99+	6	14.3	175	5	5	9	18	37	39	39
75 +	31	11.2	140	2	3	8	14	18	45	57	16	5.3	7	2	3	5	6	8	11	13
ALL AGES	64	9.6	95	2	3	7	12	17	41	94	24	7.4	60	2	3	5	7	14	24	39
SUBTOTAL	**143**	**10.2**	**84**	**1**	**2**	**8**	**14**	**21**	**28**	**60**	**51**	**8.4**	**124**	**2**	**2**	**5**	**8**	**16**	**38**	**62**
GRAND TOTAL	**317**	**8.9**	**76**	**1**	**2**	**6**	**12**	**19**	**26**	**80**	**201**	**7.3**	**66**	**1**	**2**	**5**	**8**	**15**	**23**	**54**

DEPRESSIVE DISORDER NEC (311.)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	6.0	39	1	1	4	11	13	13	13										
13-17	10	11.4	426	1	1	4	6	44	68	68	3	1.3		1	1	1	2	2	2	2
18-20	1	1.0		1	1	1	1	1	1	1	2	2.0	2	1	1	2	3	3	3	3
21-24	10	7.6	40	1	1	6	10	17	23	23	3	2.0	1	1	1	2	3	3	3	3
25-34	12	7.4	11	3	4	7	9	12	15	15	3	7.0	12	3	3	9	9	9	9	9
35-54	36	4.1	20	1	1	3	4	8	17	19	9	2.9	5	1	1	2	4	6	8	8
55-74	23	6.5	23	1	1	6	9	13	17	19	17	7.9	78	2	2	4	8	24	31	33
75 +	18	7.5	65	1	2	5	7	17	28	34	8	8.0	5	6	6	7	10	11	11	11
ALL AGES	113	6.5	64	1	1	4	7	14	19	47	45	5.8	38	1	1	4	8	11	17	33
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17	38	11.9	340	1	1	3	14	38	56	81	5	9.8	201	1	1	2	17	34	34	34
18-20	7	3.4	24	1	1	1	4	12	14	14	4	26.8	1842	1	1	7	50	91	91	91
21-24	17	3.6	25	1	1	1	4	8	17	21	6	9.2	197	1	1	3	10	34	37	37
25-34	52	7.5	170	1	1	4	8	15	22	89	29	10.9	172	1	1	5	15	36	42	42
35-54	80	4.4	18	1	1	3	6	9	14	21	43	7.5	94	1	1	3	8	23	33	39
55-74	59	8.7	74	2	2	5	12	18	29	41	33	5.2	32	1	1	4	5	9	21	27
75 +	32	6.5	24	2	2	5	9	11	14	26	24	5.5	27	1	2	4	6	12	19	23
ALL AGES	286	7.0	106	1	1	4	8	15	25	57	144	8.0	139	1	1	4	8	23	33	45
SUBTOTAL	**399**	**6.9**	**93**	**1**	**1**	**4**	**8**	**15**	**22**	**55**	**189**	**7.5**	**115**	**1**	**1**	**4**	**8**	**21**	**33**	**42**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	86.0		86	86	93	99 +	99 +	99 +	99 +										
13-17	20	23.4	350	1	2	22	35	53	56	59	3	5.0	37	1	1	2	9	12	12	12
18-20	9	11.0	194	1	1	6	15	35	42	42										
21-24	16	4.8	27	1	1	3	5	13	18	20	1	3.0		3	3	3	3	3	3	3
25-34	74	6.7	36	1	1	5	9	14	20	26	5	2.4	4	1	1	2	3	6	6	6
35-54	64	8.4	86	1	2	6	11	19	24	53	16	6.6	52	1	1	4	8	15	25	29
55-74	19	6.5	20	2	3	4	9	13	16	18	8	4.4	7	1	1	4	7	8	8	8
75 +	5	10.2	85	1	1	8	15	25	25	25	2	2.0	2	1	1	1	3	3	3	3
ALL AGES	208	9.3	137	1	1	5	11	23	32	70	35	5.0	30	1	1	3	7	10	15	29
B. FEMALE																				
0-12 YRS.	1	68.0		68	68	68	68	68	68	68										
13-17	29	20.2	637	1	1	10	24	72	93	99 +	7	3.0	8	1	1	2	4	8	9	9
18-20	17	7.3	233	1	2	3	5	8	46	66	1	3.0		3	3	3	3	3	3	3
21-24	31	5.5	40	1	1	5	7	9	14	35	5	4.2	31	1	1	2	6	14	14	14
25-34	98	7.2	60	1	1	4	10	19	25	33	15	9.1	97	1	1	5	15	31	79	99 +
35-54	104	7.7	82	1	1	4	9	20	25	47	28	8.6	86	1	1	4	11	27	30	31
55-74	30	11.0	122	1	1	9	15	19	29	58	11	5.7	34	1	1	4	6	17	18	18
75 +	15	8.6	59	1	2	8	11	21	26	28	4	5.3		5	5	5	6	6	6	6
ALL AGES	325	9.0	152	1	1	5	10	21	32	72	71	7.1	65	1	1	4	10	21	30	85
SUBTOTAL	**533**	**9.1**	**146**	**1**	**1**	**5**	**11**	**22**	**32**	**72**	**106**	**6.4**	**54**	**1**	**1**	**4**	**8**	**16**	**29**	**61**
GRAND TOTAL	**932**	**8.1**	**126**	**1**	**1**	**4**	**9**	**19**	**28**	**68**	**295**	**7.1**	**93**	**1**	**1**	**4**	**8**	**18**	**30**	**42**

UNSOCIALIZED AGGRESSION (312.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
.. MALE																				
0-12 YRS.	12	26.3	152	4	8	28	31	44	47	47	1	4.0		4	4	52	99 +	99 +	99 +	99 +
13-17	29	17.7	297	1	2	11	30	43	57	64	3	9.0	36	3	4	57	99 +	99 +	99 +	99 +
18-20																				
21-24																				
25-34	1	21.0		21	21	21	21	21	21	21	1	27.0		27	27	27	27	27	27	27
35-54	1	1.0		1	1	1	1	1	1	1	1	10.0		10	10	10	10	10	10	10
55-74																				
75 +																				
ALL AGES	43	19.8	261	1	2	16	30	43	50	64	6	11.3	79	3	3	21	99 +	99 +	99 +	99 +
B. FEMALE																				
0-12 YRS.	3	7.7	20	3	3	8	11	12	12	12	1	3.0		3	3	3	3	3	3	3
13-17	6	12.2	193	1	1	8	14	36	39	39	1	14.0		14	14	57	99 +	99 +	99 +	99 +
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	9	10.7	130	1	2	8	12	29	39	39	2	8.5	61	3	3	14	78	99 +	99 +	99 +
SUBTOTAL	**52**	**18.2**	**248**	**1**	**2**	**13**	**29**	**42**	**47**	**64**	**8**	**10.6**	**67**	**3**	**3**	**15**	**99 +**	**99 +**	**99 +**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	22	35.0	280	7	9	41	50	51	54	56	2	77.0	288	65	65	77	89	89	89	89
13-17	41	31.4	494	2	3	26	48	63	71	79	5	28.6	231	5	7	37	41	94	99 +	99 +
18-20																				
21-24																				
25-34	2	2.0		2	2	2	2	2	2	2	2	4.0	2	3	3	4	5	5	5	5
35-54	1	4.0		4	4	4	4	4	4	4										
55-74	1	2.0		2	2	2	2	2	2	2	2	3.0	2	2	2	3	4	4	4	4
75 +	1	10.0		10	10	10	10	10	10	10										
ALL AGES	68	30.6	440	2	3	31	48	56	66	78	11	28.3	841	2	3	28	53	92	99	99 +
B. FEMALE																				
0-12 YRS.	6	29.5	266	5	6	35	43	44	44	44										
13-17	9	35.2	412	3	5	38	53	83	99 +	99 +	1	42.0		42	42	42	42	42	42	42
18-20																				
21-24																				
25-34																				
35-54											1	1.0		1	1	1	1	1	1	1
55-74																				
75 +																				
ALL AGES	15	32.9	340	4	5	37	45	66	90	99 +	2	21.5	841	1	1	42	85	99 +	99 +	99 +
SUBTOTAL	**83**	**31.0**	**419**	**2**	**3**	**34**	**48**	**57**	**68**	**93**	**13**	**27.2**	**780**	**1**	**2**	**35**	**59**	**99 +**	**99 +**	**99 +**
GRAND TOTAL	**135**	**26.1**	**389**	**2**	**3**	**23**	**42**	**53**	**63**	**82**	**21**	**20.9**	**559**	**2**	**3**	**24**	**94**	**99 +**	**99 +**	**99 +**

UNSOCIALIZ, UNAGGRESSIVE (312.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	89.0		89	89	89	89	89	89	89										
13-17	5	18.4	145	6	6	14	29	34	34	34										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	6	30.2	944	6	6	21	34	83	89	89										
B. FEMALE																				
0-12 YRS.	2	23.0	882	2	2	23	44	44	44	44	1	1.0		1	1	1	1	1	1	1
13-17	6	21.3	474	1	1	25	48	90	99 +	99 +										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	8	21.8	461	1	1	25	46	80	99 +	99 +	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**14**	**25.4**	**630**	**1**	**2**	**25**	**45**	**89**	**97**	**99 +**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	4	19.3	192	1	1	22	30	32	32	32										
13-17	13	28.9	762	2	3	14	54	69	79	81										
18-20	1	4.0		4	4	4	4	4	4	4										
21-24																				
25-34																				
35-54	1	52.0		52	52	52	52	52	52	52										
55-74																				
75 +																				
ALL AGES	19	26.8	619	1	2	16	50	62	74	81										
B. FEMALE																				
0-12 YRS.	2	28.5	1513	1	1	28	56	56	56	56										
13-17	18	20.8	694	1	2	7	37	58	77	89	3	35.0	247	17	17	42	45	46	46	46
18-20											2	2.5	1	2	2	2	3	3	3	3
21-24																				
25-34	2	1.5	1	1	1	1	2	2	2	2										
35-54																				
55-74																				
75 +																				
ALL AGES	22	19.8	672	1	1	4	37	57	71	89	5	22.0	441	2	2	17	43	46	46	46
SUBTOTAL	**41**	**23.0**	**646**	**1**	**2**	**10**	**45**	**57**	**73**	**89**	**5**	**22.0**	**441**	**2**	**2**	**17**	**43**	**46**	**46**	**46**
GRAND TOTAL	**55**	**23.6**	**632**	**1**	**2**	**12**	**44**	**59**	**86**	**99**	**6**	**18.5**	**426**	**1**	**1**	**10**	**42**	**46**	**46**	**46**

SOCIALIZED CONDUCT DIS (312.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)		TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.	8	35.3	318	3	7	41	48	52	54	54		2	21.5	761	2	2	21	41	41	41	41	
13-17	38	18.8	283	1	2	15	28	42	45	74		11	6.5	55	1	1	3	12	18	23	23	
18-20	1	2.0		2	2	2	2	2	2	2		1	4.0		4	4	4	4	4	4	4	
21-24																						
25-34																						
35-54																						
55-74																						
75 +																						
ALL AGES	47	21.3	321	2	2	16	38	45	50	74		14	8.5	131	1	1	3	14	25	37	41	
B. FEMALE																						
0-12 YRS.	5	15.8	31	10	10	15	21	22	22	22		4	16.3	385	3	3	13	59	99 +	99 +	99 +	
13-17	50	19.2	297	2	2	13	29	47	56	62		14	15.4	501	1	1	8	15	32	76	89	
18-20												1	40.0		40	40	40	40	40	40	40	
21-24												1	23.0		23	23	23	23	23	23	23	
25-34																						
35-54																						
55-74																						
75 +																						
ALL AGES	55	18.9	272	2	2	14	29	47	55	62		20	17.2	435	1	1	13	24	63	94	99 +	
SUBTOTAL	**102**	**20.0**	**293**	**2**	**2**	**15**	**31**	**46**	**54**	**68**		**34**	**13.6**	**322**	**1**	**1**	**7**	**18**	**41**	**78**	**99 +**	
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.	31	32.1	265	2	7	41	42	48	52	59		2	1.0		1	1	1	1	1	1	1	
13-17	70	25.2	349	2	3	22	42	52	60	92		52	33.9	425	1	2	40	44	50	88	99 +	
18-20	5	15.8	263	1	1	10	31	36	36	36		5	36.0	81	27	27	39	41	48	48	48	
21-24																						
25-34												1	7.0		7	7	7	7	7	7	7	
35-54																						
55-74																						
75 +																						
ALL AGES	106	26.8	329	2	3	27	42	51	56	79		60	32.5	423	1	2	39	44	49	76	99 +	
B. FEMALE																						
0-12 YRS.	9	32.2	357	1	3	35	42	55	63	63		1	42.0		42	42	42	42	42	42	42	
13-17	71	24.7	377	3	4	21	39	59	85	99 +		31	27.3	239	2	3	33	42	51	99 +	99 +	
18-20																						
21-24																						
25-34																						
35-54																						
55-74																						
75 +																						
ALL AGES	80	25.6	373	3	4	23	39	59	82	99 +		32	27.8	236	2	3	34	42	46	99 +	99 +	
SUBTOTAL	**186**	**26.3**	**346**	**2**	**3**	**24**	**42**	**53**	**61**	**99 +**		**92**	**30.9**	**357**	**1**	**2**	**39**	**43**	**49**	**95**	**99 +**	
GRAND TOTAL	**288**	**24.0**	**339**	**2**	**3**	**20**	**40**	**51**	**59**	**99 +**		**126**	**26.2**	**406**	**1**	**2**	**27**	**42**	**48**	**93**	**99 +**	

IMPULSE CONTROL DIS NEC (312.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	6.0		6	6	6	6	6	6	6	1	5.0		5	5	5	5	5	5	5
13-17	6	2.8	2	1	1	3	4	4	4	4	3	10.7	91	2	2	9	18	21	21	21
18-20																				
21-24	3	24.7	652	7	7	13	44	54	54	54										
25-34	3	30.3	427	7	7	38	44	46	46	46	1	5.0		5	5	5	5	5	5	5
35-54	4	1.8	2	1	1	1	3	4	4	4	1	5.0		5	5	5	5	5	5	5
55-74	2	8.0	18	5	5	8	11	11	11	11										
75 +																				
ALL AGES	19	11.1	259	1	1	4	10	43	50	54	6	7.8	47	2	2	5	9	20	21	21
B. FEMALE																				
0-12 YRS.	1	38.0		38	38	38	38	38	38	38										
13-17	2	12.0	128	4	4	12	20	20	20	20	1	1.0		1	1	1	1	1	1	1
18-20	1	19.0		19	19	19	19	19	19	19										
21-24	1	6.0		6	6	6	6	6	6	6										
25-34	1	40.0		40	40	40	40	40	40	40										
35-54	2	10.5	25	7	7	10	14	14	14	14										
55-74																				
75 +																				
ALL AGES	8	18.5	195	4	5	16	29	39	40	40	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**27**	**13.3**	**243**	**1**	**1**	**6**	**18**	**40**	**47**	**54**	**7**	**6.9**	**45**	**1**	**1**	**5**	**8**	**19**	**21**	**21**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	18.5	25	15	15	18	22	22	22	22										
13-17	12	9.8	91	1	1	5	17	24	27	28										
18-20	4	7.3	14	3	3	7	10	11	11	11	2	3.0	2	2	2	3	4	4	4	4
21-24	4	3.5	14	1	1	2	6	9	9	9	1	3.0		3	3	3	3	3	3	3
25-34	7	12.0	199	2	2	6	17	37	41	41	4	13.0	102	1	1	13	21	24	24	24
35-54	3	6.0	48	2	2	2	11	14	14	14	1	13.0		13	13	13	13	13	13	13
55-74	6	29.5	212	7	8	30	42	46	47	47										
75 +	3	7.0	3	5	5	8	8	8	8	8										
ALL AGES	41	12.1	151	1	1	7	20	30	41	47	8	9.3	70	1	1	6	15	22	24	24
B. FEMALE																				
0-12 YRS.																				
13-17	3	4.3	17	2	2	2	7	9	9	9										
18-20																				
21-24	1	1.0		1	1	1	1	1	1	1	5	39.8	1396	4	4	43	57	98	98	98
25-34	2	5.0	2	4	4	5	6	6	6	6										
35-54	4	5.3	18	1	1	4	8	11	11	11										
55-74																				
75 +																				
ALL AGES	10	4.5	12	1	1	3	6	10	11	11	5	39.8	1396	4	4	43	57	98	98	98
SUBTOTAL	**51**	**10.6**	**133**	**1**	**1**	**6**	**15**	**29**	**40**	**47**	**13**	**21.0**	**746**	**1**	**2**	**10**	**29**	**55**	**90**	**98**
GRAND TOTAL	**78**	**11.6**	**168**	**1**	**1**	**6**	**15**	**36**	**42**	**52**	**20**	**16.1**	**532**	**1**	**1**	**7**	**19**	**43**	**71**	**98**

MIX DIS CONDUCT/EMOTION (312.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	21.0		21	21	21	21	21	21	21										
13-17	2	18.5	365	5	5	18	32	32	32	32										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	3	19.3	186	5	5	21	29	32	32	32										
B. FEMALE																				
0-12 YRS.																				
13-17	2	6.5	1	6	6	6	7	7	7	7										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	6.5	1	6	6	6	7	7	7	7										
SUBTOTAL	**5**	**14.2**	**142**	**5**	**5**	**7**	**24**	**32**	**32**	**32**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	20.0		20	20	20	20	20	20	20										
18-20																				
21-24	1	3.0		3	3	3	3	3	3	3										
25-34											1	3.0		3	3	3	3	3	3	3
35-54	1	28.0		28	28	28	28	28	28	28										
55-74																				
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	4	13.8	149	3	3	12	24	28	28	28	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17	2	8.5	1	8	8	8	9	9	9	9										
18-20																				
21-24																				
25-34	2	2.5	5	1	1	2	4	4	4	4										
35-54																				
55-74																				
75 +																				
ALL AGES	4	5.5	14	1	1	6	8	9	9	9										
SUBTOTAL	**8**	**9.6**	**91**	**1**	**1**	**6**	**14**	**26**	**28**	**28**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
GRAND TOTAL	**13**	**11.4**	**105**	**1**	**2**	**7**	**20**	**29**	**31**	**32**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**

OTHER CONDUCT DISTURB (312.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	9.0	128	1	1	9	17	17	17	17										
18-20																				
21-24	2	3.5	13	1	1	3	6	6	6	6										
25-34	1	1.0		1	1	1	1	1	1	1										
35-54																				
55-74																				
75 +																				
ALL AGES	5	5.2	48	1	1	1	9	17	17	17										
B. FEMALE																				
0-12 YRS.	3	1.0		1	1	1	1	1	1	1										
13-17	2	11.0	162	2	2	11	20	20	20	20	3	2.0	1	1	1	2	3	3	3	3
18-20	1	2.0		2	2	2	2	2	2	2										
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	6	4.5	58	1	1	2	2	18	20	20	3	2.0	1	1	1	2	3	3	3	3
SUBTOTAL	**11**	**4.8**	**49**	**1**	**1**	**1**	**5**	**18**	**20**	**20**	**3**	**2.0**	**1**	**1**	**1**	**2**	**3**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	14.0		14	14	14	14	14	14	14										
18-20																				
21-24																				
25-34	1	6.0		6	6	6	6	6	6	6	1	9.0		9	9	9	9	9	9	9
35-54																				
55-74																				
75 +																				
ALL AGES	2	10.0	32	6	6	10	14	14	14	14	1	9.0		9	9	9	9	9	9	9
B. FEMALE																				
0-12 YRS.	1	27.0		27	27	27	27	27	27	27										
13-17																				
18-20	1	7.0		7	7	7	7	7	7	7	1	1.0		1	1	1	1	1	1	1
21-24																				
25-34																				
35-54																				
55-74																				
75 +	1	10.0		10	10	10	10	10	10	10										
ALL AGES	3	14.7	115	7	7	10	23	27	27	27	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**5**	**12.8**	**73**	**6**	**6**	**10**	**17**	**27**	**27**	**27**	**2**	**5.0**	**32**	**1**	**1**	**5**	**9**	**9**	**9**	**9**
GRAND TOTAL	**16**	**7.3**	**66**	**1**	**1**	**4**	**12**	**20**	**25**	**27**	**5**	**3.2**	**11**	**1**	**1**	**2**	**4**	**9**	**9**	**9**

CONDUCT DISTURBANCE NOS (312.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	6	18.0	385	1	1	12	27	50	53	53	1	5.0		5	5	5	5	5	5	5
13-17	21	23.5	491	2	2	15	36	59	68	77	4	4.5	4	2	2	4	6	7	7	7
18-20																				
21-24																				
25-34	2	1.5	1	1	1	1	2	2	2	2										
35-54	1	2.0		2	2	2	2	2	2	2	2	3.5	5	2	2	3	5	5	5	5
55-74																				
75 +	1	2.0		2	2	2	2	2	2	2										
ALL AGES	31	19.6	446	1	2	13	30	55	61	77	7	4.3	3	2	2	5	5	7	7	7
B. FEMALE																				
0-12 YRS.	4	32.5	1048	2	2	25	53	78	78	78										
13-17	15	14.3	324	1	1	7	15	53	56	57	2	17.5	545	1	1	34	83	99 +	99 +	99 +
18-20																				
21-24																				
25-34	1	9.0		9	9	9	9	9	9	9										
35-54	2	7.0	50	2	2	7	12	12	12	12										
55-74																				
75 +																				
ALL AGES	22	16.7	432	1	1	9	21	54	65	78	2	17.5	545	1	1	34	83	99 +	99 +	99 +
SUBTOTAL	**53**	**18.4**	**434**	**1**	**2**	**9**	**29**	**54**	**60**	**78**	**9**	**7.2**	**105**	**1**	**1**	**5**	**7**	**67**	**99 +**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	5	24.0	121	7	7	25	33	35	35	35										
13-17	27	18.7	374	1	3	13	19	55	70	71	4	1.5	1	1	1	1	27	99 +	99 +	99 +
18-20	2	3.0	8	1	1	3	5	5	5	5	1	5.0		5	5	5	5	5	5	5
21-24	1	15.0		15	15	15	15	15	15	15										
25-34	4	26.8	2011	2	2	5	50	94	94	94										
35-54	1	3.0		3	3	3	3	3	3	3										
55-74											1	6.0		6	6	6	6	6	6	6
75 +																				
ALL AGES	40	18.9	446	1	2	13	21	50	70	94	6	2.8	5	1	1	5	99 +	99 +	99 +	99 +
B. FEMALE																				
0-12 YRS.	3	10.3	11	8	8	9	13	14	14	14										
13-17	12	12.8	93	1	2	11	21	27	28	28	1	22.0		22	22	22	22	22	22	22
18-20	1	1.0		1	1	1	1	1	1	1										
21-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54	1	6.0		6	6	6	6	6	6	6										
55-74																				
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	19	10.3	76	1	1	3	16	25	27	28	1	22.0		22	22	22	22	22	22	22
SUBTOTAL	**59**	**16.1**	**341**	**1**	**1**	**12**	**19**	**34**	**65**	**92**	**7**	**5.6**	**56**	**1**	**1**	**5**	**99 +**	**99 +**	**99 +**	**99 +**
GRAND TOTAL	**112**	**17.2**	**382**	**1**	**2**	**10**	**23**	**47**	**61**	**84**	**16**	**6.5**	**79**	**1**	**1**	**5**	**28**	**99 +**	**99 +**	**99 +**

OVERANXIOUS DISORDER (313.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	47.0		47	47	47	47	47	47	47										
13-17	1	28.0		28	28	28	28	28	28	28										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	37.5	181	28	28	37	47	47	47	47										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**2**	**37.5**	**181**	**28**	**28**	**37**	**47**	**47**	**47**	**47**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	34.0	50	29	29	34	39	39	39	39										
13-17	3	27.3	532	4	4	28	44	50	50	50										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	5	30.0	291	4	4	29	42	50	50	50										
B. FEMALE																				
0-12 YRS.	1	40.0		40	40	40	40	40	40	40										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	40.0		40	40	40	40	40	40	40										
SUBTOTAL	**6**	**31.7**	**247**	**4**	**6**	**34**	**40**	**49**	**50**	**50**										
GRAND TOTAL	**8**	**33.1**	**213**	**4**	**11**	**34**	**43**	**49**	**50**	**50**										

MISERY & UNHAPPINESS DIS (313.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.	1	59.0		59	59	59	59	59	59	59										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	59.0		59	59	59	59	59	59	59										
SUBTOTAL	**1**	**59.0**		**59**	**59**	**59**	**59**	**59**	**59**	**59**										
GRAND TOTAL	**1**	**59.0**		**59**	**59**	**59**	**59**	**59**	**59**	**59**										

SENSITIVITY & WITHDRAWAL (313.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	21.0		21	21	21	21	21	21	21										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	21.0		21	21	21	21	21	21	21										
B. FEMALE																				
0-12 YRS.	1	70.0		70	70	70	70	70	70	70										
13-17	1	2.0		2	2	2	2	2	2	2										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	36.0	2312	2	2	36	70	70	70	70										
SUBTOTAL	**3**	**31.0**	**1231**	**2**	**2**	**21**	**58**	**70**	**70**	**70**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											1	13.0		13	13	13	13	13	13	13
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											1	13.0		13	13	13	13	13	13	13
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL											**1**	**13.0**		**13**	**13**	**13**	**13**	**13**	**13**	**13**
GRAND TOTAL	**3**	**31.0**	**1231**	**2**	**2**	**21**	**58**	**70**	**70**	**70**	**1**	**13.0**		**13**	**13**	**13**	**13**	**13**	**13**	**13**

RELATIONSHIP PROBLEMS (313.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**										
GRAND TOTAL	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**										

OTH EMOTIONAL DIS CHILD (313.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	15	39.8	635	2	2	42	44	81	92	96	1	7.0		7	7	7	7	7	7	7
13-17	18	18.1	85	4	7	16	26	30	33	35	2	45.0	578	28	28	45	62	62	62	62
18-20	2	2.0	2	1	1	1	3	3	3	3										
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	35	26.5	454	2	2	22	40	45	73	96	3	32.3	774	7	7	28	53	62	62	62
B. FEMALE																				
0-12 YRS.	4	31.8	274	7	7	38	41	43	43	43										
13-17	30	18.5	238	2	3	13	29	43	49	54	7	13.7	136	1	1	10	25	30	30	30
18-20	1	2.0		2	2	2	2	2	2	2										
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	35	19.5	257	2	2	14	36	43	48	54	7	13.7	136	1	1	10	25	30	30	30
SUBTOTAL	**70**	**23.0**	**363**	**2**	**2**	**16**	**39**	**44**	**49**	**93**	**10**	**19.3**	**343**	**1**	**1**	**13**	**28**	**46**	**62**	**62**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	21	37.6	194	4	12	41	45	53	74	99 +										
13-17	27	24.4	317	3	3	25	40	48	72	99 +	2	11.5	13	9	9	11	14	14	14	14
18-20	2	2.0	2	1	1	2	3	3	3	3										
21-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54																				
55-74																				
75 +																				
ALL AGES	51	28.5	329	2	3	36	43	50	67	99 +	2	11.5	13	9	9	11	14	14	14	14
B. FEMALE																				
0-12 YRS.	10	40.2	47	30	30	41	45	48	49	49										
13-17	31	25.9	467	3	4	20	39	53	66	93	4	24.5	194	11	11	25	36	37	37	37
18-20																				
21-24	1	22.0		22	22	22	22	22	22	22										
25-34	1	1.0		1	1	1	1	1	1	1	1	2.0		2	2	2	2	2	2	2
35-54																				
55-74																				
75 +																				
ALL AGES	43	28.6	398	2	5	28	44	51	59	93	5	20.0	247	2	2	14	36	37	37	37
SUBTOTAL	**94**	**28.5**	**359**	**2**	**3**	**31**	**43**	**51**	**64**	**99 +**	**7**	**17.6**	**182**	**2**	**3**	**14**	**31**	**37**	**37**	**37**
GRAND TOTAL	**164**	**26.2**	**363**	**2**	**3**	**25**	**42**	**49**	**55**	**99**	**17**	**18.6**	**262**	**1**	**2**	**14**	**29**	**37**	**53**	**62**

EMOTIONAL DIS CHILD NOS (313.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17	2	2.0	2	1	1	2	3	3	3	3										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	2.0	2	1	1	2	3	3	3	3										
SUBTOTAL	**2**	**2.0**	**2**	**1**	**1**	**2**	**3**	**3**	**3**	**3**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
SUBTOTAL	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**										
GRAND TOTAL	**3**	**1.7**	**1**	**1**	**1**	**1**	**3**	**3**	**3**	**3**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**

ATTENTION DEFICIT DIS (314.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	10	32.8	704	2	3	24	50	76	77	77										
13-17	4	25.0	205	11	11	24	87	41	41	41										
18-20	1	5.0		5	5	5	5	5	5	5										
21-24																				
25-34																				
35-54	1	6.0		6	6	6	6	6	6	6										
55-74																				
75 +																				
ALL AGES	16	27.4	550	3	4	23	37	73	77	77										
B. FEMALE																				
0-12 YRS.	2	3.5	5	2	2	3	5	5	5	5										
13-17	1	20.0		20	20	20	20	20	20	20										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	3	9.0	93	2	2	5	16	20	20	20										
SUBTOTAL	**19**	**24.5**	**516**	**2**	**3**	**20**	**32**	**66**	**77**	**77**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	32	35.0	400	5	9	37	45	60	72	83	5	14.8	597	1	1	7	58	96	99 +	99 +
13-17	18	25.6	328	6	7	22	50	55	80	99 +	5	27.8	318	3	3	30	42	48	48	48
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	50	31.6	389	5	8	31	46	57	73	99 +	10	21.3	454	1	1	18	46	75	98	99 +
B. FEMALE																				
0-12 YRS.	7	38.4	88	22	26	39	48	86	99 +	99 +										
13-17	3	28.7	209	12	12	35	38	39	39	39										
18-20																				
21-24																				
25-34	1	23.0		23	23	23	23	23	23	23										
35-54																				
55-74																				
75 +																				
ALL AGES	11	34.4	125	13	19	38	41	67	95	99 +										
SUBTOTAL	**61**	**32.1**	**340**	**6**	**9**	**35**	**45**	**56**	**76**	**99 +**	**10**	**21.3**	**454**	**1**	**1**	**18**	**46**	**75**	**98**	**99 +**
GRAND TOTAL	**80**	**30.3**	**386**	**4**	**6**	**29**	**44**	**57**	**76**	**99 +**	**10**	**21.3**	**454**	**1**	**1**	**18**	**46**	**75**	**98**	**99 +**

HYPERKINET W DEVEL DELAY (314.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34											1	1.0		1	1	1	1	1	1	1
35-54																				
55-74																				
75 +																				
ALL AGES											1	1.0		1	1	1	1	1	1	1
SUBTOTAL											1	1.0		1	1	1	1	1	1	1
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL											1	1.0		1	1	1	1	1	1	1

OTHER HYPERKINETIC SYND (314.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24											1	4.0		4	4	4	4	4	4	4
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL											**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	31.0		31	31	31	31	31	31	31
13-17											2	27.0	1352	1	1	26	53	53	53	53
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											3	28.3	684	1	1	31	47	53	53	53
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL											**3**	**28.3**	**684**	**1**	**1**	**31**	**47**	**53**	**53**	**53**
GRAND TOTAL											**4**	**22.3**	**599**	**1**	**1**	**17**	**42**	**53**	**53**	**53**

HYPERKINETIC SYND NOS (314.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54																				
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
B. FEMALE																				
0-12 YRS.	2	1.5	1	1	1	1	2	2	2	2										
13-17																				
18-20																				
21-24											1	5.0		5	5	5	5	5	5	5
25-34																				
35-54											1	3.0		3	3	3	3	3	3	3
55-74																				
75 +																				
ALL AGES	2	1.5	1	1	1	1	2	2	2	2	2	4.0	2	3	3	4	5	5	5	5
SUBTOTAL	3	1.7		1	1	2	2	2	2	2	2	4.0	2	3	3	4	5	5	5	5
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	3	1.7		1	1	2	2	2	2	2	2	4.0	2	3	3	4	5	5	5	5

ALL PSYCHIATRIC CODES

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	166	21.5	424	1	1	18	39	49	64	99 +	70	2.5	25	1	1	1	3	6	11	99 +
13-17	690	15.3	309	1	1	8	24	42	54	99	252	10.9	287	1	1	3	16	39	61	99 +
18-20	412	10.1	152	1	1	5	15	26	31	57	183	11.6	164	1	1	6	21	29	37	47
21-24	759	10.6	136	1	1	7	15	27	31	56	365	11.8	129	1	1	7	21	29	32	43
25-34	2588	10.0	97	1	1	6	14	26	29	42	1326	12.0	134	1	1	7	21	29	31	44
35-54	2974	9.9	99	1	1	6	15	26	29	41	1727	10.5	123	1	1	5	19	28	30	40
55-74	1480	11.1	108	1	2	7	17	27	30	49	1025	9.7	111	1	1	5	15	27	30	41
75 +	601	9.5	102	1	2	6	12	21	30	49	464	8.1	78	1	2	5	10	20	28	70
ALL AGES	9670	10.7	130	1	1	7	15	27	31	54	5412	10.6	129	1	1	5	18	28	31	52
B. FEMALE																				
0-12 YRS.	122	17.9	335	1	1	13	31	46	72	99 +	60	7.0	216	1	1	2	4	31	71	99 +
13-17	945	14.7	277	1	1	8	21	44	53	83	271	13.5	340	1	1	3	22	45	62	99 +
18-20	406	9.7	177	1	1	4	13	29	38	70	144	11.5	210	1	1	5	18	34	40	53
21-24	761	9.0	103	1	1	5	12	23	30	50	288	9.6	133	1	1	4	14	28	32	53
25-34	2673	10.1	115	1	1	6	14	24	30	50	1016	10.4	142	1	1	5	15	28	33	55
35-54	3701	10.6	112	1	2	7	14	25	30	51	1421	10.5	134	1	1	6	15	27	32	52
55-74	2324	12.2	118	1	2	9	17	26	33	51	1118	10.5	132	1	2	6	14	27	32	54
75 +	1164	10.8	134	1	2	7	14	23	33	59	789	7.6	55	1	2	5	10	16	22	37
ALL AGES	12096	11.1	135	1	1	7	15	26	34	58	5107	10.1	139	1	1	5	14	27	33	57
SUBTOTAL	**21766**	**10.9**	**133**	**1**	**1**	**7**	**15**	**27**	**33**	**56**	**10519**	**10.3**	**135**	**1**	**1**	**5**	**15**	**28**	**32**	**56**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	258	34.2	379	3	7	38	45	58	82	99 +	23	19.2	766	1	1	8	64	99 +	99 +	99 +
13-17	1138	24.7	392	1	2	21	41	53	64	99 +	408	27.2	387	1	2	29	42	56	66	99 +
18-20	486	12.5	193	1	1	7	19	30	38	68	306	15.3	159	1	1	14	27	30	37	53
21-24	910	10.4	115	1	1	6	16	27	30	49	500	15.6	148	1	2	14	27	30	34	45
25-34	3045	10.8	115	1	1	6	18	28	30	41	2042	13.2	126	1	2	8	23	29	31	40
35-54	3148	10.4	113	1	1	6	15	27	30	42	2002	11.3	123	1	2	6	20	29	31	42
55-74	1150	11.0	112	1	2	7	15	25	30	48	881	9.6	92	1	2	5	13	27	30	38
75 +	285	10.7	84	1	2	8	14	24	29	65	211	8.4	88	1	2	5	10	21	26	42
ALL AGES	10420	12.9	183	1	1	7	20	30	41	66	6373	13.1	160	1	2	7	23	30	35	59
B. FEMALE																				
0-12 YRS.	102	32.2	405	3	5	37	46	66	99 +	99 +	12	14.8	394	1	1	6	33	70	94	99 +
13-17	1140	21.6	386	1	2	16	36	52	67	99 +	312	23.5	415	1	1	22	42	53	75	99 +
18-20	501	12.1	183	1	1	7	17	31	42	62	201	15.1	251	1	1	7	27	35	47	61
21-24	912	11.4	156	1	1	7	16	28	34	68	339	14.6	235	1	1	7	26	32	41	70
25-34	2998	10.9	138	1	1	7	15	28	33	59	1180	12.6	148	1	1	7	22	30	34	48
35-54	3214	11.1	131	1	2	7	15	27	34	55	1215	10.8	118	1	2	6	17	28	31	42
55-74	1329	12.8	135	2	3	9	18	29	35	68	723	10.6	133	1	2	6	15	28	33	49
75 +	512	12.1	109	2	3	9	15	24	34	52	261	8.6	73	2	2	5	10	19	27	44
ALL AGES	10708	12.7	180	1	2	8	18	30	41	73	4243	12.6	176	1	2	6	21	30	39	63
SUBTOTAL	**21128**	**12.8**	**182**	**1**	**2**	**8**	**19**	**30**	**41**	**69**	**10616**	**12.9**	**166**	**1**	**2**	**7**	**22**	**30**	**37**	**60**
GRAND TOTAL	**42894**	**11.8**	**159**	**1**	**1**	**7**	**17**	**29**	**37**	**63**	**21135**	**11.6**	**152**	**1**	**1**	**6**	**20**	**29**	**34**	**59**

APPENDIX 1

HOSPITAL SERVICE TYPE DEFINITIONS

To define the two hospital categories used in the Psychiatric Length of Stay series, the following steps were accomplished:

All specialty or long-term care hospitals, e.g., substance-abuse, orthopedic, or psychiatric, were deleted so that only nonfederal, short-term general hospitals remained in the psychiatric length of stay database. The exception is pediatric hospitals, specialty institutions, whose data were included.

Hospitals were then grouped according to whether the following service codes were recorded:

A. Hospital-based psychiatric acute care
B. Psychiatric acute care not available
C. Psychiatric acute care provided by another hospital or provider
D. Hospital-based pediatric psychiatric acute care
E. Pediatric psychiatric acute care not available
F. Pediatric psychiatric acute care provided by another hospital or provider
G. Psychiatric acute care beds set up

Hospitals in A, D, and G above were separated and labeled: hospitals with a psychiatric unit/beds. Hospitals in B, C, E, and F above were labeled: hospitals without a psychiatric unit/beds.

In addition, however, both hospital service types may offer one or more of these services as defined in the *AHA Guide*, 1986 Edition:

Psychiatric outpatient services

Hospital services for the diagnosis and treatment of psychiatric outpatients.

Clinical psychology services

One or more clinical psychologists who provide diagnostic or therapeutic services on a regular full-time schedule or intermittently.

Psychiatric consultation and education services

Provision of interpretive psychiatric consultation and education services to community agencies and workers such as schools, police, courts, public health nurses, welfare agencies, clergy, and so forth.The pupose is to expand the mental health knowledge and competence of personnel not working in the mental health field and to promote good mental health through improved understanding, attitudes, and behavioral patterns.

Psychiatric foster and/or home care program

Planned postdischarge psychiatric observation and care in the patient's place of residence or in an approved foster home.

Psychiatric emergency services

Hospital facilities for the provision of unscheduled outpatient care to psychiatric patients whose conditions are considered to require immediate care. Staff must be available 24 hours a day.

Partial hospitalization program

Organized hospital facilities and services for day care and/or night care of psychiatric patients who do not require inpatient care 24 hours a day.

APPENDIX 2

CALCULATION OF PROGRAM INTENSITY INDEX

The (Ip) of Phillip and Hai (1976) is used to place hospitals in one of three levels of teaching status. The formula is presented below.

$$Ip = 9.9\,(JCA) + 14.0\,(CP) + 28.0\,(RES) + 14.7\,(MS) + 13.3\,(PNS) + 20.1\,(COT)$$

JCA: Accreditation by Joint Commission of Accredition of Hospitals

CP: Cancer Program approved by American College of Surgeons

RES: Residency approved by American Medical Association

MS: Medical School Affiliation reported by American Medical Association

PNS: Hospital-controlled professional nursing school, reported by National League for Nursing

COT: Member of Council of Teaching Hospitals of the Association of American Medical Colleges

The numerical values in the formula are weights that have been assigned to each of the approvals incorporated in the index.

In the hospital characteristic tables of the Psychiatric Length of Stay series, the following cut-offs are used to stratify hospitals by teaching status:

Ip value under 25.0	Nonteaching Institution
Ip value 25.0-74.9	Minor Teaching Institution
Ip value 75.0+	Major Teaching Institution

APPENDIX 3

STATE INCLUSIONS BY REGION

Northeast

- Connecticut
- Maine
- Massachusetts
- New Hampshire
- New Jersey
- New York
- Pennsylvania
- Rhode Island
- Vermont

North Central

- Illinois
- Indiana
- Iowa
- Kansas
- Michigan
- Minnesota
- Missouri
- Nebraska
- North Dakota
- Ohio
- South Dakota
- Wisconsin

South

- Alabama
- Arkansas
- Delaware
- District of Columbia
- Florida
- Georgia
- Kentucky
- Louisiana
- Maryland
- Mississippi
- North Carolina
- Oklahoma
- South Carolina
- Tennessee
- Texa
- Virginia
- West Virginia

West

- Alaska
- Arizona
- California
- Colorado
- Hawaii
- Idaho
- Montana
- Nevada
- New Mexico
- Oregon
- Utah
- Washington
- Wyoming

The number and percent of hospitals and total patients by census region and hospital type included in the psychiatric length of stay tables is shown below.

	Hospitals with a Psych Unit/Beds				Hospitals without a Psych Unit/Beds			
Region	Number of Hospitals	%	Number of Patients with Psychiatric Prin Dx	%	Number of Hospitals	%	Number of Patients with Psychiatric Prin Dx	%
Northeast	130	26.3	44,556	22.1	174	18.3	10,397	15.6
North Central	154	31.1	77,149	38.2	331	34.9	22,858	34.2
South	93	18.8	37,236	18.4	217	22.8	12,439	18.6
West	118	23.8	42,894	21.3	228	24.0	21,135	31.6
U.S.	495	100.0	201,835	100.0	950	100.0	66,829	100.0

Appendix 4

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES

ICD-9-CM Code	English Description	Page Number
290	**Senile and presenile organic psychotic conditions**	
290.0	Senile dementia, uncomplicated	1
290.1	Presenile dementia	2
290.10	Presenile dementia, uncomplicated	2
290.11	Presenile dementia with delirium	2
290.12	Presenile dementia with delusional features	2
290.13	Presenile dementia with depressive features	2
290.2	Senile dementia with delusional or depressive features	3
290.20	Senile dementia with delusional features	3
290.21	Senile dementia with depressive features	3
290.3	Senile dementia with delirium	4
290.4	Arteriosclerotic dementia	5
290.40	Arteriosclerotic dementia, uncomplicated	5
290.41	Arteriosclerotic dementia with delirium	5
290.42	Arteriosclerotic dementia with delusional features	5
290.43	Arteriosclerotic dementia with depressive features	5
290.8	Other specified senile psychotic conditions	6
290.9	Unspecified senile psychotic condition	7
291	**Alcoholic psychoses**	
291.0	Alcohol withdrawal delirium	8
291.1	Alcohol amnestic syndrome	9
291.2	Other alcoholic dementia	10
291.3	Alcohol withdrawal hallucinosis	11
291.4	Idiosyncratic alcohol intoxication	12
291.5	Alcoholic jealousy	13
291.8	Other specified alcoholic psychosis	14
291.9	Unspecified alcoholic psychosis	15
292	**Drug psychoses**	
292.0	Drug withdrawal syndrome	16
292.1	Paranoid and/or hallucinatory states induced by drugs	17
292.11	Drug-induced organic delusional syndrome	17
292.12	Drug-induced hallucinosis	17
292.2	Pathological drug intoxication	18
292.8	Other specified drug-induced mental disorders	19
292.81	Drug-induced delirium	19
292.82	Drug-induced dementia	19
292.83	Drug-induced amnestic syndrome	19
292.84	Drug-induced organic affective syndrome	19
292.89	Other	19
292.9	Unspecified drug-induced mental disorder	20
293	**Transient organic psychotic conditions**	
293.0	Acute delirium	21
293.1	Subacute delirium	22
293.8	Other specified transient organic mental disorders	23
293.81	Organic delusional syndrome	23
293.82	Organic hallucinosis syndrome	23
293.83	Organic affective syndrome	23
293.89	Other	23
293.9	Unspecified transient organic mental disorder	24

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

ICD-9-CM Code	English Description	Page Number
294	**Other organic psychotic conditions (chronic)**	
294.0	Amnestic syndrome	25
294.1	Dementia in conditions classified elsewhere	26
294.8	Other specified organic brain syndromes (chronic)	27
294.9	Unspecified organic brain syndrome (chronic)	28
295	**Schizophrenic disorders**	
	Fifth-digit subclassification for use with 295: 0 unspecified 1 subchronic 2 chronic 3 subchronic with acute exacerbation 4 chronic with acute exacerbation 5 in remission	
295.0	Simple type	29
295.1	Disorganized type	30
295.2	Catatonic type	31
295.3	Paranoid type	32
295.4	Acute schizophrenic episode	33
295.5	Latent schizophrenia	34
295.6	Residual schizophrenia	35
295.7	Schizo-affective type	36
295.8	Other specified types of schizophrenia	37
295.9	Unspecified schizophrenia	38
296	**Affective psychoses**	
	Fifth-digit subclassification for use with 296.0-296.6: 0 unspecified 1 mild 2 moderate 3 severe, without mention of psychotic behavior 4 severe, specified as with psychotic behavior 5 in partial or unspecified remission 6 in full remission	
296.0	Manic disorder, single episode	39
296.1	Manic disorder, recurrent episode	40
296.2	Major depressive disorder, single episode	41
296.3	Major depressive disorder, recurrent episode	42
296.4	Bipolar affective disorder, manic	43
296.5	Bipolar affective disorder, depressed	44
296.6	Bipolar affective disorder, mixed	45
296.7	Bipolar affective disorder, unspecified	46
296.8	Manic-depressive psychosis, other and unspecified	47
296.80	Manic-depressive psychosis, unspecified	47
296.81	Atypical manic disorder	47
296.82	Atypical depressive disorder	47
296.89	Other	47
296.9	Other and unspecified affective psychoses	48
296.90	Unspecified affective psychosis	48
296.99	Other specified affective psychoses	48
297	**Paranoid states**	
297.0	Paranoid state, simple	49
297.1	Paranoia	50
297.2	Paraphrenia	51
297.3	Shared paranoid disorder	52

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

ICD-9-CM Code	English Description	Page Number
297.8	Other specified paranoid states	53
297.9	Unspecified paranoid state	54
298	**Other nonorganic psychoses**	
298.0	Depressive type psychosis	55
298.1	Excitative type psychosis	56
298.2	Reactive confusion	57
298.3	Acute paranoid reaction	58
298.4	Psychogenic paranoid psychosis	59
298.8	Other and unspecified reactive psychosis	60
298.9	Unspecified psychosis	61
299	**Psychoses with origin specific to childhood**	
	Fifth-digit subclassification for use with 299:	
	0 current or active state	
	1 residual state	
299.0	Infantile autism	62
299.8	Other specified early childhood psychoses	63
299.9	Unspecified	64
300	**Neurotic disorders**	
300.0	Anxiety states	65
300.00	Anxiety state, unspecified	65
300.01	Panic disorder	65
300.02	Generalized anxiety disorder	65
300.09	Other	65
300.1	Hysteria	66
300.10	Hysteria, unspecified	66
300.11	Conversion disorder	66
300.12	Psychogenic amnesia	66
300.13	Psychogenic fugue	66
300.14	Multiple personality	66
300.15	Dissociative disorder or reaction, unspecified	66
300.16	Factitious illness with psychological symptoms	66
300.19	Other and unspecified factitious illness	66
300.2	Phobic disorders	67
300.20	Phobia, unspecified	67
300.21	Agoraphobia with panic attacks	67
300.22	Agoraphobia without mention of panic attacks	67
300.23	Social phobia	67
300.29	Other isolated or simple phobias	67
300.3	Obsessive-compulsive disorders	68
300.4	Neurotic depression	69
300.5	Neurasthenia	70
300.6	Depersonalization syndrome	71
300.7	Hypochondriasis	72
300.8	Other neurotic disorders	73
300.81	Somatization disorder	73
300.89	Other	73
300.9	Unspecified neurotic disorder	74
301	**Personality disorders**	
301.0	Paranoid personality disorder	75
301.1	Affective personality disorder	76
301.10	Affective personality disorder, unspecified	76
301.11	Chronic hypomanic personality disorder	76

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

ICD-9-CM Code	English Description	Page Number
301.12	Chronic depressive personality disorder	76
301.13	Cyclothymic disorder	76
301.2	Schizoid personality disorder	77
301.20	Schizoid personality disorder, unspecified	77
301.21	Introverted personality	77
301.22	Schizotypal personality	77
301.3	Explosive personality disorder	78
301.4	Compulsive personality disorder	79
301.5	Histrionic personality disorder	80
301.50	Histrionic personality disorder, unspecified	80
301.51	Chronic factitious illness with physical symptoms	80
301.59	Other histrionic personality disorder	80
301.6	Dependent personality disorder	81
301.7	Antisocial personality disorder	82
301.8	Other personality disorders	83
301.81	Narcissistic personality	83
301.82	Avoidant personality	83
301.83	Borderline personality	83
301.84	Passive-aggressive personality	83
301.89	Other	83
301.9	Unspecified personality disorder	84
302	**Sexual deviations and disorders**	
302.0	Homosexuality	85
302.2	Pedophilia	86
302.3	Transvestism	87
302.4	Exhibitionism	88
302.5	Trans-sexualism	89
302.50	With unspecified sexual history	89
302.51	With asexual history	89
302.52	With homosexual history	89
302.53	With heterosexual history	89
302.6	Disorders of psychosexual identity	90
302.7	Psychosexual dysfunction	91
302.70	Psychosexual dysfunction, unspecified	91
302.71	With inhibited sexual desire	91
302.72	With inhibited sexual excitement	91
302.73	With inhibited female orgasm	91
302.74	With inhibited male orgasm	91
302.75	With premature ejaculation	91
302.76	With functional dyspareunia	91
302.79	With other specified psychosexual dysfunctions	91
302.8	Other specified psychosexual disorders	92
302.81	Fetishism	92
302.82	Voyeurism	92
302.83	Sexual masochism	92
302.84	Sexual sadism	92
302.85	Gender identity disorder of adolescent or adult life	92
302.89	Other	92
302.9	Unspecified psychosexual disorder	93

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

ICD-9-CM Code	English Description	Page Number
303	**Alcohol dependence syndrome**	
	Fifth-digit subclassification for use with 303:	
	0 unspecified	
	1 continuous	
	2 episodic	
	3 in remission	
303.0	Acute alcoholic intoxication	94
303.9	Other and unspecified alcohol dependence	95
304	**Drug dependence**	
	Fifth-digit subclassification for use with 304:	
	0 unspecified	
	1 continuous	
	2 episodic	
	3 in remission	
304.0	Opioid type dependence	96
304.1	Barbiturate and similarly acting sedative or hypnotic dependence	97
304.2	Cocaine dependence	98
304.3	Cannabis dependence	99
304.4	Amphetamine and other psychostimulant dependence	100
304.5	Hallucinogen dependence	101
304.6	Other specified drug dependence	102
304.7	Combinations of opioid type drug with any other	103
304.8	Combinations of drug dependence excluding opioid type drug	104
304.9	Unspecified drug dependence	105
305	**Nondependent abuse of drugs**	
	Fifth-digit subclassification for use with 305:	
	0 unspecified	
	1 continuous	
	2 episodic	
	3 in remission	
305.0	Alcohol abuse	106
305.1	Tobacco use disorder	107
305.2	Cannabis abuse	108
305.3	Hallucinogen abuse	109
305.4	Barbiturate and similarly acting sedative or hypnotic abuse	110
305.5	Opioid abuse	111
305.6	Cocaine abuse	112
305.7	Amphetamine or related acting sympathomimetic abuse	113
305.8	Antidepressant type abuse	114
305.9	Other, mixed, or unspecified drug abuse	115
306	**Physiological malfunction arising from mental factors**	
306.0	Musculoskeletal	116
306.1	Respiratory	117
306.2	Cardiovascular	118
306.3	Skin	119
306.4	Gastrointestinal	120
306.5	Genitourinary	121
306.50	Psychogenic genitourinary malfunction, unspecified	121
306.51	Psychogenic vaginismus	121
306.52	Psychogenic dysmenorrhea	121
306.53	Psychogenic dysuria	121
306.59	Other	121

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

ICD-9-CM Code	English Description	Page Number
306.8	Other specified psychophysiological malfunction	122
306.9	Unspecified psychophysiological malfunction	123
307	**Special symptoms or syndromes, not elsewhere classified**	
307.0	Stammering and stuttering	124
307.1	Anorexia nervosa	125
307.2	Tics	126
307.20	Tic disorder, unspecified	126
307.21	Transient tic disorder of childhood	126
307.22	Chronic motor tic disorder	126
307.23	Gilles de la Tourette's disorder	126
307.4	Specific disorders of sleep of nonorganic origin	127
307.40	Nonorganic sleep disorder, unspecified	127
307.41	Transient disorder of initiating or maintaining sleep	127
307.42	Persistent disorder of initiating or maintaining sleep	127
307.43	Transient disorder of initiating or maintaining wakefulness	127
307.44	Persistent disorder of initiating or maintaining wakefulness	127
307.45	Phase-shift disruption of 24-hour sleep-wake cycle	127
307.46	Somnambulism or night terrors	127
307.47	Other dysfunctions of sleep stages or arousal from sleep	127
307.48	Repetitive intrusions of sleep	127
307.49	Other	127
307.5	Other and unspecified disorders of eating	128
307.50	Eating disorder, unspecified	128
307.51	Bulimia	128
307.52	Pica	128
307.53	Psychogenic rumination	128
307.54	Psychogenic vomiting	128
307.59	Other	128
307.7	Encopresis	129
307.8	Psychalgia	130
307.80	Psychogenic pain, site unspecified	130
307.81	Tension headache	130
307.89	Other	130
307.9	Other and unspecified special symptoms or syndromes, not elsewhere classified	131
308	**Acute reaction to stress**	
308.0	Predominant disturbance of emotions	132
308.1	Predominant disturbance of consciousness	133
308.2	Predominant psychomotor disturbance	134
308.3	Other acute reactions to stress	135
308.4	Mixed disorders as reaction to stress	136
308.9	Unspecified acute reaction to stress	137
309	**Adjustment reaction**	
309.0	Brief depressive reaction	138
309.1	Prolonged depressive reaction	139
309.2	With predominant disturbance of other emotions	140
309.21	Separation anxiety disorder	140
309.22	Emancipation disorder of adolescence and early adult life	140
309.23	Specific academic or work inhibition	140
309.24	Adjustment reaction with anxious mood	140
309.28	Adjustment reaction with mixed emotional features	140
309.29	Other	140
309.3	With predominant disturbance of conduct	141
309.4	With mixed disturbance of emotions and conduct	142

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

ICD-9-CM Code	English Description	Page Number
309.8	Other specified adjustment reactions	143
309.81	Prolonged posttraumatic stress disorder	143
309.82	Adjustment reaction with physical symptoms	143
309.83	Adjustment reaction with withdrawal	143
309.89	Other	143
309.9	Unspecified adjustment reaction	144
310	**Specific nonpsychotic mental disorders due to organic brain damage**	
310.0	Frontal lobe syndrome	145
310.1	Organic personality syndrome	146
310.2	Postconcussion syndrome	147
310.8	Other specified nonpsychotic mental disorders following organic brain damage	148
310.9	Unspecified nonpsychotic mental disorder following organic brain damage	149
311	**Depressive disorder, not elsewhere classified**	150
312	**Disturbance of conduct, not elsewhere classified**	
	Fifth-digit subclassification for use with 312.0-312.2: 0 unspecified 1 mild 2 moderate 3 severe	
312.0	Undersocialized conduct disorder, aggressive type	151
312.1	Undersocialized conduct disorder, unaggressive type	152
312.2	Socialized conduct disorder	153
312.3	Disorders of impulse control, not elsewhere classified	154
312.30	Impulse control disorder, unspecified	154
312.31	Pathological gambling	154
312.32	Kleptomania	154
312.33	Pyromania	154
312.34	Intermittent explosive disorder	154
312.35	Isolated explosive disorder	154
312.39	Other	154
312.4	Mixed disturbance of conduct and emotions	155
312.8	Other specified disturbances of conduct, not elsewhere classified	156
312.9	Unspecified disturbance of conduct	157
313	**Disturbance of emotions specific to childhood and adolescence**	
313.0	Overanxious disorder	158
313.1	Misery and unhappiness disorder	159
313.2	Sensitivity, shyness, and social withdrawal disorder	160
313.21	Shyness disorder of childhood	160
313.22	Introverted disorder of childhood	160
313.23	Elective mutism	160
313.3	Relationship problems	161
313.8	Other or mixed emotional disturbances of childhood or adolescence	162
313.81	Oppositional disorder	162
313.82	Identity disorder	162
313.83	Academic underachievement disorder	162
313.89	Other	162
313.9	Unspecified emotional disturbance of childhood or adolescence	163
314	**Hyperkinetic syndrome of childhood**	
314.0	Attention deficit disorder	164
314.00	Without mention of hyperactivity	164

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

ICD-9-CM Code	English Description	Page Number
314.01	With hyperactivity	164
314.1	Hyperkinesis with developmental delay	165
314.8	Other specified manifestations of hyperkinetic syndrome	166
314.9	Unspecified hyperkinetic syndrome	167
290-314.9	**All psychiatric diagnosis codes**	168

Appendix 5

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES

English Description	*ICD-9-CM* Code	Page Number
Academic underachievement disorder	313.83	162
Acute alcoholic intoxication	303.0	94
Acute delirium	293.0	21
Acute paranoid reaction	298.3	58
Acute schizophrenic episode	295.4	33
Adjustment reaction with anxious mood	309.24	140
Adjustment reaction with mixed emotional features	309.28	140
Adjustment reaction with physical symptoms	309.82	143
Adjustment reaction with withdrawal	309.83	143
Affective personality disorder	301.1	76
Affective psychoses	296.0-296.6	39-45
Fifth-digit subclassification for use with 296.0-296.6:		
0 unspecified		
1 mild		
2 moderate		
3 severe, without mention of psychotic behavior		
4 severe, specified as with psychotic behavior		
5 in partial or unspecified remission		
6 in full remission		
Agoraphobia with panic attacks	300.21	67
Agoraphobia without mention of panic attacks	300.22	67
Alcohol abuse	305.0	106
Alcohol amnestic syndrome	291.1	9
Alcohol dependence syndrome	303.0-303.9	94-95
Fifth-digit subclassification for use with 303:		
0 unspecified		
1 continuous		
2 episodic		
3 in remission		
Alcohol withdrawal delirium	291.0	8
Alcohol withdrawal hallucinosis	291.3	11
Alcoholic jealousy	291.5	13
Amnestic syndrome	294.0	25
Amphetamine and other psychostimulant dependence	304.4	100
Amphetamine or related acting sympathomimetic abuse	305.7	113
Anorexia nervosa	307.1	125
Antidepressant type abuse	305.8	114
Antisocial personality disorder	301.7	82
Anxiety state, unspecified	300.00	65
Anxiety states	300.0	65
Arteriosclerotic dementia	290.4	5
Arteriosclerotic dementia, uncomplicated	290.40	5
Arteriosclerotic dementia with delirium	290.41	5
Arteriosclerotic dementia with delusional features	290.42	5
Arteriosclerotic dementia with depressive features	290.43	5
Attention deficit disorder	314.0	164
Atypical depressive disorder	296.82	47
Atypical manic disorder	296.81	47
Avoidant personality	301.82	83

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continue)

English Description	*ICD-9-CM* Code	Page Number
Barbiturate and similarly acting sedative or hypnotic dependence	304.1	97
Barbiturate and similarly acting sedative or hypnotic abuse	305.4	110
Bipolar affective disorder, depressed	296.5	44
Bipolar affective disorder, manic	296.4	43
Bipolar affective disorder, mixed	296.6	45
Bipolar affective disorder, unspecified	296.7	46
Borderline personality	301.83	83
Brief depressive reaction	309.0	138
Bulimia	307.51	128
Cannabis abuse	305.2	108
Cannabis dependence	304.3	99
Cardiovascular-Physiological malfunction arising from mental factors	306.2	118
Catatonic type-Schizophrenic disorders	295.2	31
Chronic depressive personality disorder	301.12	76
Chronic factitious illness with physical symptoms	301.51	80
Chronic hypomanic personality disorder	301.11	76
Chronic motor tic disorder	307.22	126
Cocaine abuse	305.6	112
Cocaine dependence	304.2	98
Combinations of drug dependence excluding opioid type drug	304.8	104
Combinations of opioid type drug with any other	304.7	103
Compulsive personality disorder	301.4	79
Conversion disorder	300.11	66
Cyclothymic disorder	301.13	76
Dementia in conditions classified elsewhere	294.1	26
Dependent personality disorder	301.6	81
Depersonalization syndrome	300.6	71
Depressive disorder, not elsewhere classified	311	150
Depressive type psychosis	298.0	55
Disorders of impulse control, not elsewhere classified	312.3	154
Disorders of psychosexual identity	302.6	90
Disorganized type-Schizophrenic disorders	295.1	30
Dissociative disorder or reaction, unspecified	300.15	66
Disturbance of conduct, not elsewhere classified	312.0-312.2	151-153
Fifth-digit subclassification for use with 312.0-312.2:		
0 unspecified		
1 mild		
2 moderate		
3 severe		
Drug dependence	304.0-304.9	96-105
Fifth-digit subclassification for use with 304:		
0 unspecified		
1 continuous		
2 episodic		
3 in remission		
Drug withdrawal syndrome	292.0	16
Drug-induced amnestic syndrome	292.83	19
Drug-induced delirium	292.81	19
Drug-induced dementia	292.82	19
Drug-induced hallucinosis	292.12	17
Drug-induced organic affective syndrome	292.84	19
Drug-induced organic delusional syndrome	292.11	17

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continue)

English Description	*ICD-9-CM* Code	Page Number
Eating disorder, unspecified	307.50	128
Elective mutism	313.23	160
Emancipation disorder of adolescence and early adult life	309.22	140
Encopresis	307.7	129
Excitative type psychosis	298.1	56
Exhibitionism	302.4	88
Explosive personality disorder	301.3	78
Factitious illness with psychological symptoms	300.16	66
Fetishism	302.81	92
Frontal lobe syndrome	310.0	145
Gastrointestinal-Physiological malfunction arising from mental factors	306.4	120
Gender identity disorder of adolescent or adult life	302.85	92
Generalized anxiety disorder	300.02	65
Genitourinary-Physiological malfuntion arising from mental factors	306.5	121
Gilles de la Tourette's disorder	307.23	126
Hallucinogen abuse	305.3	109
Hallucinogen dependence	304.5	101
Histrionic personality disorder	301.5	80
Histrionic personality disorder, unspecified	301.50	80
Homosexuality	302.0	85
Hyperkinesis with developmental delay	314.1	165
Hypochondriasis	300.7	72
Hysteria	300.1	66
Hysteria, unspecified	300.10	66
Identity disorder	313.82	162
Idiosyncratic alcohol intoxication	291.4	12
Impulse control disorder, unspecified	312.30	154
Infantile autism	299.0	62
Intermittent explosive disorder	312.34	154
Introverted disorder of childhood	313.22	160
Introverted personality	301.21	77
Isolated explosive disorder	312.35	154
Kleptomania	312.32	154
Latent schizophrenia	295.5	34
Major depressive disorder, recurrent episode	296.3	42
Major depressive disorder, single episode	296.2	41
Manic disorder, recurrent episode	296.0	39
Manic disorder, single episode	296.1	40
Manic-depressive psychosis, other and unspecified	296.8	47
Manic-depressive psychosis, unspecified	296.80	47
Misery and unhappiness disorder	313.1	159
Mixed disorders as reaction to stress	308.4	136
Mixed disturbance of conduct and emotions	312.4	155
Multiple personality	300.14	66
Musculoskeletal-Physiological malfunction arising from mental factors	306.0	116
Narcissistic personality	301.81	83
Neurasthenia	300.5	70
Neurotic depression	300.4	69

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continue)

English Description	*ICD-9-CM* Code	Page Number
Nondependent abuse of drugs	305.0-305.9	106-115
Fifth-digit subclassification for use with 305:		
0 unspecified		
1 continuous		
2 episodic		
3 in remission		
Nonorganic sleep disorder, unspecified	307.40	127
Obsessive-compulsive disorders	300.3	68
Opioid abuse	305.5	111
Opioid type dependence	304.0	96
Oppositional disorder	313.81	162
Organic affective syndrome	293.83	23
Organic delusional syndrome	293.81	23
Organic hallucinosis syndrome	293.82	23
Organic personality syndrome	310.1	146
Other-Genitourinary physiological malfuntion arising from mental factors	306.59	121
Other-Specific disorders of sleep of nonorganic origin	307.49	127
Other-Other and unspecified disorders of eating	307.59	128
Other-Psychalgia	307.89	130
Other-Adjustment reaction w/predominant disturbance of other emotions	309.29	140
Other-Other specified adjustment reactions	309.89	143
Other-Disorders of impulse control not elsewhere classified	312.39	154
Other-Other or mixed emotional disturbances of childhood or adolescence	313.89	162
Other-Other specified drug-induced mental disorders	292.89	19
Other-Other specified transient organic mental disorders	293.89	23
Other-Manic-depressive psychoses, other and unspecified	296.89	47
Other-Anxiety states	300.09	65
Other-Other neurotic disorders	300.89	73
Other-Other personality disorders	301.89	83
Other-Other specified psychosexual disorders	302.89	92
Other acute reactions to stress	308.3	135
Other alcoholic dementia	291.2	10
Other and unspecified affective psychoses	296.9	48
Other and unspecified disorders of eating	307.5	128
Other and unspecified factitious illness	300.19	66
Other and unspecified reactive psychosis	298.8	60
Other and unspecified special symptoms or syndromes,not elsewhere classified	307.9	131
Other dysfunctions of sleep stages or arousal from sleep	307.47	127
Other histrionic personality disorder	301.59	80
Other isolated or simple phobias	300.29	67
Other, mixed, or unspecified drug abuse	305.9	115
Other neurotic disorders	300.8	73
Other or mixed emotional disturbances of childhood or adolescence	313.8	162
Other personality disorders	301.8	83
Other specified adjustment reactions	309.8	143
Other specified affective psychoses	296.99	48
Other specified alcoholic psychosis	291.8	14
Other specified disturbances of conduct, not elsewhere classified	312.8	156
Other specified drug dependence	304.6	102
Other specified drug-induced mental disorders	292.8	19
Other specified early childhood psychoses	299.8	63

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continue)

English Description	*ICD-9-CM* Code	Page Number
Other specified manifestations of hyperkinetic syndrome	314.8	166
Other specified nonpsychotic mental disorders following organic brain damage	310.8	148
Other specified organic brain syndromes (chronic)	294.8	27
Other specified paranoid states	297.8	53
Other specified psychophysiological malfunction	306.8	122
Other specified psychosexual disorders	302.8	92
Other specified senile psychotic conditions	290.8	6
Other specified transient organic mental disorders	293.8	23
Other specified types of schizophrenia	295.8	37
Overanxious disorder	313.0	158
Panic disorder	300.01	65
Paranoia	297.1	50
Paranoid and/or hallucinatory states induced by drugs	292.1	17
Paranoid state, simple	297.0	49
Paranoid type-Schizophrenic disorders	295.3	32
Paraphrenia	297.2	51
Passive-aggressive personality	301.84	83
Pathological drug intoxication	292.2	18
Pathological gambling	312.31	154
Pedophilia	302.2	86
Persistent disorder of initiating or maintaining wakefulness	307.44	127
Persistent disorder of initiating or maintaining sleep	307.42	127
Phase-shift disruption of 24-hour sleep-wake cycle	307.45	127
Phobia, unspecified	300.20	67
Phobic disorders	300.2	67
Pica	307.52	128
Postconcussion syndrome	310.2	147
Predominant disturbance of consciousness	308.1	133
Predominant disturbance of emotions	308.0	132
Predominant psychomotor disturbance	308.2	134
Presenile dementia	290.1	2
Presenile dementia, uncomplicated	290.10	2
Presenile dementia with delirium	290.11	2
Presenile dementia with delusional features	290.12	2
Presenile dementia with depressive features	290.13	2
Prolonged depressive reaction	309.1	139
Prolonged posttraumatic stress disorder	309.81	143
Psychalgia	307.8	130
Psychogenic amnesia	300.12	66
Psychogenic dysmenorrhea	306.52	121
Psychogenic dysuria	306.53	121
Psychogenic fugue	300.13	66
Psychogenic genitourinary malfunction, unspecified	306.50	121
Psychogenic pain, site unspecified	307.80	130
Psychogenic paranoid psychosis	298.4	59
Psychogenic rumination	307.53	128
Psychogenic vaginismus	306.51	121
Psychogenic vomiting	307.54	128
Psychoses with origin specific to childhood	299.0-299.9	62-64

Fifth-digit subclassification for use with 299:
0 current or active state
1 residual state

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continue)

English Description	*ICD-9-CM* Code	Page Number
Psychosexual dysfunction	302.7	91
Psychosexual dysfunction, unspecified	302.70	91
Pyromania	312.33	154
Reactive confusion	298.2	57
Relationship problems	313.3	161
Repetitive intrusions of sleep	307.48	127
Residual schizophrenia	295.6	35
Respiratory-Physiological malfunction arising from mental factors	306.1	117
Schizo-affective type-Schizophrenic disorders	295.7	36
Schizoid personality disorder	301.2	77
Schizoid personality disorder, unspecified	301.20	77
Schizophrenic disorders	295.0-295.9	29-38
Fifth-digit subclassification for use with 295:		
0 unspecified		
1 subchronic		
2 chronic		
3 subchronic with acute exacerbation		
4 chronic with acute exacerbation		
5 in remission		
Schizotypal personality	301.22	77
Senile dementia, uncomplicated	290.0	1
Senile dementia with delirium	290.3	4
Senile dementia with delusional or depressive features	290.2	3
Senile dementia with delusional features	290.20	3
Senile dementia with depressive features	290.21	3
Sensitivity, shyness, and social withdrawal disorder	313.2	160
Separation anxiety disorder	309.21	140
Sexual masochism	302.83	92
Sexual sadism	302.84	92
Shared paranoid disorder	297.3	52
Shyness disorder of childhood	313.21	160
Simple type-Schizophrenic disorders	295.0	29
Skin-Physiological malfunction arising from mental factors	306.3	119
Social phobia	300.23	67
Socialized conduct disorder	312.2	153
Somatization disorder	300.81	73
Somnambulism or night terrors	307.46	127
Specific academic or work inhibition	309.23	140
Specific disorders of sleep of nonorganic origin	307.4	127
Stammering and stuttering	307.0	124
Subacute delirium	293.1	22
Tension headache	307.81	130
Tic disorder, unspecified	307.20	126
Tics	307.2	126
Tobacco use disorder	305.1	107
Trans-sexualism	302.5	89
Transient disorder of initiating or maintaining wakefulness	307.43	127
Transient disorder of initiating or maintaining sleep	307.41	127
Transient tic disorder of childhood	307.21	126
Transvestism	302.3	87
Undersocialized conduct disorder, aggressive type	312.0	151
Undersocialized conduct disorder, unaggressive type	312.1	152

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continue)

English Description	*ICD-9-CM* Code	Page Number
Unspecified-Psychoses with origin specific to childhood	299.9	64
Unspecified acute reaction to stress	308.9	137
Unspecified adjustment reaction	309.9	144
Unspecified affective psychosis	296.90	48
Unspecified alcoholic psychosis	291.9	15
Unspecified disturbance of conduct	312.9	157
Unspecified drug dependence	304.9	105
Unspecified drug-induced mental disorder	292.9	20
Unspecified emotional disturbance of childhood or adolescence	313.9	163
Unspecified hyperkinetic syndrome	314.9	167
Unspecified neurotic disorder	300.9	74
Unspecified nonpsychotic mental disorder following organic brain damage	310.9	149
Unspecified organic brain syndrome (chronic)	294.9	28
Unspecified paranoid state	297.9	54
Unspecified personality disorder	301.9	84
Unspecified psychophysiological malfunction	306.9	123
Unspecified psychosexual disorder	302.9	93
Unspecified psychosis	298.9	61
Unspecified schizophrenia	295.9	38
Unspecified senile psychotic condition	290.9	7
Unspecified transient organic mental disorder	293.9	24
Voyeurism	302.82	92
With asexual history-Trans-sexualism	302.51	89
With functional dyspareunia-Psychosexual dysfunction	302.76	91
With heterosexual history-Trans-sexualism	302.53	89
With homosexual history-Trans-sexualism	302.52	89
With hyperactivity-Attention deficit disorder	314.01	164
With inhibited female orgasm-Psychosexual dysfunction	302.73	91
With inhibited male orgasm-Psychosexual dysfunction	302.74	91
With inhibited sexual desire-Psychosexual dysfunction	302.71	91
With inhibited sexual excitement-Psychosexual dysfunction	302.72	91
With mixed disturbance of emotions and conduct-Adjustment reaction	309.4	142
With other specified psychosexual dysfunctions-Psychosexual dysfunction	302.79	91
With predominant disturbance of conduct-Adjustment reaction	309.3	141
With predominant disturbance of other emotions-Adjustment reaction	309.2	140
With premature ejaculation-Psychosexual dysfunction	302.75	91
With unspecified sexual history-Trans-sexualism	302.50	89
Without mention of hyperactivity-Attention deficit disorder	314.00	164

APPENDIX 6

PATIENT CHARACTERISTIC DEFINITIONS USED IN GRAPHS

Complications and Comorbidities (CCs)

There are 2,979 *ICD-9-CM* diagnoses that have been distinguished by the Health Care Financing Administration (HCFA) as complications and comorbidities (CCs). These secondary diagnoses are used within the definitions of the Version 3 Diagnosis Related Group (DRG) classification system.

The HCFA definitions are:

> A complication is a condition that arises during the hospital stay that prolongs length of stay by at least one day in approximately 75 percent of the cases.
>
> A comorbidity is a preexisting condition that will, because of its presence with a specific diagnosis, cause an increase in length of stay by at least one day in approximately 75 percent of the cases.

To obtain a complete listing of the Version 3 DRG CCs, please contact 1-800-521-6210, Extension 3534.

Payor Categories

Insurance Company

Payment covered by any private or commercial insurance carrier except Blue Cross.

Self-Pay

Direct payment by the patient himself.

Other

Sources of payment not included in the other payor categories. Included here are payment by local or organized charities, such as Cerebral Palsy Foundation, or payment by relatives or friends of the patient.

Title V

Maternal and Child Health. Applies only to females age 60 or younger or males 21 or younger.

Other Government Agencies

Payment by local, state, or federal government agencies, except Medicare, Medicaid, and Title V.